

14th Edition Fall '79
Catalog of Minicomputer Supplies and Accessories




Inmac
International Minicomputer Accessories Corporation


formerly
Minicomputer
Accessories
See next page for details



Magnetic media
For close to 2,000 drives.
Have it within 24 hours.



Supplies
Our trained staff
is here to help
find what you need.





Accessories
A low-cost way
to increase
productivity.



Storage
Customize this
cabinet your
way, page 34.

Furniture
Ready to ship,
direct to your
computer room.



Cables
Field-proven for HP, TI,
DGC, DEC or IBM hardware.

BUY DIRECT

Mail in your order or call:
East coast (201) 767-3601
West coast (408) 737-7777

Order today from this one-stop source...get your supplies as soon as tomorrow.



MEMO FROM THE DESK OF:
KEN ELDRED, PRESIDENT, INMAC

We added the word "International" to our name because our reputation for both quality and service has gotten itself around the world. Then, to make the long name of International Minicomputer Accessories Corporation easy for you to remember, we shortened it to Inmac. I just want you to know that we changed our name, but didn't change the way we do business.




Ken Eldred, President.

Six reasons to order from Inmac that add up to one big plus...an easy way for you to buy.



Order today, by mail or by telephone.



Well-stocked warehouses on both coasts.



Products guaranteed...from 45 days to 10 years.

1. Field-proven quality can give you confidence. Our products have to meet the toughest standards...or else.
2. Help with selection by Inmac's trained staff means you'll get the products that work with your system.
3. No paperwork to bog you down. Just mail your order in or call our east or west-coast order processing dept.
4. A no-nonsense guarantee lets you judge our product quality at no risk. See if it's as good as we say.
5. Fast shipment means just that. You get the products you need when you need them. Is 24 hrs. fast enough?
6. One-stop shopping saves you the search from source to source. Get over 1,000 products with one phone call.



Inmac
International Minicomputer Accessories Corporation

East of the Mississippi: 49 Walnut St., P.O. Box B, Norwood, NJ 07648
(201) 767-3601

West of the Mississippi: 130 S. Wolfe Rd., P.O. Box 404
Sunnyvale, CA 94086 (408) 737-7777

Index

Order form & information	65
Anti-static products	
Aerosol spray	63
Mat (Shock Absorber™)	7
Rug (Shock Absorber™)	2
Binders	58, 59
Books (Programmer's)	60
Cabinets	34-37
Cables & Connectors	
Bulk cables	40
Custom cables	54
EIA cables (CRT extension cables)	43
Flat	41
General cables & connectors	42
DEC compatible	52, 53
DGC compatible	46, 47, 48
HP compatible	44, 45
IBM compatible	49
T1 compatible	50, 51
Cable tools, cable bridge	55
Calculator	1
Carrying Cases	
Media cases (En Route™)	64
Porta Floppy case	29
Chairs	33
Cleaning Kits (Disk packs, mag tape)	15
CRT Stands	30, 31
Computer Room Accessories	
Fire extinguishers (Data Rescue™)	3
Security waste receptacle (Silent Sentry™)	inside cover
Scheduler board	2
Surge protector	63
Temperature/Humidity meter	63
Vacuum	61
24-hour wall clock	62
Data Entry Accessories	
CRT stands	30, 31
CRT swivel (Turn 'n Key™)	32
CRT top tray	32
Copyholders	62
Digital Cassettes/Cartridges	16
Disk Cartridges	20, 21
Disk Packs	22, 23
Filing Accessories	
Cassette/cartridge filing devices	17
Flexible disk filing devices	27, 28, 29
Printout index tabs	59
Printwheel file (Daisy Depot)	7
132 col. printout folders	59
132 col. printout trays	1
Filters	14, 15
Flexible Disks (std., mini, bulk)	24, 25, 26
Forms	56, 57
Magnetic Tape	18, 19
Media mailers	
New, flexible disk mailer	28
Media mailing devices	60
Paper	10, 11
Paper Tape	12
Paper Tape Accessories	13
Printer Accessories	
Paper creeper (Paper Taxi™)	66
Paper basket	12
Printer stand	12
Sound cover	37
Sound mat	7
Type face cleaner	61
Vacuum	61
Printwheels	6
Programmer's Aids Center	57
Racks	
Cartridge/cassette racks	17
Media racks	38, 39
Printout/manual racks	4
Ribbons	8, 9
Rulers/templates	57
T-switch	43
Tab Cards	57
Word Processing Supplies	5

Why you can rest easy when you order your supplies and accessories from Inmac.

To us, your confidence is just as important as your order. To win them both and help you out in the long run, we try to do things just a little bit better in these five areas:

Field-proven quality.

Sure. You can buy products similar to ours that meet industry standards. But we're just stubborn enough to make sure the majority of our products have test results that better the standard.

Who said we were all sticklers here?

Every one of the over 1,000 products you

Meet **Dung Quan** in Cable Assembly. His expertise lies in building custom cables to user specs. He's created cables for customers in such diversified fields as transportation, medicine, education, aerospace and more.



can buy from us has to meet our own tough standard of excellence. This sometimes drives our designers, engineers and quality control people a little crazy. But it's worth it to us. Because it's worth it to you when our products perform like you expected.

Satisfaction guaranteed.

Every product you purchase from Inmac must live up to your expectations, not ours. If it doesn't, just give us a quick call for a return authorization number. And then return the product post-paid within 45 days. We'll either replace the item, credit your account or refund your money.

Many of our products have guarantees for even longer periods of time (as stated on the specific page the item is offered).

Understandably, we cannot warranty damage resulting from misuse. Nor can we assume responsibility for consequential damage.

Admit it. You're a stickler, too.

Our products meet our standards. But they also have to meet your high standards. After all, you're the one who depends on them to perform. That's why you can try them in your own environment for 45 days. Free.

That's really the only way to see that all this stickler business of ours is really worth it.

We're on the grow, with distribution centers on both coasts and a brand-new cable facility.




Come visit our west coast office in Sunnyvale, CA. The coffee's ready.



New in San Jose, CA. A cable facility for our in-house professional staff.



Inmac, on the east coast with a well-stocked distribution center in Norwood, New Jersey.



No-nonsense service.

The last thing you need to know from us is how many megabytes can dance on the head of a pin. We want you to know we have quality, field-proven products. And that we'll make sure you get product compatibility.

We're more than ready for your questions.

In 90% of the cases, the person taking your order can answer questions about every product in this catalog. But if there's a tricky problem about unique items like custom cables, he or she will find a solution. And get back to you with the information you need to make the right decision.



Meet Amanda Lane in Customer Service. A portion of her job is to answer the customers' questions about disk cartridges. To do that job well, she's familiar with everything from sectoring and megabytes to disk care.

Different folks for different orders.

You can call our customer order processing divisions in either California or New Jersey. Or work with one of our telephone sales reps for long-term or large-purchase arrangements.

Fast shipment.

Now that you know we have the products you need and who to talk to, we can second-guess your next question... 'when can I get my order?'. (Were we right?)

Speedier than you may get elsewhere.

We're proud of everyone in shipping, both in CA and NJ. They recognize your emergencies, and really hustle. Sometimes, something out of their control gums up the works. A truck strike. Twenty feet of snow. An earthquake prediction that makes half of California conveniently take the day off. This really can frustrate our shippers. But luckily, situations like these are rare.

Meet Jamie Tougas in Shipping. One of his responsibilities is to ship Inmac's quality products to our customers in foreign countries. He even got a Data Storage Cabinet (pg. 34) to Malaysia, undamaged.



But you can expect us to ship your order within 36 hours of its receipt. (See pg. 65 for special services that get your order to your installation by tomorrow.)

State of the art.

We're the largest independent source for minicomputer supplies and accessories in the U.S. (maybe the world). So we have the freedom to work directly with most all the system and peripheral manufacturers.

Our sales reps, for instance, not only learn about the state-of-the-art, they learn

Meet Rise Berry in Sales. Part of her job includes attending computer-related trade shows across the country. This puts her more in touch with state-of-the-art hardware, and with the end user's specific needs.



Easy to use Selection Guide

Drive Mfg.	Model	Order #	(Minimum Ord. 10)	
Adds	580, 780, 880	290-	G \$6.00	\$5.50
Anderson Jacobson	700, 8400	320-	G 7.50	6.40
Beehive	Mini 1, Super 2, 3	220-	G 7.50	6.40
Burroughs	L85	215-	G 7.50	6.40
	7500, TD-078	210-	G 7.50	6.40
Computek	200	285-	G 7.50	6.40
Computer Automation	LSTI, 2/10, 2/20	345-	G 7.50	6.40
General	4080 Series	250-	G 8.50	8.00
	1100, 2200, 5500	325-	G 6.00	5.50
	7200	350-	G 7.50	6.40
		235-	G 6.00	5.50

This is just an example of all the compatibility charts you'll find. At a glance, they help you find which product will work well on what equipment.

what products relate directly to the customer's needs. And they're always leaning on us to put a wealth of new products into the catalog that improve security or protection. (They managed to succeed with the Silent Sentry in the column on your right.)

We research the specs so you don't have to.

So you don't have to plow through spec after spec, we've done compatibility studies to make sure what we offer will work with the equipment you have. Customers have told us our compatibility charts make ordering products like magnetic media easy. Let us juggle the specs, you're busy enough.




All trademarks property of International Minicomputer Accessories Corporation.

How Silent Sentry™ prevents the risk of pilfered data.

Do you put classified information out for everyone to see and steal? Of course not. But that's how dangerous it is to toss copies or misprints of your company's confidential data into a wastebasket.

Silent Sentry locks for total security.

Lock our new receptacle, and you can put papers in. But they can't be pilfered out.



Someone could even turn Silent Sentry upside down, and a steel divider plus a hinged drop plate would cover the opening. And keep all secrets inside.

Made for strength.

Not only is our new receptacle of heavy steel, it's fire resistant. And it's good looking.

Use Silent Sentry as your interim guard.

Instruct everyone to toss confidential throwaways into Silent Sentry. And rest assured that your data's secure until it gets to a shredder or is disposed of by your regular bonded refuse service.

Buy a Silent Sentry and put it in areas where it can do the most good. Computer rooms. By your copiers. In personnel. You decide. And order.

Silent Sentry security receptacle. Fire-resistant steel. Chrome lock, 2 keys. 14" w. x 12 1/2" d. x 37 1/2" h. Wt. 29 lbs. Putty color. No. 6567- G \$105.00 each
Buy 3 & SAVE \$15.00 \$100.00 each

Not included in our "free freight" offer. Pg. 65.

As an interim guard, our new Silent Sentry protects data in computer room or by the copier... until it's properly disposed of.



Why every programmer needs TI's calculator with hexadecimal and octal base arithmetic.

For 45 days, you can give this software engineering calculator a FREE trial. If you don't agree that it saves substantial amounts of development and debugging time, you can return it.

Since productivity in software development has become a major issue, a calculator like TI's is a necessity...because it easily increases your programming effectiveness.

It has what every other programmer's calculator doesn't.

With hexadecimal and octal base functions, this calculator offers speed, ease and accuracy for program debugging and troubleshooting.

With a single key stroke for HEX, OCT and DEC...you'll not only do away with conversion tables and those tedious longhand methods, but also have all the other normal 4-function operations as well.

Count these 5 special features:

1. Arithmetic in octal (base 8), hexadecimal (base 16), and decimal (base 10) number systems.



Small in size, big on features. TI's time-saving software tool gives single keystroke for OCT, HEX, and DEC.

2. Number conversions—single key stroke converts numbers between base 8, base 10 and base 16.

Our calculator simplifies formerly complex operations such as converting floating point numbers between bases. For example, 6 keystroke operations convert 2.505_8 to its decimal equivalent.

3. One's complement key—provides one's complement capability in OCT and HEX.
4. Parentheses—15 sets at each of 4 processing levels so you can dictate the order of interpretation of a mathematical sequence.
5. Logical operations—provides bit-by-bit logical operations on numbers in HEX and OCT.

Here are two examples which illustrate how easy to use this calculator is in application:

1. If your stack is 200 bytes long and starts at location 2376₈, where is the next usable location?

Press	Display
[DEC] 200	200 ₁₀
[OCT] [=]	310 ₈
23762 [=]	24272 ₈

2. What is the result of 854b6 "AND" 58fe2?

Press	Display
[HEX] 854b6	0 ₁₆
[AND] 58fe2	854b6 ₁₆
[=]	4a2 ₁₆



It can be a real time-saver for you.

Our new calculator does away with conversion tables and tedious longhand methods. It also features:

- All normal four function decimal calculator operations.
- Readout: Bright, 8-digit light-emitting-diode display. Decimal point, negative sign and error indication.
- One year warranty against defects of material and workmanship.
- Fast charge battery pack and AC adapter charger.
- Owner's manual and carry case.
- Size: 3.2" x 5.8" x 1.4"; 6.3 oz.

Inmac software engineering calculator.

No. 2900- G \$60.00

However you stack them, our trays neatly hold 132 column printout.

Jamming your 132 column printout into a letter-size tray is like cramming a size 13 foot into a size 9 shoe. Reports can wrinkle, rip and tear beyond recognition.

That's why our 132 column printout trays offer the neat, no-nonsense solution.

They stack and stack and stack.

Ideal for inter-departmental use, our trays stack up as high as you need them. In fact, many customers have told us that they've stacked the trays for the ideal in/out system, for increased mailroom efficiency and for a complete printout distribution center as well.

You might want to order several extra trays in several different colors to satisfy every situation that requires additional printout organization.

Don't forget other departments.

The people who receive your computer

reports can also use these trays. The printout you send them will look better because of it.

Rugged enough to take it.

We've field-tested our trays and they're rugged enough for the kind of daily usage your computer-room workload demands. The durable plastic used in the manufacture of these trays has been repeatedly proven.

132 Column printout trays. Dim: 12½" d. x 16" w. x 3¼" h. Wt. 1½ lbs. Rugged plastic. Please specify choice of smoke, black, beige or IBM blue.

No. 4542- G \$7.50
Buy 6 & SAVE \$9.00 \$6.00 ea.
Buy 12 & SAVE \$10.50 \$5.75 ea.

Better than letter-size, our trays accept 132 column printout and stack for a mail distribution center.



Put our Shock Absorber™ rug on your floor. We guarantee it to control static for at least 5 years.

Our Shock Absorber eliminates electrical charges which could cause minicomputer malfunction, employee discomfort and hours lost.


To prevent this damage, our Shock Absorber™ reduces the level of static charges below the 3,000 volt level...the shock cut-off point for most people.

The durable rug that's a static fighter.

Most rugs don't last as long as ours, let alone give you an anti-shock feature that continues to perform after years of repeated vacuuming and wet shampooing.


Built-up charges are immediately dissipated into the Shock Absorber. Because between the stain and soil resistant, anti-static-conductive 100% nylon pile there's a specially formed electro-conductive non-woven fabric. And our rug is vinyl backed to take steps against slipping and skidding.

Walking across carpeting can generate nearly 10,000 volts of electrostatic energy in less than 7 seconds. Chart shows that at the point of stepping on our Anti-Static Rug (A), it dissipates immediately and safely into the rug.



Guaranteed to stop the shocks.

Every rug carries our uncompromising 5-year guarantee. If your rug fails to perform satisfactorily during the 5-year period, return it to us for exchange or full refund of purchase price.



Color-coordinated to complement.

Since the computer room is a source of pride in your company, you're probably choosy about which colors go where. We've included the 3 most-asked-for colors here, but you decide which ones would look best. Rugs can be used over carpet or bare floor.

Shock Absorber rug. 3' x 5'. Choice of tweed-look gold, brown or green. (13 lbs.)
No. 6600- G \$47.00

Shock Absorber rug. 4' x 8'. Choice of tweed-look gold, brown or green. (27 lbs.)
No. 6605- G \$92.00

Shock Absorber rug. 3' x 10'. Choice of tweed-look gold, brown or green. (25 lbs.)
No. 6610- G \$92.00

How to spend \$30 and increase productivity 12%.

Let our wall boards help you create a more efficient system of short- or long-term planning. Try them and see if they don't save you at least 5 hours a week.

Organize to save time and money.

By keeping a critical account of on-going job schedules, you can make sure that staff time is efficiently used, computer downtime is avoided and productivity is maximized.

Update by writing on, wiping off.

Write your information on white plastic-coated boards with black, red, green and blue pens. As development progresses, wipe off to update. Each board is designed with bold lines and grids, holes for wall mount and an aluminum frame with pen tray.

Weekly Schedule board.

See how your efficiency improves.

Whether you order one board or all four, you'll experience an efficiency increase.

Weekly Schedule wall board. 18" x 27". Has 30 lines down, 9 sections across, days of the week and next week. Beige trim. 4 pens. Wt. 5 lbs.

No. 6591- G \$35.00 ea.

Buy 4 & SAVE \$20.00 \$30.00 ea.

Program Control wall board. 18" x 27". Has 25 lines down, 10 category-sections across. Rust with brown trim. 4 pens included. Wt. 5 lbs.

No. 6593- G \$35.00 ea.

Buy 4 & SAVE \$20.00 \$30.00 ea.

Monthly Schedule wall board. 18" x 27".

With a full calendar reprint and notes for next-month's planning. In beige/brown. With 4 pens. 5 lbs.

No. 6590- G \$35.00 ea.

Buy 4 & SAVE \$20.00 \$30.00 ea.

Four-In-One wallboard. 24" x 36". Four-month calendar reprint gives you one-third year activity at a glance. In beige. 4 pens. Wt. 5 lbs.

No. 6592- G \$40.00 ea.

Buy 4 & SAVE \$20.00 \$35.00 ea.


Extra pens. Come 4 in a set of black, red, green and blue.

No. 6595- G \$4.00/set

Four-In-One board schedules four months.

Program Control board schedules inventory.

Monthly Schedule board.



How to put out a fire without damage to your computer or data.

Other extinguishers can do as much damage to your equipment as a fire. But because our Data Rescue™ has a unique fire-fighting agent called Halon 1211, you can order it and be prepared with peace of mind.

If you don't think fire has a chance to strike your computer room, think again.

In 1959, fire spelled computer disaster at the Pentagon. In 1973 at the St. Louis Army Record Center. Recently, at IBM. Some were suspected acts of sabotage.



Conduct your staff in a fire drill.

It's important to know where your Data Rescue is located, so remember to order a package or two of fire extinguisher signs.

And it's vital to know how Data Rescue is used. Just remember the word PASS. Pull the ring pin. Aim at the base of the fire. Squeeze the lever. Sweep from side to side.

Fire extinguisher signs

No. 6565- G(pk. of 3) \$5.75 ea.

Buy 4 & SAVE \$1.00 \$5.50 ea.

If you think your computer room isn't a saboteur's prime target you're probably right. But the damage resulting from one cigarette burning in a wastebasket can be just as devastating. And that can happen in any computer room.

Consider the 7 benefits of Data Rescue with Halon 1211 when you order.

No computer is designed of totally non-combustible parts. Overheating to 140°F can cause malfunction; 300°F can cause permanent damage. But you can fight fires with Halon 1211. And with confidence.

1. **It's not cold** like the CO₂ extinguishers. Their discharge of -110° F can shock or destroy your computer's chips or PROM's.

2. **It's a clean agent** that breaks down the combustion process. Its vaporizing liquid will leave no powdery residue common to other types of fire extinguishers.

3. **It's fast**, because the vapor is 5 times heavier than air. It snuffs the flames fast and helps to minimize harmful flashback.

4. **It's safe** even in a closed computer room like yours. Halon 1211 is a stable chemical that won't endanger or corrode sensitive electronic components or cause static. It's non-toxic and won't harm materials like plastic or fabric on contact.

5. **It's listed by Underwriter's Laboratories** and approved by Coast Guard.

6. **It's durable**, with a patented all-metal sealing design that prevents leakage and an all-steel shell for impact resistance.

7. **It's easy to use** in the sizes you need. Order the 2½ lb. or 5 lb. Data Rescue for small rooms, the 5 lb. size for 15' x 20' rooms, the 17 lb. size for larger areas.



Order the size to suit your needs. Then quickly affix Data Rescue to your wall with brackets included.

Give us the chance to prove the superior performance of our own Data Rescue.

Check the status of the extinguishers in and around your computer room. If they don't say Halon 1211, you could suffer damage from fire and fire extinguisher.

Buy the size right for your environment. We think that it'll be worth the small price you'll pay for Data Rescue to guard against the debilitating fire disaster.

Data Rescue fire extinguisher. Steel shell, Halon 1211 extinguishant. In red.

No. 6560- G (2½ lb.) \$ 60.00 ea.

Buy 4 & SAVE \$12.00 ... \$ 57.00 ea.

No. 6555- G (5 lb.) \$ 85.00 ea.

Buy 4 & SAVE \$12.00 ... \$ 82.00 ea.

No. 6562- G (17 lb.) \$230.00 ea.

Buy 4 & SAVE \$120.00 .. \$200.00 ea.

Grab your Data Rescue as soon as fire starts.

Even a cigarette burning in a wastebasket can cause thousands of dollars damage. But Data Rescue with Halon 1211 snuffs fires fast. And won't harm your computer like other types of fire extinguishers can.

Use your Data Rescue until fire stops.

Just aim, pull the pin, squeeze the lever and swing the extinguisher from side to side. Data Rescue's 20% lighter than a CO₂ model, so everyone on your staff can comfortably use it. And because Halon 1211 is a clean agent, you won't have any mess or residue.

Approved all states except Michigan.



Put your manuals in a rack that expands to fit your growing needs.

If you don't happen to agree that our System Manual Rack™ offers the organization you need, you can return it within 45 days. But with reports we've heard from users in the field, we doubt if you'll take us up on our guarantee.

In installations like yours, our rack saves time, effort and costly organization problems. We guarantee that.

Establish a real sense of permanency.

Consider what happens if manuals aren't properly organized. One minute you're using a specific one for reference. The next minute someone borrows that manual. And you never see it again.

But with this rack, your manuals are conveniently in one place. All right there when needed for fast reference. If every programmer had a manual rack like this

one, think of all the hours that could be saved in the search.

Consider how much you have to store.

To order the correct size, simply add up the total inches of manuals that should be organized in the Inmac System Manual Rack. All you have to do is buy one basic rack. And then add up the number of extensions necessary to do the job with ease.

Use it because it's handy.

The basic rack holds up to six inches of standard three-hole-punched manuals or catalogs, and makes filing important material a snap. The Inmac System Manual Rack is slanted at a 30° angle for ease of reading while sitting or standing.

And since our modular design lets you add 6-inch units to the basic unit, this rack can grow with your system... indefinitely.

Appreciate the durability.

With all-metal construction and a baked-on enamel finish, our system manual rack can take the daily demands of your constant reference. The six chrome holders used in each section slide out for easy addition or deletion of material.

System manual rack. Holds 6"; includes six page holders and side wings. Wt. 7 lbs. Dim: 10½" d. x 18½" w. x 8¾" h.

No. 3700- G\$27.00 ea.

Buy 3 & SAVE \$9.00\$24.00 ea.

Manual rack expansion. 6 inch expansion unit includes stand and six page holders. Wt. 6¼ lbs. Dim: 10½" d. x 6" w. x 8¾" h.

No. 3710- G\$25.00 ea.

Buy 3 & SAVE \$9.00\$22.00 ea.

Additional page holders. Set of six chrome-plated page holders for use with Inmac Nos. 3700 and 3710. Wt. 1½ lbs.

No. 3715- G...(one set of six)...\$17.00



Angled for reading and designed for efficient use of space, our rack stores volumes of information. Updates easily too!

Access over 5,000 sheets of printout in less space than your in/out baskets.

If you're bogged down by sheets and sheets of printout piling up, here's a solution.

For both burst or unburst printout.

Order our data reference rack today and see first-hand how simple it is to organize source listings, research material and 80 to 132 column data printout. All in less than 17" of desk or counter-top space.

For versatility and hassle-free updates.

By adding on sections from top or bottom, you can keep your material dependably up-to-date. Fit any unburst data binder into our rack by using the nylon T-bars included. Slip the binder into the T-bar channel for quick placement, and it will stay secure with steel side pins to help prevent annoying slips or shifts.

And remember when you order to buy additional T-bar and channel sets, so your rack will hold many thinner-size binders.

For ruggedness that lasts and lasts.

Of all-steel with black baked enamel finish, the rack you order today will complement your installation for years to come. And the rubber feet will help to protect furniture from scratches and nicks.

Data Reference Rack. Includes six T-Bar and channel sets. (Binders not included, see page 58 for binders.) Wt. 18 lbs.

Dim: 8½" h. x 16¾" w. x 21½" d.

No. 3750- G\$69.00

Additional T-Bar and channel sets. To add more binders in the rack. Wt. 2 lbs.

No. 3755- G...(1 set of 4)\$13.00

Pressboard binders. For 132 column burst or unburst printout. Red, gray, black, dark blue or green. Sold in boxes of 10, all of one color. Wt. 7¼ lbs.

	Qty. 1-2	Qty. 3-4	Qty. 5+
No. 2103- G	\$23.00/box	\$22.00/box	\$21.00/box

Your choice of more binders on pgs. 58 and 59.



The six chrome holders used in each section slide out for fast, easy addition or deletion of material.

The Inmac system manual rack can keep everything you need in one place. It provides a compact, ready reference...and it's quality-made for the lasting convenience you need.



New. Word-processing supplies made simple.

Finally. You can find the printwheels, ribbons and flexible disks you need . . . with the assurance they'll all work well on your system.

This unique chart makes ordering WP supplies simple as 1,2,3.


1. Start by finding your own WP system in the left-hand column.
2. Next find the ribbons, printwheels and disks that correspond.
3. Then refer to the page or pages that explain why each product is a guaranteed, precision-performer in its own right. Prices are there, too. Printwheels, pg. 6; Ribbons, pgs. 8,9. Flexible disks and minifloppies. Plus our unique concept of buying both in bulk, pgs. 24,25,26.

In a bind and need your order in a hurry? Let us know.


Even one broken character on a printwheel can cause you chaos. So if and when you're in a bind, just get us on the phone. Someone here will personally go back to the warehouse and walk your order out to shipping. And even when you don't need your WP products in a hurry, we still feel better when they're shipped out by tomorrow. If you're skeptical about our speed, just give us a chance to prove it.




Attention,
word processing users.



Call now for the ribbons you need.



We have compatible flexible disks and minifloppies.



Qume-compatible and Diablo-compatible printwheels.

Word Processing Cross Reference Guide

Manufacturer	Model #	Flexible Disks 1-Side Reversible Option	Ribbons	Printwheel	Manufacturer	Model #	Flexible Disks 1-Side Reversible Option	Ribbons	Printwheel
Addressograph-Multigraph	AMtext 425	7890- G 7880- G	Nos. 6470-6473- G	Style A	Lexitron	All	7870- G 7860- G	Nos. 6470-6473- G	Style A
AES Data	AES 90, 100	— —	Nos. 6470-6473- G	Style A	Micom Data Systems	2000	7890- G 7880- G	Nos. 6470-6473- G	Style A
Artec International Corporation	Display 200	7870- G 7860- G	6476- G or 6478- G	Style C	NBI	System II-1	7910- G 7900- G	Nos. 6470-6473- G	Style A
Compugraphic	Word Com	7890- G 7880- G	—	—	System 1	7870- G 7860- G	Nos. 6470-6473- G	Style A	—
CPT	8000	7870- G 7860- G	Nos. 6470-6473- G	Style A	Norelco	WPS	— —	Nos. 6470-6473- G	Style A
	Rotary III	— —	Nos. 6470-6473- G	Style A	Olivetti	TES 501	7870- G 7860- G	—	—
A.B. Dick	Magna I, Magna II	— —	Nos. 6470-6473- G	Style A	Ontel	OP-1	7887- G 7881- G	—	—
Data Point	All	7870- G 7860- G	—	—		1715-31	7890- G 7880- G	—	—
Delta Data Systems	7300	7870- G 7860- G	—	—	Phillips	WB5000/B/C	7890- G 7880- G	—	—
Digital Equipment Corporation	WS-78-AA	7870- G —	6474- G, 6475- G or 6477- G	Style B	Qualterm	55, 155	7870- G 7860- G	Nos. 6470-6473- G	Style A
	WS202	— —	6476- G or 6478- G	Style C	Redactron	All	— —	Nos. 6470-6473- G	Style A
	WS200	7870- G —	—	—	Savin	950 Veritext	— —	Nos. 6470-6473- G	Style A
General Computer Systems	Data Text	7870- G 7860- G	—	—	Vydec	1200, 1400	7910- G 7900- G	—	—
I.B.M.	6/422, 6/452, 6240	Specify I.B.M. Equiv. Media No.	Nos. 6470-6473- G	Style A	Wang	WPS 10A, 10, 20, 30	7890- G 7880- G	6476- G or 6478- G	Style C
	Diskette 2	— 7856- G	—	—		System 5	— —	6476- G or 6478- G	Style C
	Diskette 2D	— 7859- G	—	—	Wordplex	Wordplex 1, 2, 7	7870- G 7860- G	Nos. 6470-6473- G	Style A
Jacquard	All	7870- G 7860- G	Specify HyType I or II	Style B or C	Wordstream	Wordstream III	7870- G 7860- G	—	—
Lanier	LTE-1, -2S, -2D, -3D, -3S; No Problem	— —	Nos. 6470-6473- G	Style A	Xerox	850	7870- G 7860- G	6476- G or 6478- G	Style C
						ETS 800/126, 800/122, 800C/152, 800/128, 800/124	— —	6476- G or 6478- G	Style C
					X-Mark	2000	— —	Specify HyType I or II	Style B

Flexible disks on pages 24, 25 and 26. Printwheels on page 6.
Ribbons on pages 8 and 9.

Since you can have next-day shipment on these low-cost high-quality performers it's easy to elude emergencies.

If even one character breaks off your printwheel and there's a backlog of work for your printer, that's trouble. If that happens, call us. If you're willing to spend a few extra dollars, we can get printwheels on your desk the next day.

Whether you pick 3 printwheels or 360, just pick up the phone and call for same-day shipment.

Designed to meet our own quality specs.

On each printwheel you order, the design allows for proper clearance between the characters. We insist on this, because a too-sharp edge could cause your reports to blur. And a too-round edge could cause you an improper character definition.

You can feel confident that the characters on every wheel you buy are not only accurately shaped, but also well-engineered to resist wear and extend longevity.

Field proven, east coast to west.

All across the country, our customers use these printwheels on character printers just like yours. And our daisies are proving that they're tough enough to perform well under the same kind of work load you experience.

East of the Mississippi

(201) 767-3601

West of the Mississippi

(408) 737-7777

Buy metal or plastic printwheels from us.

You will know when you purchase your printer which is applicable. Plastic is more suited to terminal applications where higher speeds are required.

And the metal wheel offers a superior kind of quality printing so important to you word processing users. This wheel will produce everything from legal forms to masters for offset. And that requires superiority.

Note: Plastic and metal printwheels are not interchangeable.



Remember to keep several daisies on hand.

Consider ordering your printwheels in larger quantities. That way, you'll stop an emergency before it even starts.

1 or 100, there's never a minimum order.

Pick your printwheel from several type styles. You get next-day shipment on your daisies, no matter how many you buy. Remember to order several, so you'll be prepared.

Our daisy printwheels are compatible with Qume, Diablo, Anderson-Jacobson, IBM, Shasta, Lanier, Wang, and other printers.

Word processing compatibility on page 5.

Follow our easy-to-use printwheel guide.

Inmac Order #		Qty 1-5	Price/Printwheel			
			6-11	12-23	24+	
6510-	G to 6517- G	9.00	8.60	8.40	8.20	
6480-	G to 6486- G	8.00	7.40	7.00	6.75	
6487-	G to 6489- G	9.00	8.35	7.90	7.60	
6490-	G to 6492- G	8.00	7.40	7.00	6.75	
6495-	G to 6499- G	55.00	53.00	51.00	50.00	

Cross Reference Guide

(Style A) Qume-Compatible Plastic Printwheels

Inmac Order #	Description	Qume Part #
6510- G	Courier 10, WP ABCDEabcde12345	82050
6512- G	Prestige Elite 12, WP ABCDEabcde12345	82052
6513- G	Letter Gothic 1.12, WP ABCDEabcde12345	82089
6516- G	Pica 10, WP ABCDEabcde12345	82051
6517- G	Courier 12, WP ABCDEabcde12345	80966
6485- G	Courier 10, Legal 2 ABCDEabcde12345	82164
6486- G	Prestige Elite 12, Legal 2 ABCDEabcde12345	82165
6487- G	Dual Gothic 12, Legal 2 ABCDEabcde12345	82166
6491- G	OCR-A ABCDEabcde12345	82064

*For use on Diablo metal printwheel printers only.

(Style B) Diablo-Compatible Plastic Printwheels

Inmac Order #	Description	Diablo Part #
6480- G	Courier 10 ABCDEabcde12345	38100
6481- G	Pica 10 ABCDEabcde12345	38101
6482- G	Elite 12 ABCDEabcde12345	38102
6483- G	Courier 72 ABCDEabcde12345	38107
6484- G	Manifold 10 ABCDEABCDE12345	38103
6485- G	Courier Legal 10 ABCDEabcde12345	38104
6486- G	Prestige Elite Legal 12A ABCDEabcde12345	38105
6487- G	Dual Gothic Legal 12 ABCDEabcde12345	38106
6488- G	Courier Legal 10 A ABCDEabcde12345	38108
6489- G	Pica Legal 10 A ABCDEabcde12345	38109
6490- G	General Scientific ∇ ∞ Ψ Φ + < Λ ¶ ↑ > § Ω 0 1 2 3 4 5	38141
6491- G	OCR-A ABCDEabcde12345	38144
6492- G	APL-10 α 1 n l ε _ ∇ Δ i ° ABCDE12345	38150

(Style C) Diablo-Compatible Metal Printwheels

Inmac Order #	Description	Diablo Part #
6495- G	Cubic P.S. QWERT asdfg 12345	9R21113 or 8R411
6496- G	Gothic P.S. QWERT asdfg 12345	9R21106 or 8R408
6497- G	Total Legal 10 QWERT asdfg 12345	9R21110 or 8R432
6498- G	Titan 10 QWERT asdfg 12345	9R21101 or 8R422
6499- G	Vintage 12 QWERT asdfg 12345	9R21102 or 8R441

Our new Shock Absorber™ mat. Put it over your carpet and see how it stops all your problems with static.

Anyone walking across carpet can carry electrostatic discharges. If that static's transferred into a CPU or terminal, you'll have interference that can cost plenty. But our Shock Absorber mat lets you say goodbye to static, data loss and damage.

Before you point the finger at faulty equipment for upsetting the logic in your data-entry terminal, minicomputer, word-processing station or point-of-sale terminal...check for that silent, sneaky culprit. Static electricity.

How a little static causes big problems.

When static gets near or right into your sensitive logic components, electromagnetic interference results. This "EMI" zaps out in all directions. So when its harmful waves reach conductive objects, electrical current is generated. It is this current, no matter how small, that can cause your circuits to malfunction. And cause your system to go down for hours at a time.

Of course, your equipment has been designed to help shield circuits from this dangerous EMI. But the waves can seep right into the tiniest seams, so your components are always susceptible to their reach.

How our new mat can protect from static.

Shock Absorber mat creates a positive path to ground. The static charges carried by anyone walking across your carpet's drained by simply stepping on our mat. It's really your

passive protection against the active dangers of electrostatic discharge. Consider how many areas in your installation are susceptible to static dangers.

Where to put our Shock Absorber mat.

Because static can cause terminals to send erroneous data to your CPU and circuits can be permanently damaged, you'll want to buy several Shock Absorbers for protection.

At your word-processing stations, these mats look attractive. And your operators can roll their chairs over our new mat with ease.

To help prevent electrostatic discharge that causes havoc with your data and even damages sensitive logic circuits, order our new Shock Absorber mat today. Use this mat in word-processing stations, near printers or drives to fight static.

The Shock Absorber mat also fights static around data-entry, point-of-sale and bank terminals...as well as in computer room entrances and near printers or drives.


Order as many Shock Absorbers as you'll need for static protection. (Note: Over bare floor, use Shock Absorber rug on pg. 2.)

Shock Absorber mat.. Black vinyl with ground wire. Dim. 4' w. x 5' l. x ½" t. Wt. 21 lbs.

No.6620- G..... \$175.00 ea.

Buy 3 & SAVE \$30.00 \$165.00 ea.

Because of the size of this item, it must be shipped by truck.



Our new sound-absorber mat does more than reduce printer noise.

1. Helps stop "creeping." The bottom sponge-rubber surface provides thousands of tiny suction cups to hold your printer in place.

2. Aids proper "breathing." The middle layer of felt not only is a natural noise attractor, but is tightly-woven and treated with a special stiffener to prevent your terminal from sinking into the mat. This allows proper air intake and exhaust necessary for efficient motor operation.

3. Increases stabilization. The top, diamond-shaped layer puts quality latex rubber at each of our mat's 4 corners. Again, this helps to render your terminal immovable during your day-to-day printing.

Sound absorber mat. Of rubber and felt. Grey. Dim. 27¾" w. x 25" l. x ½" t. Wt. 5 lbs.

No. 6645- G..... \$35.00 ea.

Buy 3 & SAVE \$6.00 \$33.00 ea.

Buy our new sound-absorber mat to reduce printer creeping and harsh noises.



New. Daisy Depot™ keeps printwheels in good character.

Let's face it, daisies are sensitive. If even one character breaks off on page 45 of a 50-page report, it's a hassle. But there are solutions. First, order extra printwheels to have on hand. Then, store the printwheels you do have in our new Daisy Depot.

A file folder keeps 6 daisies fresh.

For shelf or desk-top, our Daisy Depot protects 6 plastic or metal wheels. Perfect for word-processing operators, the folder makes it easy to file wheels according to style. To see how well Daisy Depot does the job, you can try our folder free for 45 days.


Order today for organization.

Think about how many wheels you have. Then call now to put every printwheel in its place. We'll ship as many Daisy Depot folders as you need by tomorrow.

Daisy Depot folder.. Holds 6. Light blue with velcro close. Dim. 9¾" w. x 11½" l. x ¾" t. Wt. 1½ lbs.

No. 2465- G..... \$10.00 ea.

Buy 3 & SAVE \$3.00 \$ 9.00 ea.



How to have our quality Good Impressions™ ribbons in 24 hours (even if it's not an emergency).

Since the reports produced on your printer often are the only image people have of you, they must reflect the quality of your computer operation. To make this communication professional as possible, your ribbons must print quality, line after line. Order to see if our ribbons do.

How they're made makes the difference. Our quality-control group makes sure each ribbon gives the superior performance that lets us call them "Good Impressions."

All our ribbons meet the specifications of your printer manufacturer. Because they're guaranteed to stay factory fresh, you can buy in large quantities and save money.

1. Nylon impression fabrics are woven in a precise thread count. Other ribbons that are tightly twisted or not twisted at all can't endure your printer's repeated pounding. But ours are loosely twisted for better resiliency and a longer life.

2. Maximum ink retention is achieved. This actually homogenizes color-producing pigments and tones, which reduce the chance of separation that can cause spotty print. Each ribbon is formulated with the exact ink percentage required for your printer.

3. Proper control of width and length insure accurate fit and tracking.

4. Each ribbon is precision-cut and heat-sealed to help prevent fraying.

They stay factory-fresh on your shelf.

Each of our ribbons is stamped with the date of manufacture. This lets you pinpoint just how fresh each ribbon is. We guarantee that our ribbons stay factory-fresh for up to one year from the date of production.

Need ribbons fast?

**E. of Mississippi (201) 767-3601
W. of Mississippi (408) 737-7777**

And because you know the ribbons you order will stay fresh, you can buy in larger quantities and really save money.


They're easier to use now than ever before.

As far as we know, Inmac is the only one to see that your ribbons come with two spools instead of one. This makes for much easier loading and quicker handling. For more convenience, the wider ribbons you order include a "clean-hands kit."

So call and order today. That's how you can appreciate all the reasons that lets us give our ribbons one of the strongest guarantees in the industry.

Ours

Our Good Impressions ribbons are loosely twisted for improved resilience and longevity.



Others

Some manufacturers offer ribbons with a tight twist or no twist. They can't stand your printer's pounding.



Word Processing Ribbon Guide

Manufacturer	Model #	Inmac Order #	Price Each		
			1-11	1 Doz.	3 Doz.
Diablo Compatible					
Diablo	HyType I, M/S Black # 38002	6476- G	4.75	4.65	4.30
	HyType I, Cloth Black # 38000	6478- G	5.75	5.60	5.20
	HyType II, M/S Black # 24170	6475- G	7.50	7.35	6.80
	HyType II, Cloth Black # 24150	6477- G	6.50	6.35	5.90
	HyType II, Cloth Extended Life	6474- G	18.50	17.00	16.00
	Matrix, Black # 24650	6479- G	9.50	9.40	9.00
	Qume Compatible				
	Qume	All Models:			
	Multistrike, Black #80029-02	6470- G	6.75	6.40	6.20
	Fabric, Med Blk, #80009-02	6471- G	5.00	4.60	4.35
	Fabric, Heavy Black, #80009-01	6472- G	5.00	4.60	4.35
	Singlestrike, Black, #80039-02	6473- G	8.00	7.85	7.25



Attention, word processing users! Find your own compatibility chart and cross reference information on page 5. If you already know what you need, use this chart here and order today.

Ribbon Cross Reference Guide

Manufacturer	Model #	Inmac Order #	Price Each	1 Doz.	3 Doz.
Anderson-Jacobson	230	6200- G (5 mil.)	*	\$2.00	\$1.80
Basic Four	3233	6300- G (5 mil.)	6.00	5.85	5.40
	3410	6142- G	4.60	4.20	3.95
	3500, 3600	6140- G	29.00	28.00	26.00
	3510	6180- G	9.00	8.80	8.15
Burroughs	B700 Console, L 8541	6151- G	*	2.30	2.05
	TC 4000, TC 5100	6145- G	*	2.20	2.05
	9246	6230- G	34.00	31.00	29.00
	5000	6220- G (5 mil.)	10.00	9.15	8.60
Centronics	101, 101A, 101AL, 102A, 102AL, 101S, 103, 301, 306, 306C, M101, M102, M103, 300, 308/508, KP & IP, 308 MSR, KSR and RO; 330, 398, 501, 588, 502, 503	6300- G (5 mil.)	6.00	5.85	5.40
	700-703, 761, 779	6450- G	4.00	3.90	3.80
Cincinnati Milacron	3071-1	6300- G (5 mil.)	6.00	5.85	5.40
	3080-1	6450- G	4.00	3.90	3.80
Control Data Corporation	3010, HR 300	6270- G (5 mil.)	6.85	6.25	5.90
	512	6164- G (5 mil.)	30.00	29.00	28.00
	9322	6220- G (5 mil.)	10.00	9.15	8.60
	9315	6144- G	*	2.20	2.05
Data General	6050-6042	6100- G	4.75	4.65	4.30
	Dasher Series	6300- G (5 mil.)	6.00	5.85	5.40
	4034C, 4034D	6125- G	28.00	26.00	24.00
	4034B	6140- G	29.00	28.00	26.00
	4125/4216, 4218/4219, 4034G, H	6140- G	29.00	28.00	26.00
Data 100	300/400 LPM	6270- G (5 mil.)	6.85	6.25	5.90
	500/600 LPM	6272- G (3 mil.)	40.00	37.00	35.00
	925/1000 LPM	6265- G (3 mil.)	46.00	42.00	39.00
	165/300 MDL 88	6300- G (5 mil.)	6.00	5.85	5.40
Data Point	Freedom Printer	6146- G	4.75	4.65	4.25
	9280 Series	6140- G	29.00	28.00	26.00
Data Printer	CT2323, CT2324, CT3314, CT1334, CT1344, CT4641	6240-FG (5 mil.)	19.00	17.50	16.50
	CT6644, 7484, 7964, 12484, 51284	6420- G (3 mil.)	22.00	20.00	19.00
	5500, V132, V236	6242- G (5 mil.)	19.50	17.75	16.75
	10644	6469- G	28.00	25.00	24.00
Data Products	2910, 2310	6125- G	28.00	26.00	24.00
	2230, 2260, 2290, 2550	6140- G	29.00	28.00	26.00
	2410, 2420, 2440, 2470	6265- G (3 mil.)	46.00	42.00	39.00
	4300, 4400, 4500	6161- G	28.00	25.00	24.00
	4100, 4200	6155- G	*	3.75	3.45
Decision Data	6603, 6606, 6609	6140- G	29.00	28.00	26.00
Diablo	HyType I, M/S	6476- G	4.75	4.65	4.30
	Black #38002	6478- G	5.75	5.60	5.20
	HyType I, Cloth	6475- G	7.50	7.35	6.80
	Black #38000	6477- G	6.50	6.35	5.90
	HyType II, M/S	6474- G	18.50	17.00	16.00
	Black #24170	6479- G	9.50	9.40	9.00
	HyType II, Cloth				
	Black #24150				
	HyType II, Cloth				
	Extended Life				
	Matrix, Black				
	#24650				
Digital Equipment Corporation (DEC)	LQP-01, 8E	6477- G	6.50	6.35	5.90
	310W (Cloth, Black)	6475- G	7.50	7.35	6.80
	LQP-01, -8E,				
	310W (M/S, Black)				
	LP01:				
	LE8, LP08, LP09,				
	LP11, LP12, LP15				
	(Models F & H)				
	LP02:				
	LE8, LP08,				
	LP09, LP11,				
	LP12, LP15				
	(Models J & K)				
	LP03:				
	LE8, LP08,				
	LP11 (Models M & Q)				
	LP04:				
	LE8, LP08,				
	LP11, LP15				
	(Models R & S)				
	LP10 (Models F & H)				
	LP06: LP11				
	(Models Y & Z)				
	LP20: (Models F & H)				
	MA30, LS8, LS08,				
	LS11, LS01				
	LT33/LT35				
	LA30/36				
	Dec Writer II				
	LA180, LS120				
	LP07, LP05:				
	LE8, LP08, LP11, LP15				
	(Models V & W)				
	LP20 (Models A & B)				
Digitronics	200	6142- G	4.60	4.20	3.95
Entrex	501	6300- G (5 mil.)	6.00	5.85	5.40
	533, 536	6140- G	29.00	28.00	26.00
	515 (M/S, Black)	6475- G	7.50	7.35	6.80
	515 (Cloth, Black)	6477- G	6.50	6.35	5.90
Four Phase	8135	6300- G (5 mil.)	6.00	5.85	5.40
	8148	6140- G	29.00	28.00	26.00
	8149	6240- G (5 mil.)	19.00	17.50	16.50
	8151	6135- G	35.00	33.00	31.00
G.E. Terminet	300, 120, 1200	6210- G	*	2.35	2.10

Manufacturer	Model #	Inmac Order #	Price Each	1 Doz.	3 Doz.
General Automation	3353	6240- G (5 mil.)	19.00	17.50	16.50
	3356	6242- G (5 mil.)	19.50	17.75	16.75
Genesis One	"G" Printer	6300- G (5 mil.)	6.00	5.85	5.40
		6450- G	4.00	3.90	3.80
Hazeltine	T120, 300, 1200	6210- G	*	2.35	2.10
Honeywell	551, 552, PRU-9103, 04, 05, 06, 08, 09	6140- G	29.00	28.00	26.00
Hewlett-Packard	2749 B (TTY) 560A	6200- G (5 mil.)	*	2.00	1.80
	3000 CX, 2762 A & B	6210- G	*	2.35	2.10
	2607 A	6215- G (5 mil.)	5.50	5.35	4.90
	2610A	6220- G (5 mil.)	10.00	9.15	8.60
	2767A	6125- G	28.00	26.00	24.00
	2614A & 2618A	6230- G	34.00	31.00	29.00
	2613A & 2617A	6140- G	29.00	28.00	26.00
	9871A	6151- G (3.5 mil.)	*	2.30	2.05
I.B.M.	IBM Part #1136653	6450- G	4.00	3.90	3.80
	Silver Dollar, Donut				
	IBM Part #1136970	6148- G	6.65	6.25	6.00
	Pork Chop				
	IBM Part #1136634				
	1/2" Harmonica	6455- G	9.00	8.30	7.85
	1403 & 3203 (20 yards)	6466- G (5 mil.)	20.00	18.50	17.75
	1403 & 3203 (25 yards)	6467- G	30.00	27.00	25.00
	5203 (15 yds.)	6468- G (5 mil.)	22.00	20.00	18.90
	5203 (20 yds.)	6469- G	28.00	26.00	24.00
	Sys/3 Model 6 Stage 1,				
	2213, 5313, 2220,				
	3215, 5213				
	Stage 10 S	6149- G	*	2.30	2.05
	3211	6165- G	30.00	28.00	27.00
	1130, 1132, 1133,				
	407-8, 716, 717,				
	719, 1137	6152- G	*	3.00	2.75
	1443, 2203, 2306,				
	3680, 720, 730	6142- G	4.60	4.20	3.95
	2560 Wireprinter	6146- G	4.75	4.65	4.25
	3/4" Harmonica				
	3289, 3776, 3791	6154- G	15.00	13.70	12.80
	402-405, 557	6153- G	*	3.00	2.75
	5471	6151- G (3.5 mil.)	*	2.30	2.05
Incoterm	PI65A	6300- G (5 mil.)	6.00	5.85	5.40
Jacquard Systems	1355P (M/S Black)	6475- G	7.50	7.35	6.80
	1355P (Cloth, Black)	6477- G	6.50	6.35	5.90
Memorex	1240, 1249	6147- G	4.60	4.20	3.85
Microdata	Medium Speed	6100- G	4.75	4.65	4.30
	High Speed	6140- G	29.00	28.00	26.00
Microfinancial	Enterprise 2000	6450- G	4.00	3.90	3.80
Modular Computer Corp. (Modcomp)	Comp Sys	6300- G (5 mil.)	6.00	5.85	5.40
	Data Com Printer	6210- G	*	2.35	2.10
NCR	270, 299, 399	6151- G (3.5 mil.)	*	2.30	2.05
	279, 220, 225	6141- G	*	1.55	1.45
	6440-101-102	6144- G	*	2.20	2.05
Nixdorf	620, 820, 800, 880, 8870	6300- G (5 mil.)	6.00	5.85	5.40
	620 Input, 820/110	6151- G (3.5 mil.)	*	2.30	2.05
	800, 840	6144- G	*	2.20	2.05
	515 (M/S Black)	6475- G	7.50	7.35	6.80
	515 (Cloth, Black)	6477- G	6.50	6.35	5.90
Okidata	CP110, 210	6143- G	*	2.20	2.05
Olivetti	DE523, S.U.160, TCU 270	6300- G (5 mil.)	6.00	5.85	5.40
Phillips	150, 152, 300, 310, 320	6146- G	4.75	4.65	4.25
Printronix	150, 300, 600	6180- G	9.00	8.80	8.15
Qantel	5001	6300- G (5 mil.)	6.00	5.85	5.40
	5004	6450- G	4.00	3.90	3.80
	5061	6365- G (5 mil.)	*	3.50	3.20
	5041, 5042	6140- G	29.00	28.00	26.00
Qume	All Models:				
	Multistrike, Black				
	#80029-02	6470- G	6.75	6.40	6.20
	Fabric, Med Blk,				
	#80009-02	6471- G	5.00	4.60	4.35
	Fabric, Heavy Black,				
	#80009-01	6472- G	5.00	4.60	4.35
	Singlestrike, Black,				
	#80039-02	6473- G	8.00	7.85	7.25
Randal Data Systems	310	6300- G (5 mil.)	6.00	5.85	5.40
Raytheon	3301	6140- G	29.00	28.00	26.00
	3406	6365- G (5 mil.)	*	3.50	3.20
	3412	6300- G (5 mil.)	6.00	5.85	5.40
Sycor	X606, X612, X618, 4618	6148- G	6.65	6.25	6.00
	2582-2, 2583, 3484, 3485	6144- G	*	2.20	2.05
	3482	6300- G (5 mil.)	6.00	5.85	5.40
Tally	2000, 2100, 2200	6215- G	5.50	5.35	4.90
	600	6242- G (5 mil.)	19.50	17.75	16.75
Tektronix	8200	6105- G	5.75	5.60	5.15
Teletype	Telex (old) 28, 33, 35, 37, 38, 88-TTY	6200- G (5 mil.)	*	2.00	1.80
	40	6365- G (5 mil.)	*	3.50	3.20
Texas Instruments	810	6146- G	4.75	4.65	4.25
	820	6105- G	5.75	5.60	5.15
Wang	Alvan (input)	6151- G (3.5 mil.)	*	2.30	2.05
	Alvan (output)				
	2221, 2231, 2261, 721	6300- G (5 mil.)	6.00	5.85	5.40
	2200W, 2221W	6156- G (5 mil.)	*	3.00	2.80
	2200, 2281, 5081				
	(M/S, Black)	6475- G	7.50	7.35	6.80
	2200, 2281, 5081				
	(Cloth, Black)	6477- G	6.50	6.35	5.90
Western Union	EDT 3000, 1200	6210- G	*	2.35	2.10

*For these prices please multiply the 1 dozen price by 1.5

Learn how to get a carton of thermal paper delivered tomorrow. Because if you run out... you might as well shut your printer off.

There are certainly more important things on your mind right now than how much paper is on the shelf in your supply room.

But when there's no paper at all... this unimportant matter becomes an emergency.

If you want paper immediately and the other products in your order a few days later, that's fine. Tell us your needs, we'll do the rest. Our trio of special services is yours:

1. Call us by 2 p.m. East of the Mississippi dial (201)767-3601. West of the Mississippi dial (408)737-7777. Get your order to us by 2 p.m. and your paper will be there the next day by 10 a.m., almost anywhere in the U.S.

2. Express Mail. The post office guarantees next-day delivery on items up to 70 lbs. Our thermal paper weighs up to 49 lbs. per carton, so this method is effective.

3. Air Freight. For \$30 extra, your order gets courier delivery to San Francisco Intl. or Newark Intl. Hours after you call us your order will arrive at the airport nearest you.

You'll have dependable paper that lasts.

Under normal office conditions, our thermal paper can be stored unopened for a minimum of one year. It will show no appreciable signs of discoloration.

When stored and filed under normal office conditions for a 3-year period, your printout will continue to be clear and legible.

Order black print as well as blue print.

To insure that clear copies of your reports can be made without problem, we offer you the choice of buying thermal paper with black or blue print. When you consider all the people who share your data, it's important to make sure clear copies can be made. So order today... you can have it tomorrow.

In 24 hours, you'll have thermal paper compatible to these machines and more:

1. Your TI 743 KSR
2. Your HP 9815
3. Your TI 733 ASR



Easy to use Thermal Papers Selection Guide

For use on: (Equipment Type)	Dimension	Thermal Paper Description	Inmac Order #	Ctn. Ship Wt.	Rolls Per Ctn.	Price/Roll			
						1-11	1 Doz	2 Doz	4 Doz
Anderson Jacobson 630 (non-perforated)	8 1/2" x 4 1/2" dia.	Black print, white, bond type, 400' roll	5635- G	30	12	12.00	10.75	9.90	9.40
		Blue print, white bond type, 400' roll	5636- G	30	12	12.00	10.75	9.90	9.40
	15" x 4" dia.	Black print, white, bond type, 400' roll	5638- G	49	6	20.00	18.00	16.50	15.65
		Blue print, white, bond type, 400' roll	5639- G	49	6	20.00	18.00	16.50	15.65
Hewlett-Packard Desktop Computer 9815, 9825 5150A Printer	2 1/4" x 3" dia.	Black print, white, bond type, 250' roll	5620- G	12	24	2.50	2.50	2.35	2.15
		Blue print, white, bond type, 250' roll, HP part #9281-0401	5621- G	12	24	2.50	2.50	2.35	2.15
Hewlett-Packard Desktop Printer 9866 A/B	8 3/4" x 2" dia.	Black print, white, bond type, 100' roll	5624- G	31	24	4.00	4.00	3.30	3.15
		Blue print, white, bond type, 100' roll.	5625- G	31	24	4.00	4.00	3.30	3.15
	8 3/4" x 4" dia.	Black print, white, bond type, 260' roll	5627- G	29	12	10.75	10.40	9.40	8.75
		Blue print, white, bond type, 260' roll. HP part #9270-0488	5628- G	29	16	10.75	10.40	9.40	8.75
Texas Instruments Silent Writer 743KSR, 745	8 1/2" x 2" dia.	Black print, white bond type, 100' roll, TI part #972603	5600- G	17	24	2.50	2.50	2.50	2.50
Texas Instruments Silent Writer 732, 733, 735, 742, 755	8 1/2" x 3 1/2" dia.	Black print, white, bond type, 300' roll, TI part #213714	5605- G	25	12	6.00	6.00	6.00	6.00

How to buy one carton or a car-full of paper, without having to hassle with a surcharge.

With other major suppliers, there's often a surcharge of up to \$15.00 if 6-or-less cartons of line printer paper are purchased. When you buy from us you get satisfaction...not an extra charge tacked on. With well-stocked shelves and distribution centers from east coast to west, we can guarantee you both quality and quick delivery. Regardless of quantity ordered.

Quality control for best results.

Since we have computer-controlled mills...a constant, uniform paper thickness is achieved. It is this thickness that helps maintain the paper's equal distance from the printer head...resulting in better alignment, longer ribbon life and a constant impression.

Durable yet practical paper weight.

Most of our standard line printer and teleprinter/teletype paper is 15 lb. weight. Durable enough for extended report usage;

light enough to make even giant reports a breeze to manage. Or try our new 20 lb. bond for those single part reports that are used a lot.

A guarantee that's uncompromising.

If you're at all skeptical about the quality of our paper, give us an opportunity to win your confidence. If our line printer paper doesn't give you professional-looking reports line after line, just return the remainder to us, postage paid within 45 days from date of shipment for a full refund.

Plus a very speedy turn-around.

There's nothing more frustrating than waiting for something you ordered last week or last month. Call us, and we'll ship your order out as soon as tomorrow.

Selection Guide For Line Printer Paper

(Fanfold, Sprocket Feed Holes)



East of the Mississippi
(201) 767-3601

West of the Mississippi
(408) 737-7777

Paper Type	Paper Description	Ship Wt.	Inmac Order #	Sheets/Sets Per Carton	Price/Carton		
					1-5	6-11	12+
72 Column 8 1/2" x 11"	1 Part, Grn/Wht Bar, 15 lb. Bond	25 lbs.	5410- G	3200	37.00	34.00	31.00
	3 Part, Grn/Wht Bar, Carbon, 15 lb. Bond	27 lbs.	5415- G	850	43.00	39.00	37.00
80 Column 9 1/2" x 11"	1 Part, Wht., Unlined, 15 lb. Bond	28 lbs.	5700- G	3200	40.00	36.00	34.00
(Tears Down to 8 1/2" x 11" Along Perforations)	3 Part, Wht., Unlined, Carbon 15 lb. Bond	29 lbs.	5720- G	850	46.00	42.00	39.00
80 Column 9 3/4" x 11"	1 Part Grn/Wht* Bar, 15 lb. Bond	28 lbs.	5750- G	3200	40.00	36.00	34.00
120 Column (GE TermiNet and Others) 12 27/32" x 11"	1 Part, Grn/Wht* Bar, 15 lb. Bond	35 lbs.	5510- G	3200	48.00	44.00	41.00
132 Column 14 3/8" x 11"	1 Part, Wht, Unlined, 15 lb. Bond	43 lbs.	5800- G	3200	54.00	49.00	46.00
	1 Part, Grn/Wht Bar, 15 lb. Bond	43 lbs.	5850- G	3200	54.00	49.00	46.00
	1 Part, Grn/Wht Bar, 20 lb. Bond	48 lbs.	5840- G	2600	48.00	44.00	41.00
	3 Part, Grn/Wht Bar, Carbon, 15 lb. Bond	44 lbs.	5820- G	850	60.00	55.00	51.00
	3 Part, Carbonless, Grn/Wht Bar, 15 lb.	46 lbs.	5825- G	1150	85.00	77.00	72.00
	6 Part, Carbonless, Grn/Wht Bar, 15 lb.	47 lbs.	5830- G	600	100.00	91.00	86.00

*Note: East Coast Stock is Greenline Not Grn/Wht Bar.

Paper is not included in our "free freight" offer.

Selection Guide For Teleprinter Paper

(Rolled, Friction Feed)



Paper Type	Paper Description	Ship Wt.	Inmac Order #	Rolls Per Carton	Price/Carton		
					1-5	6-11	12+
Teleprinter/Teletypewriter,	Unlined Canary 15 lb. Groundwood	35 lbs.	5300- G	12	24.00	23.00	22.00
72 Column 8 7/16" w. x 4 1/2" Dia.	Unlined Off-Wht 15 lb. Groundwood	35 lbs.	5305- G	12	24.00	23.00	22.00
	Unlined White 15 lb. Bankers Bond	40 lbs.	5306- G	12	40.00	39.00	38.00
	2 Part, Wht Top, Yellow Bottom, Carbon, 15 lb.	40 lbs.	5307- G	12	44.00	43.00	42.00

A hint that saves you about \$10.00 a carton.

Everyone knows it's simple to add just a line printer from 132 columns to 80 columns when the report's design allows it. But as we visit one minicomputer installation after another, we're continually surprised at how infrequently the paper is switched.

Just remembering to make the change can save about \$10.00 per carton. That saves money and beautiful trees!


You can buy 1 carton of line printer paper or 100 from us, and still get the same kind of quality paper when you need it. Call us, and we'll ship your order the day it's called in.



How to guard your printer paper from snags and rips.

If paper is feeding into your printer properly...but feeding out and piling up on the floor every which way, watch out. Not only can your reports end up looking like yesterday's newspapers, you'll waste hours picking up paper. Folding it. And

Our new line printer basket accommodates your work load. The bottom "V" tray adjusts to 8 positions.



trying to flatten it out. That's why our basket's a time saver.

Built for strength and durable service.

Because our new printer basket is made from the same nickel-plated chrome-finished steel as a supermarket shopping cart, you can depend on it for years of service. To appreciate its strength, try it with your line printer for 45 days. Free.

Adjusts to accommodate your work load.

Our engineers designed this new printer basket with versatility in mind. That's why the bottom tray adjusts to eight different depth positions. If you run a short report, set the tray higher for easy access. For a long report, you can move the tray down to accommodate more printout.

Engineered to keep paper neatly folded.

Because this bottom tray has a V-shape, your printer paper refolds neatly, without wrinkles. This not only keeps your reports flat, but prevents misalignment that can cause unsightly snags and rips.

Line printer basket. Free standing, 12 1/4" w. x 16" l. x 18" h. Steel. Adjustable V-tray. Wt. 7 lbs.

No. 4882- G\$39.00 ea.
Buy 3 & SAVE \$9.00\$36.00 ea.

How to make sure proper paper feeding gets you out of a jam.

If your printer's on an unstable counter or table, it might cause faulty paper feeding. And if you've had to stop a printer in the

Our unique, open-leg design makes this stand ideal for proper paper-feed and good support.



middle of a report because the paper flow is jammed, you know what a hassle it is.

Now order rugged support for TI, Centronics and Lear Siegler printers.

Order our stand/basket today and solve your paper-feeding mishaps. With specially-designed open-leg, heavy-duty steel construction, our printer stand facilitates the paper flow and achieves the proper feed.


For assembly, you'll need 10 minutes, a standard screwdriver and the instructions included. After assembling your stand, bolt your printer directly onto it through pre-drilled holes.

The basket can catch, fold and stack.

Of heavy-gauge wire to resist buckling and bending, our basket hooks right onto the stand. As an input or an output catch-all, it holds a full box of 132 column paper that weighs up to 60 lbs. See if you don't agree it's an efficient way to make your computer room neater and more professional-looking.

Line printer stand and basket. For Centronics 701 and 703; Lear Siegler 300. Steel stand and wire basket. Wt. 48 lbs. Dim: 24" h. x 24" w. x 25" d.

No. 4860- G\$145.00
No. 4862- G (for TI 810 and 820)...\$145.00



Soft paper exterior reduces head wear.

Mylar tape...so tough you can't tear it.

Our mylar tape is tough enough to take high repetitive usage and archival storage, because it's virtually indestructible. At 100°C for 2 hours, it has 64 lbs.-per-inch tensile strength with only 5% elongation at yield and a shrinkage of 0.3%.

Paper/mylar/paper makes it virtually indestructible.



Paper/mylar/paper.

This sandwich construction has a highly opaque, non-reflecting surface. It reduces wear on tape punches. And you can write on its surface.

Mylar tape. Standard 1", 8 level, 1,000' rolls.

No. 5200- G... (per roll)\$34.00

Mylar tape. Standard 1", 8 level, 100' rolls with sprocket holes pre-punched.

No. 5326- G... (per roll)\$28.00

Paper tape...a phone call away.

With short fibers for a tight weave, our tape has high opacity to help prevent errors on your high speed reader. An anti-static lubricant keeps punches running longer... low grit and ash content reduces wear.

Rolled 8-level paper tape. Each 8" roll contains 1,000 ft. of lubricated paper tape.

No. 5100- G (buff color)\$3.00/roll

Buy 28 rolls & SAVE \$14.00...\$2.50/roll

Buy 84 rolls & SAVE \$63.00...\$2.25/roll

No. 5155- G (gray color)\$3.00/roll

Buy 28 rolls & SAVE \$14.00...\$2.50/roll

Buy 84 rolls & SAVE \$63.00...\$2.25/roll


Fanfold 8-level paper tape. Each box contains 1,000 ft. of 1" non-lubricated tape. Top arrow. Wt. 30 lbs. per carton (18 boxes per ctn.).

No. 5000- G (gray color) ...\$4.00/box

Buy 18 boxes & SAVE \$4.50...\$3.75/box

No. 5050- G (black color) ..\$5.00/box

Buy 18 boxes & SAVE \$9.00...\$4.50/box



Paper tape accessories center.

Attention, paper tape users. This is the one-stop-shopping page that's devoted entirely to your needs. Splicing, punching, patching and winding to organizing, identifying and storing . . . yours in one place.

Order what you need when you need it.
When you buy from us, there's never a minimum quantity requirement on paper tape accessories. If you need one or one hundred products, buy just what's needed.

Have your order in a matter of days.
Our shelves in California and New Jersey are stocked with every accessory here. So you know when you call, your order will be on its way to you within 36 hours.

12-level punch/splicer.

Make your own V.F.U. programming tapes without the time-consuming task of cycling the vertical form controls row by row.

12-level punch/splicer makes carriage control tapes. Regulates from 6 lines per inch to 8 lines per inch. Wt. 5 lbs.

No. 5310- G \$230.00

Kit for 12-level tape. Includes new splicer/puncher and box of 25 format control tapes. Wt. 6 lbs.

No. 5313- G \$250.00

8-level punch/splicer.

Inmac Splicer. Splices only, won't punch. No. 5322- G...(Wt. 3 lbs.) ... \$80.00

Inmac Splicer and Punch. For punching and repairing. Wt. 3 lbs.

No. 5323- G \$130.00

Paper/Mylar/Paper tape. Standard 1", 8 level, 100' rolls with sprocket holes prepunched.

No. 5326- G...(per roll) \$28.00

Buy a carriage control kit, save \$13.00

Kit for 8-level tape. Includes Nos. 5323 and No. 5326. Wt. 4 lbs.

No. 5328- G \$145.00

Mylar/Foil/Mylar tape. Standard 1", 100' rolls, 8 level with sprocket holes prepunched.

No. 5327- G...(per roll) \$35.00

Data patches/strips.

Patches 0.0025" thick can form a strong splice on plain, oiled or mylar tapes.

1" Data Patches. All code and feed holes are punched. 500/1" patches.

No. 5320- G Opaque \$12.00

No. 5321- G Clear \$12.00

12" Data Patch Strips. All code and feed holes are punched (can be cut to desired length). 50/1 ft. strips.

No. 5315- G Opaque \$15.00


No. 5316- G Clear \$15.00

Acrylic tape holders.

Rolled paper tape rack. For use with 5 level Baudot and 8 level (1" wide) ASCII paper tape. Includes 8 canisters with lids and double sided tape for mounting. Capacity: 8 canisters of 400' of tape each. Dim. 13 1/2" l. x 4 1/2" h. x 4 1/2" d. Canister 3 1/2" d. x 1 7/16" h. Wt. 2 lbs.

No. 5370- G \$21.00 ea.

Buy 3 & SAVE \$6.00 \$19.00 ea.




12-level punch. Patches strong enough to splice.



Clearly, our tape holders give efficient, organized storage.



Order now and wind 200 ft. of tape in less than 45 seconds.




Buy paper tape labels to help you organize and update.



A fanfold tape tray fits in your drawer and holds 8 tapes.

Paper tape boxes for sturdy protection of your software.



V.F.U. tape holder. Use with 8 or 12 level V.F.U. tapes of any length. Capacity: thirteen 8-level (1" wide) carriage tapes. Dim. 13 3/16" l. x 3 3/8" d. Includes double-sided tape for mounting. Wt. 1 lb.
No. 5250- G \$20.00 ea.
Buy 3 & SAVE \$6.00 \$18.00 ea.

Paper winder.

In less than 45 seconds, you can wind 200 ft. of paper tape with cordless ease.

Paper winder. For use with 5 or 8 level paper tapes. Includes recharging cord. Wt. 2 1/2 lbs.

No. 5330- G \$59.00

Paper tape labels.

Our paper tape labels come with space to write program, programmer's name and important comments. With pressure sensitive adhesive they adhere to oiled or unoled paper or mylar tapes. Or use them on our fanfold paper tape tray or paper tape boxes.

Paper Tape Labels. For use with standard 1" paper or mylar tape. Qty. 100. Wt. 1/2 lb.
No. 6080- G (100 extra labels) \$7.50/pk.

Fanfold paper tape tray.

These trays can easily fit in your desk or letter-size drawer, and each can hold 8 1" thick fanfold tapes. To locate your tapes at a glance, order several for increased organization and protection.

Fanfold paper tape tray. Blue: Wt. 1/2 lb.
No. 5350- G \$3.00 ea.
Buy 12 & SAVE \$3.00 \$2.75 ea.

Paper tape boxes.

Our paper tape boxes are sturdy enough to protect your rolled or fanfold tapes from rips and contamination.

Rolled Paper Tape Boxes. For protected storage of your software. White. Pkg. of 10 boxes and 10 labels. Dim: 4" x 4" x 1"
No. 5355- G..(10 boxes/pk.)..\$2.50/pk.
Buy 4 pks. & SAVE \$1.00 .. \$2.25/pk.
No. 6080- G (100 extra labels) \$7.50/pk.

Rolled paper tape mail box. Inside dim., 4" x 4" x 1 1/2". Each box has 2 wire fasteners.
No. 5360- G..(10 boxes/pk.)..\$3.50/pk.
Buy 6 pks. & SAVE \$1.50 .. \$3.25/pk.

Fanfold paper tape mail box. Inside dim., 8 1/2" x 3 1/2" x 1 1/4". Each box has 2 wire fasteners.
No. 5365- G..(10 boxes/pk.)..\$4.00/pk.
Buy 6 pks. & SAVE \$1.80 .. \$3.70/pk.

All disk cartridges & packs need special care. . . to make sure what you write on them today reads back the same way tomorrow.


You order magnetic media because it gives you a continuing, precision performance. We don't have to tell you not to drop a pack on the floor or spill hot coffee on a cartridge. But we'd like to point out the little things that could add up to big trouble for you.

How the head "flies" above the surface.

The read/write head, powered by your disk drive, actually flies at up to 140 mph on air pressure created by the spinning disk. This head never comes in contact with the platter surface, but flies 20 to 100 microinches above it. If anything more than 20 microinches gets between the head and the surface, watch out for expensive headcrashes.

How microscopic debris on the aluminum substrate looks to your read/write head.

One smoke particle, roughly 250 millionths of an inch in diameter, won't fit between the read/write head and the disk surface.




Care for your packs and cartridges, take 10 steps towards headcrash prevention.

1. Try to let your new disk acclimate to your surroundings. This helps assure stabilization and proper track registration.
2. Keep hands and foreign objects like clips and pencils off recording surfaces.
3. Don't smoke; 1 smoke particle is 250 microinches and looks like Mt. Everest to the head. Also, the tar content of a cigarette can stick to the platter surface.
4. Keep top and bottom covers assembled to stop dirt from accumulating inside.
5. Don't stack your packs. They can slide off and suffer destructive impact.
6. Carry with care. Cradle cartridges under your arm; carry packs by handles.
7. Clean the metal hub, because harmful debris and oil can accumulate.
8. Clean and check disks carefully. One of our customers just bought 250 of our own Clean Bit Kits for this purpose.
9. Use non-transferable pressure-sensitive labels and a felt-tip marker that won't leave grease or lead like a pencil.
10. Change your disk drive filter at least every 6 months. That alone could save you the cost of a whole new drive.

Finally. The low-cost way to prevent the high cost of headcrashes.

Consider our disk drive filters as preventive medicine. With just 15 to 30 minutes, a screwdriver and/or socket wrench you can install them. And help protect equipment and invaluable data.



Change your disk drive filter to help prevent the high cost of a crashed head (like the two shown above).

Why a headcrash can be such a headache.

One headcrash could destroy your media, damage drives and shut your computer down. And that's not all. If you didn't have proper backup, data would also be lost. The time it would take to re-create your data would be monumental. So would the manpower. And so would the cost.

How your filter helps fight headcrashes.

Your drive has a blower system that creates air pressure on which heads "fly". Your drive is cooled by the same air flow.

After a time, your filter clogs. If your drive is located in other than a "clean room" environment, it's recommended that your filter be changed more often than 6 months. Because a clogged filter allows the air flow to drop below the manufacturer's specs for proper flying height. And could cause a headcrash.

What makes our filters so efficient.

1. They pass the "arrestance" test. This compares an increase in filter weight from dust and dirt collected against the amount of dust that's fed in.
2. They pass an efficiency test. This measures the filter's ability to remove the staining fraction of atmospheric dust.
3. They pass the most critical DOP test. Here, smoke cannot penetrate more than 0.03%. You have a guaranteed minimum efficiency of 99.97% in removing particles small as 0.3 microns from the air.
4. All meet H.E.P.A. and AACC standards and are made with UL listed materials.
5. All have plastic housings. This prevents contamination caused by the adhesive used in filters with metal housings.

How we're able to charge you 60% less.

Because we supply thousands and thousands of filters, our cost is low. And we can pass the savings on to you.

If you've tried to buy a filter from your hardware manufacturer or OEM, you've

likely run into prices up to 60% higher than ours. Plus long lead times. And even a \$100 minimum order size.

But buy from us and you'll not only save money on filters, but prevent thousands of dollars in headcrash damage.

Why we can give you fast shipment.

Because we have so many of the filters you need in stock now, we can ship them to you by tomorrow. If you're not convinced, just give us a call.

For DEC RK05 users. Disk filter outside dim: 9" w. x 6" h. x 2½" d. For use on DEC RK05 disk drive. Wt. 1¼ lbs. 99.97% H.E.P.A. filter. DEC part #1212175-0-1-REV A.

	Qty. 1	Qty. 6
No. 6530-	G. . \$60.00 ea.	\$55.00 ea.

For DEC RK05 users.



For Pertec Model D3000 Series users. Disk filter outside dim: 10¾" w. x 2¼" h. x 6½" d. For use on all D3000 Series disk drives. Wt. 1¼ lbs. 99.97% H.E.P.A. filter. Part #614-0006.

	Qty. 1	Qty. 6
No. 6534-	G. . \$30.00 ea.	\$29.00 ea.


For Pertec Model D3000 Series.




For Calcomp Trident users. Disk filter outside dim: 11" w. x 6" h. x 4½" d. For use on Calcomp Trident disk drive. Wt. 3½ lbs. 99.97% H.E.P.A. filter. Calcomp part #13367-001.

	Qty. 1	Qty. 6
No. 6531-	G. . \$80.00	\$74.00

For Calcomp Trident users.





If you don't see the filter you need shown here or listed below, call us for more information.
And talk to us about long-term planning. Chances are we can help.

For DGC Model 6045 users. Disk filter outside dim: 15 1/8" w. x 3 1/2" h. x 4 7/8" d. For use on DGC Model 6045 disk drive. Wt. 2 1/2 lbs. 99.97% H.E.P.A. filter. DGC part #118-000-511 Rev. 01.



	Qty. 1	Qty. 6
No. 6545- G. .	\$100.00 ea.	\$90.00 ea.

For DGC Model 6045 disk drive.



For DGC Model 6060 and 6061 users. Disk filter outside dim: 8" w. x 8" h. x 6 3/8" d. For use on DGC Model 6060 & 6061 disk drive. Wt. 2 1/2 lbs. 99.97% H.E.P.A. filter. DGC part #118-000-438.

	Qty. 1	Qty. 6
No. 6541- G. .	\$75.00 ea.	\$70.00 ea.



For DGC Model 6061.

For Diablo Model 44B.


For Diablo Model 44B users. Disk filter outside dim: 5" w. x 5 1/8" h. x 4 1/4" d. For use on Diablo Model 44B 10 MB disk drive. Wt. 1 lb. 99.97% H.E.P.A. filter. Diablo part #19052.

	Qty. 1	Qty. 6
No. 6546- G. .	\$30.00 ea.	\$27.00 ea.

For Diablo Model 44A users. Disk filter outside dim: 10" w. x 5-3/16" h. x 4 1/4" d. For use on Diablo model 44A 10 MB disk drives (DGC models 4234, 4237 and TI model DS 44). Wt. 1 lb. 99.97% H.E.P.A. filter. Diablo part #16163.

	Qty. 1	Qty. 6
No. 6544- G. .	\$45.00 ea.	\$40.00 ea.


For Diablo Model 44A disk drives.



For Diablo Model 31 & 33 users. Disk filter outside dim: 14"1. x 1 3/8" h. x 2 1/2" d. For use on Diablo 31 and 33 2.5 MB model disk drives (DGC models 4047A, 4047B, 4239 and TI models DS31 & 33). Wt. 2lbs. 99.97% H.E.P.A. filter. Diablo part #15170.

	Qty. 1	Qty. 6
No. 6533- G. .	\$38.00 ea.	\$34.00 ea.

For Diablo Model 31 and 33 disk drives.



For CDC Model 9427 & 9428 Hawk users. Disk filter outside dim: 10-7/16" w. x 5" h. x 4 1/2" d. For use on TI DS10, CDC and others. Wt. 2 lbs. 99.97% H.E.P.A. filter. CDC part #83437400.

	Qty. 1	Qty. 6
No. 6535- G. .	\$45.00 ea.	\$43.00 ea.

For CDC Hawk users. It filters out dirt to 10 microinches.



For CDC 9762 or 9766 users.

For CDC users. Disk filter outside dim: 16" w. x 6" h. x 4" d. For use on CDC disk drives. Wt. 3 1/2 lbs. 99.97% H.E.P.A. filter.

	Qty. 1	Qty. 6
No. 6532- G. .	\$80.00	\$74.00

Two ways cleaning media can keep your data intact.

1. Clean-Bit Kit™ for disks.


The secret to keeping drive heads and platters working well is to keep them clean. Buy our kit and remove the minute particles of dirt and oxide that can harm hardware, without leaving any residue to interfere with magnetics or mechanics.

We've included operational instructions for your convenience; follow them closely.

Clean-Bit Kit for disks. 2 wands, 24 lint-free sleeves, 9 pre-moistened pads, 8-oz. can of cleaner, instructions. Wt. 3 lbs.

No. 7450- G \$29.00/kit
Buy 3 kits & SAVE \$9.00 .. \$26.00/kit

Wand with pre-moistened pad cleans your disks effectively.



Lint-free swabs make it easy to clean your mag tape head.

2. Clean-Bit Kit™ for mag tape.

To protect data and insure proper read/write operation, use our kit on tape heads, guides and capstans.

We think it's worth 10 minutes to prevent downtime caused by contamination, but you be the judge. Try our Clean-Bit Kit free for 45 days. If it doesn't meet your standards, return it.

Clean Bit Kit for mag tapes. For all instrumentation and computer magnetic tape systems. Includes one 16 oz. can of cleaner, one 12 oz. can of power duster, 100 4 1/4 x 4 1/4" lint-free cloths, 30 urethane lint-free swabs and instructions. Wt. 3 lbs.

No. 7150- G \$20.00/kit
Buy 3 kits & SAVE \$3.00 .. \$19.00/kit

How to buy data cartridges and get guaranteed performance, fast.

Because of on-going tests and positive reports from users in the field, we can guarantee our cartridges for a year. Order now to see why they each meet or exceed ANSI and ECMA standards.



Both the 150' and 300' data cartridges meet stringent ANSI specs. After testing, we can guarantee them for a year.

Mini data cartridges.

With less moving parts, our cartridge offers you quality performance made simple. Because of improved engineering, you get better head-to-tape contact and maximum reliability. And with a specially-formulated gamma ferric oxide tape, you can count on low head abrasion and improved longevity.


This 150' mini's made of a material that's more efficient than cartridges with a metal baseplate. (The drawing below tells why.)

Call now. We'll ship out by tomorrow.

Order today to see how well our improved cartridge can perform on your drive.

How a new design improved our mini data cartridge:

Recording quality is improved, because the belt-driven floating roller produces repeatable optimum tape tensioning and better thermal properties.



Advanced polymer plastic replaces the metal base plate usually found on 150' cartridges. It prevents warps, dents and burrs while reducing static build-up.

Data Cartridge and Cassette 1-Year Guarantee

Inmac Cassettes are guaranteed to read and write 100% error free for the period of one year from date of shipment. Inmac Data Cartridges are guaranteed to be free of defects in material and workmanship for the period of one year. Upon receipt of a defective cassette or data cartridge, return it to us postage paid and we'll replace it at no charge.

Understandably, we cannot warrant damage resulting from mishandling; nor assume responsibility for consequential damage.

300' data cartridges.

With materials that insure consistently uniform performance, our cartridge gives you high density and paralleled recording application for 1, 2 and 4-track systems.

With a seamless iso-elastic drive belt, the precision drive has been carefully engineered to keep tape tension constant.

300 ft. tape cartridge. For use with IBM 5100 and 5110; Finnigan Mass Spectrometer Gas Chromatograph; Microdata Lodestar, NCR L-8100 Series; Spectron Data Scope; Tektronix; Raymond Engr.; Qantex; Kennedy; Redactron; Sanyo; Spectron, Tandberg.

No. 7257- G \$23.00 ea.

Buy 5 & SAVE \$10.00 \$21.00 ea.

Buy 10 & SAVE \$30.00 ... \$20.00 ea.



Buy our cassettes now, they're guaranteed for a year.

100% error-free digital cassettes.

Nationwide, our cassettes prove their error-free read and write capabilities.

Rigorously tested to assure:

- High reliability and improved stability
- Decreased electrical surface resistance
- Decreased light transmittance
- Greater resistance to humidity and heat
- Enhanced recording density
- Improved torsional strength
- Prevention of skew errors
- Maintenance of exact pressure consistent with your particular drive
- Meet or exceed ANSI/ECMA/ISO stds.

Cassette Drive Mfg.	Model	Inmac Ord. #	1-9	10-19	20+
Adds	580, 780, 880	7205- G	\$7.25	\$6.50	\$5.80
Anderson Jacobson	700, 8400	7237- G	7.25	6.50	5.80
	140, 1400	7235- G	7.25	6.50	5.80
Beehive	Mini 1, Super 2, 3	7220- G	7.25	6.50	5.80
Burroughs	L-85, L-8000, L-8500	7215- G	7.25	6.50	5.80
	TD078, L-7500	7210- G	7.25	6.50	5.80
Commodore	Pet	7233- G	7.25	6.50	5.80
Computer Automation	LSI 1, 2/10, 2/20	7220- G	7.25	6.50	5.80
Data General	4080 Series	7250- G	8.00	7.00	6.50
Datapoint	1100, 2200, 5500	7235- G	7.25	6.50	5.80
Dicom	170, 172, 173, 330, 331, 374, 4100	7235- G	7.25	6.50	5.80
DEC	TU60, TA8, TA11	7200- G	8.50	7.50	6.75
GE	Terminet 30	7237- G	7.25	6.50	5.80
	300, 1200	7205- G	7.25	6.50	5.80
Hazeltine	2000, 3000, 5000	7220- G	7.25	6.50	5.80
HP	2100, 9800, 9821, 9830	7235- G	7.25	6.50	5.80
IBM	System/7, 3651	7210- G	7.25	6.50	5.80
Incoterm	SPD 10/20, 20/20, 904A	7220- G	7.25	6.50	5.80
Interdata	74	7210- G	7.25	6.50	5.80
Linolex	3000	7237- G	7.25	6.50	5.80
Memorex	1280	7210- G	7.25	6.50	5.80
✓CR	All Systems	7210- G	7.25	6.50	5.80
VEC	100E, 100F, ACOS 77	7210- G	7.25	6.50	5.80
Redactron	All Systems	7250- G	8.00	7.00	6.50
Sycor	250, 340, 350, 440, 135D, 310, 320, 340E	7237- G	7.25	6.50	5.80
Techtran	8400, 8410, 8420, 8150	7235- G	7.25	6.50	5.80
Telex	138	7220- G	7.25	6.50	5.80
TI	700, 960B, Mini 700	7237- G	7.25	6.50	5.80
Tymshare	213, 524, 600	7237- G	7.25	6.50	5.80
Univac	Uniscop 100, DCT 524, 625, 90/30	7210- G	7.25	6.50	5.80
Wang	525, 625, 709, 725, 1200, 1222, 2200, 2217, 2218	7202- G	7.25	6.50	5.80
Western Union	EDT 35, 300	7205- G	7.25	6.50	5.80

File and organize your data cartridges two ways:

New. Our mini rack stores 15 cartridges.

Many of our customers told us they could not find a high-quality rack to store their 150' cartridges. In fact, they couldn't find any rack for that purpose at all.

That's when our designers went to work on this new mini data cartridge rack. Before we'd put it in our catalog, it had to meet our tough specs. Because it has to be tough enough to go to work for you.

Dependable storage for 15 cartridges.

As durable as our other desk and shelf racks, this new rack makes it quick and easy to access the cartridges you need. And talk about versatility, you can store cassettes with your cartridges. All in the same rack.

Stack two for greater capacity.

Stacked one on top of the other, our new racks store your cartridges on a desk, shelf, anywhere space is limited. Complete with rubber feet and a metal label holder for easy update and identification.

Sturdy enough to be guaranteed.


Since we constructed our rack of nickel-plated chrome-finished steel, you know it's going to give you the sturdiness and lasting organization you need. So you can see for yourself how sturdy our new rack really is, order and try it free for 45 days.

Desk-top rack for mini data cartridges. For use with all 150' data cartridges. Capacity: 15 mini cartridges or 15 cassettes. Dim: 14 1/4" l. x 3 1/2" w x 6 1/4" h. Wt. 3 lbs.

No. 3320- G \$20.00 ea.

Buy 3 & SAVE \$9.00 \$17.00 ea.

Call now for our new 100' cartridge rack. It holds 15.



Our maxi rack.


Designed to hold 15, 1/4" digital tape cartridges in their boxes. The rack lets you keep the in-use tape box tilted forward for easy identification and access. To order extra labels, see page 38. Call now and we'll ship the racks you need by tomorrow.

5100 type tape cartridge shelf rack. For use with IBM 5100 type 1/4" digital tape cartridges. Capacity: 15 tape cartridges. Dim: 17" l. x 6" h. x 8 1/2" d. Wt. 8 lbs.

No. 3315- G \$25.00 ea.

Buy 3 & SAVE \$6.00 \$23.00 ea.

A low-cost way to store 15, 1/4" data cartridges.



A library of 30 cassettes in one standard binder.

A standard binder becomes your own cassette library.

If you happen to have an extra standard 3" ring binder on hand, you're on the way to a complete library for your cassettes.

The cassette pages make it easy.

You can store up to 5 of these pages in most standard 3" ring binders. And since each of our cassette pages holds 6 cassettes, you have a library of 30 in just minutes. Keep it handy, on your shelf or desk.

Order several sets to help you organize.


Especially in the word-processing environment, these pages make fast work of organizing each cassette by category.

Cassette page. Made of vinyl and 3-hole punched. Dim: 8 1/2" x 11". Black.

No. 2447- G \$2.25 ea.

Buy 10 & SAVE \$2.50 \$2.00 ea.

Buy 50 & SAVE \$7.50 \$1.90 ea.



Our economical 3-cover binder holds 12 cassettes.

At low cost, have dense data storage for your cassettes.

Consider all the cassettes you have to file and access. Then consider ordering this binder. Try it free for 45 days.

Convenience, protection, durability.

Our 3-cover binder holds 12 cassettes. Snap-in trays are sealed inside two of the binder covers. They maintain a firm hold on cassettes but allow easy fingertip removal. The design prevents hub rotation while cassettes are in place. The third cover holds 8 1/2" x 11" paper notes in a pocket.


This binder's 1 1/2" thick, so a standard 34" shelf becomes a library for 264 cassettes!

Three cover cassette binder. Blue. Dim. 10" h. x 12" w. x 1 1/2" t. Wt. 1 3/4 lb.

No. 2435- G \$6.00 ea.

Buy 6 SAVE \$3.00 \$5.50 ea.

Buy 12 & SAVE \$9.00 \$5.25 ea.



A functional yet good-looking way to store 32 cassettes.

32 reasons why you should buy our cassette storage box.

Our cassette storage box is as functional as it is good looking. To appreciate its efficiency, order and try it in your own environment. We'll ship out the number of cases you need no later than tomorrow.

The storage box with something special:

- It houses thirty-two tapes in a padded compartment to prevent shifting and falling.
- It holds tapes in their plastic cases under a dust cover for maximum protection.
- This plastic dust cover, even when closed, allows you to see your tape status.
- Its handsome walnut-finished base and smoke dust cover complements any office decor.

Cassette storage box. Holds 32 tapes. Dim:

18" w. x 10 1/2" d. x 6 1/4" h. Wt. 4.6 lbs.

No. 4530- G \$30.00 ea.

Buy 2 & SAVE \$4.00 \$28.00 ea.

Five good reasons that let us give you a full ten-year guarantee on our Corinthian® mag tape.



Our own Corinthian mag tape is compatible with your tape drive. There are 5 good reasons to buy this tape. Longer tape life and debris resistance are just two.

Because of its textured substrate, our own Corinthian tape can protect itself against physical damage. And protect your own invaluable data.


Interested in preventing data dropouts? In saving time and money spent on costly re-runs? Then count on Corinthian. And count 5 reasons that make a difference:

1. Uniform sliding action helps stop the damaging effects of cinched tape.

Cinching happens when your tape layers slide against each other and stick together. This causes creases and poor head-to-tape contact and dropouts. The addition of a textured substrate on the polyester backing of our tape provides a unique "air lubrication" between tape strands.

This permits uniform sliding between layers, specially important on high-speed drives where cinching's a problem.

The textured substrate backing gives us the confidence to give Corinthian a 10-yr. guarantee.



2. Higher static friction coefficient helps to prevent damaged tape edges.

When tape layers slide sideways on each other, a lateral shift occurs. This exposes a tape edge which can be bent or creased by the flanges on your reel. But Corinthian's substrate resists the force that moves your tape laterally.

3. Improved substrate durability helps resist scratches, minimize debris.

Tape guides can cause conventional tape to scratch and leave harmful debris after just 500 passes. But on the same kind of drives, our Corinthian tapes showed no signs of wear...even after 2,000 passes.

4. Conductive substrate helps reduce static which attracts airborne debris.

Even in the cleanest computer room, you can be sure there's microscopic debris. That's why our tape has 2 conductive surfaces instead of the conventional 1. This impedes static attraction. In fact, the static charge of conventional tape has tested much greater than our back-coated Corinthian.

5. Increased flexibility to help stop both distortion and hub pressure.

Our tape absorbs 100% more stress than conventional tape. This prevents tape-edge distortion from worked edges. And tape surface distortion caused by impressions from wound-in debris transmitted from one layer to another.

And because the improved flexibility puts less internal pressure near your hub, Corinthian actually prevents alteration of surface characteristics. And that, in turn, helps attain proper signal uniformity.

Inmac Corinthian Magnetic Tape 10-year Guarantee

All of Inmac Corinthian magnetic tapes are guaranteed for ten years from date of shipment. On the remote possibility that you discover a defect in our magnetic tape, return it to us postage paid and we'll replace it at no charge.

Understandably, we cannot warrant damage resulting from misuse. Nor can we assume responsibility for consequential damage.

Inmac Corinthian tape-in-seals. With 10-year guarantee.

No.	G	Qty	Price ea.		
			1-19	20-39	40+
No. 7015-	600' reel (7½")	1 lb.	\$16.00	\$14.25	\$13.00
No. 7065-	1200' reel (8½")	1½ lbs.	20.00	17.75	14.75
No. 7115-	2400' reel (10½")	2½ lbs.	25.00	22.00	20.00

Inmac Corinthian tape in thin-line canisters. With 10-year guarantee.

No.	G	Qty	Price ea.		
			1-19	20-39	40+
No. 7010-	600' reel (7½")	1 lb.	\$17.00	\$15.50	\$14.25
No. 7060-	1200' reel (8½")	2 lbs.	20.00	17.25	15.50
No. 7110-	2400' reel (10½")	3 lbs.	27.00	23.00	21.00

Relabel tapes again and again.


Keep several boxes on hand to help make tape updating quick and easy.

Mag tape edge labels. For use with tape-in-seals. Non-stick 3" x ¾" labels. Staggered blue band for easy filing and retrieval. Qty. 100. Wt. ¼ lb.

No. 6065- G... (100 labels) ... \$3.00 pk.

Mag tape side labels. Designed to adhere to the side of 600", 1200', or 2400' magnetic tapes. Room for 8 file names. Qty. 100. 4" x 1¾". Wt. ½ lb.

No. 6060- G... (100 labels) ... \$5.00 pk.



Four more good reasons for you to buy our mag tape besides the five-year guarantee and low price.

Inmac Magnetic Tape 5-year Guarantee

All of Inmac standard magnetic tapes are guaranteed for five years from date of shipment. On the remote possibility that you discover a defect in our magnetic tape, return it to us postage paid and we'll replace it at no charge.

Understandably, we cannot warrant damage resulting from misuse. Nor can we assume responsibility for consequential damage.

1. **100% error-free**, certified up to 6250 BPI for read/write accuracy.

2. **Field proven** on tape drives like yours, we hear from customers that our tape is a precision performer. And that feedback gives us confidence to give you a 5-yr. guarantee.

3. **Meets stringent specs** for elimination of non-recurring errors, plus longer head and tape life.

4. **Fast shipment.** Call and let us prove how fast we ship 600', 1200' or 2400' tape.

Inmac tape-in-seals. With 5-year guarantee.

		Price ea.		
		Qty 1-19	Qty 20-39	Qty 40+
No. 7005-	G. ¼ lbs.			
600' reel (7½")...		\$11.50	\$10.50	\$ 9.75
No. 7055-	G. 1½ lbs.			
1200' reel (8½")...		13.50	12.50	11.75
No. 7105-	G. 2¼ lbs.			
2400' reel (10½")...		17.50	16.75	16.00

Inmac tape-in-thin-line canisters. With 5-year guarantee.

		Price ea.		
		Qty 1-19	Qty 20-39	Qty 40+
No. 7000-	G. ¼ lbs.			
600' reel (7½")...		\$12.50	\$11.25	\$10.50
No. 7050-	G. 2 lbs.			
1200' reel (8½")...		14.50	13.50	13.00
No. 7100-	G. 3 lbs.			
2400' reel (10½")...		19.50	18.25	17.50

You'll order mag tape from Inmac for good reason. The 5-year guarantee, the field proven performance, the specs, the 100% error free dependability and the fast shipment. See if you don't agree how well our tape performs.



We have five reliable ways to help you quickly recycle, replace or revitalize magnetic tapes.

1. Replacement seals increase storage.

Not only will our replacement seals for magnetic tapes help you modernize your data library, they'll also help alleviate your space problem... fast. For hanging tapes more easily or racking them more densely, many companies have bought hundreds of seals from us to replace their bulkier canisters.

Price each for: 1-9 10-49 50+

No. 7161- G (for 600' tapes) ... \$1.60 \$1.45 \$1.35

No. 7162- G (for 1200' tapes) .. 1.60 1.45 1.35

No. 7163- G (for 2400' tapes) .. \$1.60 1.45 1.35

2. Keep write-enable rings on hand.

Since these rings somehow keep getting lost or misplaced, it's always wise to have a stock of them on hand. They fit all the standard ½" minicomputer tape reels. Like most of our other products, they're guaranteed to give you no-nonsense satisfaction.

No. 7170- G... (set of 10) \$5.00

3. BOT/EOT markers in a dispenser.

Reflective foil markers with an adhesive back make it easier to recycle your tapes. Simply place a new marker a few feet in from the damaged tape area and you're ready to use your new tape.

No. 7176- G... (250 markers) \$8.50

4. Empty reels can save you money.

Have a couple of cracked reels? Our new reels can save the cost of new tapes.

No. 7116- G... (for 600' tapes) \$3.00

No. 7117- G... (for 1200' tapes) ... \$3.00

No. 7118- G... (for 2400' tapes) ... \$3.00

5. Canisters help protect your data.

Where dust and debris are potentially harmful contaminants, canisters are often preferred for magnetic tape protection. Remember to survey your needs today. (Empty canisters only.)

No. 7120- G... (for 600' tapes) \$2.00

No. 7121- G... (for 1200' tapes) ... \$4.50

No. 7122- G... (for 2400' tapes) ... \$5.00


Replacement seals hang mag tapes more easily or more densely for better storage.



Keep a stock of write-enable rings on hand to let you write over data that's become obsolete.



A cross-section shows it is reinforced for extra strength. Inset, our BOT/EOT markers in use.



Learn why we have the confidence to guarantee that the disk cartridges you buy today will read and write error-free for 3 years.

On disk drives across the U.S., our cartridges are giving users like you a superior track record. It's this field-proven reliability that lets us guarantee them. And gives you the confidence to order.

Quality performers, reasonably priced.

You can buy cartridges priced less than ours, but they can perform poorly and cause headcrashes. You can also buy some at twice

our price from computer manufacturers or OEMs, but because they have a higher overhead than we do, you often get a fraction more quality at 50% more cost.

It's the testing that really counts.

Buy from us and never have a doubt about the kind of quality you get for your money. Our disks are tested over and over. And then tested again. Even after assembly . . . each disk cartridge is individually aligned and electronically certified.

Carefully packed and ready for travel.

Strict quality controls don't stop after each cartridge completes the long battery of tests. It continues with our special packaging, to assure each cartridge arrives at your installation the same way it left our east or west-coast warehouse.

So call and order today. That's how you can appreciate all the reasons that let us give our cartridges one of the strongest guarantees in the industry.

Inmac Disk Cartridge 3-year Guarantee


All Inmac disk cartridges are guaranteed to read and write 100% error free for the period of 3 years from date of purchase. On the remote possibility that you discover a defect in our disk, return it for a replacement at no charge. Understandably, we cannot warranty damages resulting from mishandling. Nor can we assume responsibility for consequential damages.

Anatomy of our disk cartridge.

7 steps to oxide-coated aluminum substrate control:

- Laminar flow clean room facility
- Analysis of contour and finish
- Sonic cleaning and rinsing
- Cure monitoring machinery
- Laser tests for coating voids
- Automatic polishing equipment
- Piezo testing for smoothness

The molded plastic housing on all our cartridges helps protect your data from harmful contaminants.



Whether you call today for top-loading or front-loading disk cartridges, you can rest assured they're precision performers guaranteed error-free for 3 years. In our cartridges, no errors exist at the highest tracking density, 200 TPI . . . so every disk you order is certified to read and write 100% error free. Order now and we'll ship your cartridges out by tomorrow.

Removable labels for filing.

7¼" x 3½" contoured top-loading disk label. For use with top-loading disk cartridges. Qty. 27. Wt. ¼lb.


No. 6075- G. . . (27 labels) . . . \$8.00

5¼" x 1½" edge labels for top-loading disk. Qty. 100. Wt. ¼ lb.


No. 6070- G. . . (100 labels) . . . \$5.00

4" x 6" front-loading disk label. For use with front-loading disk cartridges. Qty. 25. Wt. ¼ lb.

No. 6076- G. . . (25 labels) . . . \$8.00



Our front-loading and top-loading labels will help you save retrieval time and effort.



Disk Cartridge Cross Reference Guide

Manufacturer	Model #	Type	Inmac Order #	1-3	4-5	6-11	12+
AED	2100 2100, 220	Front Top	76XX* 77XX*	\$80 85	\$75 82	\$72 80	\$70 78
Ampex	DM440	Top	77XX*	85	82	80	78
Ball Computer Products	4300, 4400 3150	Front Front	76XX* 7608- G	80 80	75 75	72 72	70 70
Beehive Systems		Front	7612- G	80	75	72	70
Burroughs	B9480-1, 2, 11, -12 B9481-1, 2	Front	7633- G	80	75	72	70
Caelus (EMM)	Please Specify # of sectors	Front Top	76XX* 77XX*	80 85	75 82	72 80	70 78
Cascade	Iomec 30002	Front	7624- G	80	75	72	70
Cincinnati Milacron	Specify Sectors	Top Front	77XX* 76XX*	85 80	82 75	80 72	78 70
Computer Automation	Model 10	Top	7720- G	85	82	80	78
Computer Library Systems	LBS 100 DD10	Front Top	7608- G 7712- G	80 85	75 82	72 80	70 78
Control Data Corp. (CDC)	Specify Sectors	Top	77XX*	85	82	80	78
Data 100	Series 70	Top	7724- G	85	82	80	78
Datsaab	4801	Front	7624- G	80	75	72	70
Daconics	Specify Sectors	Front Top	76XX 77XX	80 85	75 82	72 80	70 78
Data General	4047A, B, C, 4237 8, 9 4234, 5, 7 6045, 7, 8 6050 6070 9350	Front Top Top Front	7612- G 7712- G 7725- G 7624- G	80 85 280 80	75 82 235 75	72 80 207 72	70 78 188 70
Data Point	1100, 2200, 9367, 9371	Front	7624- G	80	75	72	70
Data 100	Specify Sectors	Front Top	76XX* 77XX*	80 85	75 82	72 80	70 78
Diablo	Specify Sectors	Front Top	76XX* 77XX*	80 85	75 82	72 80	70 78
Digital Computer Control (DCC)	116-447A 116-447B 116-447D	Front	7612- G	80	75	72	70
Digital Equip. Corp. (DEC)	RK01 (PDP-8) RK02 (PDP-11) RK03 RK05 (PDP-8) RK8E (PDP-8) RK05 (PDP-11, 15) RK-06	Front Front Front Front Front Top	7608- G 7612- G 7616- G 7612- G 7706- G	80 80 80 80 275	75 75 75 75 270	72 72 72 72 265	70 70 70 70 255
Diva	DD10, DD150 DD10A	Front Top	7608- G 7701- G	80 85	75 82	72 80	70 78
Four Phase	1V/40 1V/70 8231	Front	7608- G	80	75	72	70
Foxboro	Fox I	Front	7608- G	80	75	72	70
Fujitsu	465K	Front	7624- G	80	75	72	70
General Automation	SPC-16, 440 3346/47	Top Front	7717- G 7608- G	85 80	82 75	80 72	78 70

*Specify Sectors

Manufacturer	Model #		Inmac Model #	Pricing			
				1-2	3-5	6-11	12+
Hewlett Packard	2100, 7900A 7901, 7902, 9867, 7905A, 7906	Front Front	7624- G 7605- G	80 175	75 170	72 165	70 160
Honeywell	DSS110, 115 4650, 4651 070	Front Top	7608- G 7701- G	80 85	75 82	72 80	70 78
IBM	1130, 1810, 2044, 2310, 2315 5022, 5440, 5444	Front Top	7608- G 7701- G	80 85	75 82	72 80	70 78
Interdata	70, 74, 80, 85, M46-445 44, M46-440	Front Top	7624- G 7724- G	80 85	75 82	72 80	70 78
IOMEC	1000 Series	Top	7724- G	85	82	80	78
Microdata	2954, 56, 61, 9100 2963, 3956, 63	Top	7724- G	85	82	80	78
Modular Computer Corp. (Modcomp)	I-15, II-5, III-5, 10, 20, 25, 4126, 4128, 4129 4136	Front Front Front	7616- G 7616- G 7624- G	80 80 80	75 75 75	72 72 72	70 70 70
NCR	656	Top	7701- G	85	82	80	78
Nixdorf	620	Front	7612- G	80	75	72	70
Olivetti	DCU7200	Top	7724- G	85	82	80	78
Phillips	PTS 6875/ VII75 1045, 3433	Front Top	7608- G 7724- G	80 85	75 82	72 80	70 78
Pertec	Specify Sectors	Front Top	76XX* 77XX*	80 85	75 82	72 80	70 78
Plessey	PM-DD8/A-B PM-DD11/A-B PM-DD12/A-B PM-DD11/C, PM-DD12/C	Front Front Top	7616- G 7612- G 7712- G	80 80 85	75 75 82	72 72 80	70 70 78
Prime	100, 4129 200, 4130 300, 4228	Front Front Top	7608- G 7632- G 7732- G	80 80 85	75 75 82	72 72 80	70 70 78
Quotron	810CPU	Front	7624- G	80	75	72	70
Randal	Specify Sectors	Top	77XX*	85	82	80	78
Raytheon	706/707 51901-05	Front Front	7620- G 7612- G	80 80	75 75	72 72	70 70
Sanders	3420, 3430	Top	7724- G	85	82	80	78
Sel	9306, 9308	Top	7716- G	80	75	72	70
Texas Instruments (TI)	DS10 DS31, DS32 DS44	Top Front Top	7720- G 7624- G 7724- G	85 80 85	82 75 82	80 72 80	78 70 78
Varian Data System	70-7610 70-7603	Front Top	7624- G 7724- G	80 85	75 82	72 80	70 78
Wang Laboratories	2230-1 2230-2 2230-3 2260B, WCS30 2260V	Top	7724- G	85	82	80	78
Wangco	Specify Sectors	Front Top	76XX* 77XX*	80 85	75 82	72 80	70 78
Xebec	Specify Sectors	Front Top	76XX* 77XX*	80 85	75 82	72 80	70 78
Xerox	3231, 32, 33, 42, 43; 7250, 51, 52	Top	7716- G	85	82	80	78
Xylogics	Phoenix 45	Front	7612- G	80	75	72	70

How to count sectors: Turn your disk cartridge over, count the notches in the metal center hub and subtract one. If you don't have a cartridge handy, call your drive manufacturer for sectoring information.

East of the Mississippi (201) 767-3601

West of the Mississippi (408) 737-7777

You'll appreciate the reasons we stand behind the 3-year guarantee on our 100% flag-free disk packs.

We've studied the evolution of disk packs since their introduction in the 60's. Today, every disk pack on our shelves in California and New Jersey is a tested precision performer. And you have our guarantee on it.

Because our 100% flag-free disk packs are guaranteed for 3 years, you can depend on them to be precision performers.



You can depend on our packs for quality.

Order from us and receive one of the most advanced and sophisticated memory storage systems technology can offer.

We demand superior results from every pack tested. And those products specs not only meet the stringent standards of the industry but very often exceed them.

You decide how our packs compare. And remember their exceptional value. Our packs are priced just a few dollars more than used or recertified packs. And often 50% less than packs sold by your hardware manufacturer and OEM that have tested out the same.

You can trust their field-proven record.

On drives from Austin to Boston... our packs prove their high performance level, day in and day out. The positive feedback we get from users like you gives us the confidence to give a 3-yr. guarantee.

Buy packs compatible with your drive.

To order packs for your drive, just use the chart on the following page. We created these compatibility charts because they make it easy, fast and foolproof for you to order exactly what you need.

You can expect unusually quick shipment.

Since disk packs are the super stars of direct access storage, more and more users are buying more and more packs. Sometimes this demand can cause you a

long lead time. But not if you buy from us. All the packs listed are ready for next-day shipment. Call us and we'll prove it.

5 steps to help you give your Inmac disk pack the kind of care it deserves.

1. To prevent misalignment, make sure your pack doesn't hit the spindle.

2. To avoid damage, never let the top or bottom covers come in contact with the platters of your pack.

3. To insure that your pack is correctly seated on the drive, turn covers as far as you can... without using force.

4. To guard against contamination, don't use your hand to stop rotation.


5. It's wise to "climatize" — a disk pack should sit in your computer-room environment at least 24 hours before first use.

Inmac Disk Pack 3-year Guarantee

All Inmac disk packs are guaranteed to read and write 100% flag free for the period of 3 years from date of purchase. On the remote possibility that you discover a defect in our disk, return it for a replacement at no charge. Understandably, we cannot warranty damages resulting from mishandling. Nor can we assume responsibility for consequential damages.

The quality control we insist on for disk packs:


1. To guard against contamination, each substrate must undergo a series of baths. An acid bath chemically treats the substrate for the proper adhesion of oxide coating.



2. Proprietary coating formulations and processes provide the exact incline plane. This leads to a durable and long-lasting surface.

3. Laser beam tests for invisible voids in the coating, and for proper dispersion of the coating on the incline plane.

4. Here, the disk pack is dynamically balanced. After this critical step, the pack is ready for electronic certification, format check and final packaging.




How many recording surfaces do you need?

As computer technology advances, so does the data capacity of the disk pack. One of the most profound advancements in this field is the "servo" surface, invented by IBM in 1971. The servo makes it easier for you to categorize different kinds of data on a single pack. It also assures precision track following, electronic sectoring and rotational position sensing. All our packs have this pre-recorded surface, with remaining surfaces available for data.

DEC RK06 disk cartridge.

Two platters: data recorded on 3 surfaces, the servo on one. We buy this cartridge from DEC so you know it meets their stringent specs. 3.8 megabyte capacity, 192 TPI. Call now and we'll ship it to you by tomorrow.



5-platter packs.

Data recorded on 5 surfaces, the servo on one. 370 or 384 TPI. They offer you up to an 80 megabyte capacity.



12-platter packs.

19 surfaces, the servo on one. Choose: 192 TPI, up to 100 MB capacity; 370 or 384 TPI, up to 200 MB capacity; 374 or 384 TPI, up to 300 MB capacity.



Disk Pack Cross Reference Guide

Manufacturer	Model #	Cap. In MB	Inmac Order#		Pricing			
					1-2	3-5	6-11	12+
Ampex	DM 80, DM980	80	7485- G		470	460	453	447
	DM300, DM9300	300	7530- G		1250	1210	1180	1160
	DM331-1, DM9200	200	7520- G		630	620	610	605
	DM330, DM9100, DS 330	100	7515- G		550	540	532	525
Ball Computer Prod.	BD50, BD80	50	7480- G		470	460	453	447
	BD300	300	7530- G		1250	1210	1180	1160
Billings	HD50	50	7480- G		470	460	453	447
	HD200	200	7521- G		710	696	685	678
Burroughs	B9387-1, B9484-2, B9484-5	80	7480- G		470	460	453	447
	B9484-25, B9484-55,							
	B9974-5, 205, 206,							
	B9485-5, B9974-2	100	7512- G		497	480	467	457
Cal Comp	233/1035, 235/1035, 224, 513	100	7512- G		497	480	467	457
	415, 430, 431, 433, 435	200	7520- G		630	620	610	605
	235-2	50	7480- G		470	460	453	447
	T-50	80	7480- G		470	460	453	447
	T-80	200	7521- G		710	696	685	678
	T-200	300	7530- G		1250	1210	1180	1160
Century Data	CDS230	100	7512- G		497	480	467	457
	CDS235	200	7520- G		630	620	610	605
	T-25	25	7480- G		470	460	453	447
	T-50	50	7480- G		470	460	453	447
	T-80	80	7480- G		470	460	453	447
	T-200	200	7521- G		710	696	685	678
	T-300	300	7530- G		1250	1210	1180	1160
	T-300	300	7530- G		1250	1210	1180	1160
Computer Automation	DSK300	300	7535- G		1250	1210	1180	1160
Control Data Corp.	844-41/44/61/62, 883-61	200	7523- G		670	650	633	622
	9780, 9784, 9786, 9883-61	100	7515- G		550	540	532	525
	9752, 9754, 9756, 879, 9879							
	9762, 9877, 877, 1855-12/14,	80	7485- G		470	460	453	447
	1867-10/11/20/21	150	7535- G		1250	1210	1180	1160
	9764	300	7535- G		1250	1210	1180	1160
	9766, 9883-91, 883-91	100	7512- G		497	480	467	457
	9750, 33301	200	7525- G		670	650	633	622
	9883-62/63, 33302-1	200	7520- G		630	620	610	605
	9882, 882, 33302-11							
Data General	4213A, 4231D, 6060	96	7515- G		550	540	532	525
	6061	190	7521- G		710	696	685	678
	6067	50	7480- G		470	460	453	447
Digital Equipment Corporation	RP04, RJP04, RP05	100	7512- G		497	480	467	457
	RP06, RJP06	200	7521- G		710	696	685	678
Diva	RM03		7486- G		600	572	553	541
Diva	MDM80, MSM80, DD54	80	7485- G		470	460	453	447
	DD40		7515- G		550	540	532	525
	DD42		7520- G		630	620	610	605
	DD43	300	7530- G		1250	1210	1180	1160
	DD43, MSM300	300	7535- G		1250	1210	1180	1160
	MSM50, DD54	80	7480- G		470	460	453	447
	DD52	50	7480- G		470	460	453	447
	DD52							
Fujitsu	447K, F479B	200	7512- G		497	480	467	457
Four Phase	8261, 877, MP70 Sys, 6421	80	7485- G		470	460	453	447
General Automation	3345-1646, 3345-1648	150	7535- G		1250	1210	1180	1160
Harris	Sys 5230	80	7485- G		470	460	453	447
	5540	150	7535- G		1250	1210	1180	1160
	5550	300	7535- G		1250	1210	1180	1160
Hewlett-Packard	3000	300	7535- G		1250	1210	1180	1160
	7920/A	80	7485- G		470	460	453	447
Honeywell	279, DSU190, DSU191, MSU0400, M4050, M4050A	100	7515- G		550	540	532	525

Manufacturer	Model #	Cap. In MB	Inmac Order #		Pricing			
					1-2	3-5	6-11	12+
Honeywell (cont.)	MSU0450m, M4450	200	7520- G		630	620	610	605
	MSU0402							
	MSU0451, M4551	200	7527- G		670	650	633	622
	MSU0330, MSU0331							
I.B.M.	9101, 9102, 9106	80	7485- G		470	460	453	447
	9103, 9104	300	7535- G		1250	1210	1180	1160
	3330, 3330-1, 3336	100	7512- G		497	480	467	457
ICL	3330-11, 3336-11	200	7520- G		630	620	610	605
	EDS 80	80	7485- G		470	460	453	447
ISS/Univac/Itel	EDS 100	100	7512- G		497	480	467	457
	EDS 300	300	7535- G		1250	1210	1180	1160
Interdata	7330, 7930	100	7515- G		550	540	532	525
	7330-1	100	7512- G		497	480	467	457
	7330-11	200	7520- G		630	620	610	605
Memorex	M46-609	80	7485- G		470	460	453	447
	CDC9766	300	7535- G		1250	1210	1180	1160
Microcomputer Systems Corp.	3670	100	7512- G		497	480	467	457
	3675, 3677	200	7520- G		630	620	610	605
Modular Computer Corporation (Modcomp)	MSC 1300-102/112		7485- G		470	460	453	447
	MSC 1300-103		7512- G		497	480	467	457
	MSC 1300-104		7520- G		630	620	610	605
	MSC 1300-105							
	MSC 1693-1105		7530- G		1250	1210	1180	1160
	MSC 1300-114		7535- G		1250	1210	1180	1160
NCR	4138-1, -2, -3, -4	100	7512- G		497	480	467	457
	1030	100	7512- G		497	480	467	457
Phillips	658, 958	200	7525- G		670	650	633	622
	6530	80	7485- G		470	460	453	447
Potter	P1100 System	80	7485- G		470	460	453	447
Prime	DD4330/5830	100	7512- G		497	480	467	457
R.C.A.	4271	300	7535- G		1250	1210	1180	1160
	4262	80	7485- G		470	460	453	447
Tandem Computers	6316, 6330, 6830, 8550	100	7512- G		497	480	467	457
Telefile	T16/4103		7512- G		497	480	467	457
	TT-50	50	7480- G		470	460	453	447
	TT-80	80	7480- G		470	460	453	447
	T-9762, DM980	80	7485- G		470	460	453	447
	T-9764	150	7535- G		1250	1210	1180	1160
	T9766	300	7535- G		1250	1210	1180	1160
Telex	DM300	300	7530- G		1250	1210	1180	1160
	6316-1	100	7512- G		497	480	467	457
	SD6330, SD8330	100	7515- G		550	540	532	525
Texas Instruments	DD6330, DD8330 6316-3	200	7520- G		630	620	610	605
	DS330	100	7512- G		497	480	467	457
	DS200	200	7521- G		710	696	685	678
	DS25	25	7480- G		470	460	453	447
Univac	DS50	50	7480- G		470	460	453	447
	8430	100	7512- G		497	480	467	457
Varian	8433	200	7520- G		630	620	610	605
	7553		7485- G		470	460	453	447
Wangco	7557		7535- G		1250	1210	1180	1160
	9762	80	7485- G		470	460	453	447
Wang	2265 V-1	80	7485- G		470	460	453	447
	2265 V-2	300	7535- G		1250	1210	1180	1160
Xerox	3270, 3275, 3277,							
	7275, 7576, 7277	100	7512- G		497	480	467	457

Inmac. Your new source for DEC RK06, RK07, RL01 disk cartridges.

You know the kind of superior performance DEC demands from the cartridges they make. And you can rest assured that these disk cartridges will perform the same way.

We buy them from DEC. So we can give all DEC users a one-stop-shopping source. Along with the RK06, we've added the 2-platter RK07. And the single-platter RL01.

**Tested and certified to meet DEC specs.
Guaranteed by Inmac for three years.**

- Tracks are checked for integrity of servo pattern. And each servo surface is radial runout tested for dependability.
- Platters are enclosed in impact-resistant mounting that protects against contaminants.
- Loading simplified by 3-function handle.

The best part may be our fast shipment.

We can ship you these cartridges from our

east or west coast distribution centers... in 36 hours or less. Order now and we'll prove it.
RK06 disk cartridge. Top loading with a 13.8 megabyte capacity. Wt. 14 lbs.

No.	Qty 1-3	4-5
No. 7706- G	\$275.00	\$270.00
6-11	12-24	25+
\$265.00	\$255.00	\$250.00

RK07 disk cartridge. Top loading with a 28 megabyte capacity. Wt. 14 lbs.

No.	Qty 1-3	4-5
No. 7707- G	\$358.00	\$343.00
6-11	12-24	25+
\$333.00	\$328.00	\$323.00

RL01 disk cartridge. Top loading with a 5.2 megabyte capacity. Wt. 12 lbs.

No.	Qty 1-3	4-5
No. 7711- G	\$165.00	\$158.00
6-11	12-24	25+
\$153.00	\$150.00	\$148.00



The RK06 & RK07 provide quality performance.



The RL01 with 5.2 megabyte capacity.

Appreciate first-hand why we guarantee our flexible disks for one year. Try them risk-free for 45 days.

Even if a flexible disk has only one error, you can't be completely assured of data reliability. So we make sure every disk you buy is certified to read and write 100% error-free. For such quality, our prices are lower than you'd expect.

Order our disks to prevent the three most common causes of data error.

We subject each flexible disk you buy to rigorous tests. Each test is designed to locate defects which might cause you costly data errors. And because they are so stringently tested, each disk meets ANSI, ECMA and ISO standards, which are almost as tough as ours.

The certifier used for our quality control is programmed to track down the three

After testing, our diskettes are certified 100% read/write error free and packaged for protection.

most common disk errors:

1. Dropouts, missing data bits caused by partial or total loss of signal due to a defect in the disk's magnetic coating.

2. Dropins, the existence of data bits where you didn't write them in.

3. Bit shifts, timing errors which can cause a problematic lapse between the read and write processes.

Order our disks with the confidence that they're guaranteed 100% error free.

Because the data on your flexible disks can be repeatedly recorded, reproduced and erased, it's an economical medium.


But this economy means nothing if the disks you use don't perform well. A faulty disk can cost you more money in the long run. That's why field-proven quality is extremely important in your minicomputer or word-processing installation.

Every disk you buy from us must meet or exceed industry standards. And ours. Each is tested not only for error-free performance but for high durability and low abrasivity that will insure data integrity and longer head life.

Order today. If you tell us, we can ship your disks faster than usual.

If you let us know you're in a bind, we'll see that your order gets personal treatment. Someone will hand carry your disks to shipping. And someone else will stay, even after hours, to make sure your order gets where it's going. Look on page 65 for special services. You pay a little extra, but the 24-hour shipment could save you hassle, dollars and downtime.

Want to buy flexible disks in bulk? See page 26.




Anatomy of our flexible disk.

The quality control. Under clean-room conditions, our disks are first tested for uniform thickness, yield strength, flatness and thermal sensitivity. Then, they're inspected for proper magnetic coating, amplitude, resolution...and finally burnished for low abrasivity. These procedures are necessary for maintaining data integrity, increasing the life of your read/write heads and to help eliminate the cost of repair.

The disk itself. The size and position of the center hole and index hole are critical to reliable read/write performance and interchangeability. Our disks are punched to hold dimensional tolerances within thousandths of an inch. This is very important in double density drives, where track and signal local become even more critical.


The jacket. More than just a container, it provides an anti-static, clean environment that helps protect your disk during both handling and storage.



The liner. A self-cleaning, smooth material bonded to the jacket's interior continually wipes potentially-harmful dust and debris from your disk surface.

Floppy "double talk" made perfectly clear.

Single sided: data is recorded on or read from one side of the flexible disk only.



single sided
(Memorex)

Reversible: data is recorded on or read from both sides. After one side's complete, you must manually turn the disk over.



reversible
(Memorex)

Dual Sided: data's recorded on both sides by a drive with dual heads. One pivotal head records or reads data, automatically.

Single density: data is recorded on each of the 77 tracks at 3408 bpi.

Double density: data's recorded on each of the 77 tracks at twice the density, 6816 bpi.

Sector: One of several fixed-length subdivisions that identify the data storage position. The data content is less with a soft sector disk than with a hard sector.



soft sector (IBM)

Hard sector: Each sector is assigned its own unique hole; 32 sectors can be put in a single flexible disk track.



hard sector
(Shugart)

hard sector
(Memorex)

High certification: the flexible disk is tested at a higher clipping level. And the higher the clipping is...the greater the signal remaining. This insures better quality and increased reliability.

Flexible Disk Cross Reference

Manufacturer	Model	Standard disk		Reversible option		Manufacturer	Model	Standard disk		Reversible option	
		Inmac#	Inmac#	Inmac#	Inmac#			Inmac#	Inmac#	Inmac#	Inmac#
Advanced Electronic Design (AED)	3100, 6200	7870-	G 7860-	G 7910-	G 7900-	Incoterm	Sys 3, 34, 5110 (Diskette 2D)	7859-	G *		
	2500						D250, SPD 20/20, 20/30, 20/40	7910-	G 7900-	G	
Altair	8800	7890-	G 7880-	G		Interdata	Model 5/16	7870-	G 7860-	G	
Ball Computer Products	3190	7870-	G 7860-	G		Linier Business	LTE-1, Nexus 200	7888-	G —		
Calcomp (soft sector)	140, 142, 1140	7870-	G 7860-	G		Linolex	4000	7870-	G 7860-	G	
(hard sector)	140, 142	7890-	G 7880-	G		NCR	Century 101, 105, 161	7870-	G 7860-	G	
Cincinnati Milacron	SBS40, 60	7870-	G 7860-	G		Nixdorf	8815, 8864, 8865, 8830, 8870	7890-	G 7880-	G	
	70, 80, CIP/2200B	7870-	G 7860-	G		Olivetti	D 525, TCV278, D 520, TC270	7870-	G 7860-	G	
Computer Automation	All Systems	7870-	G 7860-	G		Orbis (soft sector)	74, 76	7870-	G 7860-	G	
Control Data Corp. (soft sector)	9400, 9404	7870-	G 7860-	G		(hard sector)	74, 76	7890-	G 7880-	G	
(hard sector)	9400, 9404	7890-	G 7880-	G		Per Sci, Inc. (soft sector)	70, 75, 270	7870-	G 7860-	G	
Data General	CS 20/40/60 Nova, Eclipse, 6030 Series	7890-	G 7880-	G		(hard sector)	70, 75, 270	7890-	G 7880-	G	
Data 100	Mod 77, 74	7870-	G 7860-	G		Pertec (soft sector)	FD400, FD500	7870-	G 7860-	G	
Datapoint	1100, 1300, 1140, 2000, 550	7870-	G 7860-	G		(hard sector)	FD400, FD500	7890-	G 7880-	G	
DEC	MIWC Classic, MS800 RX8, RX11, Data System 310 PDP11V03 RVX11-BA	7870-	G —	7870-	G 7860-	Prime Computer	4166	7870-	G 7860-	G	
Decision Data	System 4	7857-	G —			Randal Data Systems	LINK 100, 200, RDS-1	7857-	G —		
Diablo (soft sector)	3200	7886-	G —			Remex	RFD 7400, 1000 RFS 7400, 7500	7870-	G 7860-	G	
(hard sector)	Series 10	7870-	G 7860-	G				7890-	G 7880-	G	
Dicom	122	7890-	G 7880-	G		Seimans	Trandata 920	7870-	G 7860-	G	
	420, 421	7910-	G 7900-	G		Shugart (soft sector)	800, 900	7886-	G —		
Digimetrix	800	7910-	G 7900-	G		(hard sector)	SA3800	7886-	G —		
Digital Associates	FD-1	7890-	G 7880-	G			801, 901, SA3800	7888-	G —		
	FD-8, FD-10	7870-	G 7860-	G		(soft sector)	850	7856-	G —		
Diva	DF-100	7870-	G 7860-	G		Sperry Univac	UTS 700-400	7857-	G —		
Entrex	600/30	7890-	G 7880-	G		Sycor	All Systems	7870-	G 7860-	G	
Facit-Addo	4231	7870-	G 7860-	G		Sykes Datatronics (soft sector)	9000 Sys, 700 Series	7870-	G 7860-	G	
Four Phase	IV, IV/40, 4140	7870-	G 7860-	G		(hard sector)	9000 Sys	7890-	G 7880-	G	
General Automation	DM100, 200 RBL-1, 11	7910-	G 7900-	G		Terak	8510, 8512, LSI-11	7870-	G 7860-	G	
General Systems International	101, 103, 105, 110	7870-	G 7860-	G		Texas Instruments (single density)	990	7886-	G —		
GRI Comp	Entry Two, Eleven	7870-	G 7860-	G		(double density)	990	7857-	G —		
Harris	1600, 1610, Series 8770	7870-	G 7860-	G		Tridata	Flexifile 52, 10, 11	7910-	G 7900-	G	
Hewlett-Packard	9825, 9831A, 9885, 8986A, 250	7857-	G —			Wang	640, 740, 2240 2200, 2243, 2270	7910-	G 7900-	G	
Honeywell	9101, 9102	7870-	G 7860-	G		Xebec	XFD 100/200	7890-	G 7880-	G	
IBM	System 32, 3740, 3741, Sys 3 Mod 8	7870-	G 7860-	G			Series 1200	7870-	G 7860-	G	
	System 6/430, 6/450, 6/420	7889-	G —			Zilog	280	7890-	G 7880-	G	
	3790, 3791	7861-	G —								
	3601 Models 2A, 3A, System 34, 5110	7858-	G *								
	Series 1, 3600	7856-	G *								

*These disks are dual sided. Other types will not work with these drives.

E. of Mississippi (201)767-3601
W. of Mississippi (408)737-7777

Flexible Disk Pricing

Description	Inmac order #	File Box With Ten Diskettes	(price per disk)			Inmac order #	Bulk (units of 20)	(price per disk)		
			10-20	30-50	60-100			20-40	60-180	200-380
Dual side, single density, IBM equivalent	7856-	G	\$8.00	\$7.50	\$7.15	7856-1-	G	\$7.15	\$6.80	\$6.55
Single side, double density, soft sector	7857-	G	6.00	5.50	5.25	7857-1-	G	5.25	4.65	4.35
Dual side, double density, IBM equivalent	7858-	G	7.00	6.50	6.00	7858-1-	G	6.25	5.75	5.25
Dual side, double density, IBM equivalent	7859-	G	8.00	7.50	7.15	7859-1-	G	7.15	6.80	6.55
Reversible, single density, IBM equivalent	7860-	G	8.65	7.85	7.25	7860-1-	G	7.25	6.50	6.00
Single side, single density, IBM 3600 format	7861-	G	5.75	5.25	4.85	7861-1-	G	4.95	4.50	4.25
Single side, single density, IBM equivalent	7870-	G	5.40	4.90	4.50	7870-1-	G	4.50	3.95	3.60
Reversible, single density, hard sector	7880-	G	8.70	8.00	7.40	7880-1-	G	7.40	6.70	6.25
Dual side, double density, hard sector	7881-	G	8.00	7.50	7.15	7881-1-	G	7.15	6.80	6.55
Single side, single density, soft sector, Shugart approved	7886-	G	7.00	6.30	5.80	7886-1-	G	5.80	5.10	4.65
Single side, double density, hard sector	7887-	G	6.00	5.50	5.25	7887-1-	G	5.25	4.75	4.50
Single side, single density, hard sector, Shugart approved	7888-	G	7.30	6.55	6.00	7888-1-	G	6.00	5.25	4.75
Single side, single density, IBM system/6 format	7889-	G	6.90	6.15	5.60	7889-1-	G	5.60	4.85	4.35
Single side, single density, hard sector	7890-	G	5.75	5.20	4.80	7890-1-	G	4.80	4.20	3.85
Reversible, single density, Memorex type	7900-	G	9.00	8.50	8.00	7900-1-	G	8.00	7.50	7.00
Single side, single density, Memorex type	7910-	G	6.05	5.50	5.05	7910-1-	G	5.25	4.75	4.25

Minifloppy Pricing

Description	Inmac		File Box With Ten Diskettes			Inmac		Bulk (units of 20)		
	order	#	10-20	30-50	60-100	order	#	20-40	60-180	200-380
Hard sector, 16 sectors	7897-	G	\$5.15	\$4.60	\$4.15	7897-1-	G	\$4.15	\$3.55	\$3.15
Hard sector, 10 sectors	7898-	G	5.15	4.60	4.15	7898-1-	G	4.15	3.55	3.15
Soft sector, index only	7899-	G	5.15	4.60	4.15	7899-1-	G	4.15	3.55	3.15

Minifloppy Cross Reference

Manufacturer	Model	Inmac order #
Altair	680B-MDS, 88-MDS	7897- G
Apple	Disk II	7897- G
Cromenco	Z2D	7899- G
Dig-Log Sys Inc.	Microterm II, Microcomm	7899- G
Digital Corp.	Bytemaster	7899- G
Future Data	Micro System	7899- G
Heathkit	WH17	7898- G
IMSAI	VDP40-44, PCS 40-44, PCS 80/34-35	7899- G
Lexitron	VT1201, 1202	7899- G
Magnavox Display Systems	Orlon 60	7899- G
Micropolis	Metafloppy Mod II,	7897- G
North Star	Horizon 1, Horizon 2	7898- G
PCC Microsystems (Div. of Pertec)	88-1301, 88-1302	7897- G
Poly Morphic Sys	8813	7898- G
Radio Shack	TRS 80	7899- G
Realistic Controls Corp	Fort 80	7897- G
Rockwell	System 65	7899- G
Smoke Signal Broadcasting	BFD68, Chieftan I	7899- G
SWTPC	MF68, 6800	7899- G
Telery Div of Research Inc.	2020	7897- G
Vector Graphic	Vector 1+	7899- G
Wang	PSC-11	7898- G

Word Processing Cross Reference

Manufacturer	Model	Standard disk	Reversible option
Addressograph/Multigraph	AMtext 425	7890- G	7880- G
Compugraphic	Word Com	7890- G	7880- G
DEC	WS-78-AA	7870- G	—
	WS200	7870- G	—
IBM	Diskette 2	7856- G	*
	Diskette 2D	7859- G	*
Vydec	1200, 1400	7910- G	7900- G
Wang	WPS 10A, 10	7890- G	7880- G
	20, 30	7890- G	7880- G
Xerox	850	7870- G	7860- G

For a complete word processing cross reference chart see pg. 5.

Care and feeding of your flexible disks.

Though flexible disks may look like 45 rpm records, they deserve more respect.

- **Don't bend or fold;** creases can cause permanent disfiguration. Although you can stack as many as 10, vertical storage is recommended.
- **Don't expose to strong sunlight** or any other kind of heat source.
- **Don't expose to magnetic fields.** Even a paper-clip holder can cause minor dropouts to major erasures.
- **Don't contaminate.** Smoke particles, dust, dirt, face powder, graphite dust or erasure crumbs from your pencils can cause very expensive data loss.
- **Don't put pressure on the disk.** Writing on a label or even the weight of an empty soda can might cripple disk performance.
- **Always return your disk to its semi-stiff envelope.** This maximizes support and continues to protect it.
- **Always store your disks according to your specific needs . . .** with vinyl envelopes, binders, library cases, specially designed cabinets.

How buying flexible disks in bulk can give you the same guaranteed, error-free performance. And save you up to \$400 in the process.

As far as we know, the only place you can buy your flexible disks and minifloppies in bulk is from Inmac. That's because it's our idea.

Inmac Flexible Disk 1-year Guarantee

All Inmac flexible disks are guaranteed to read and write 100% error free for the period of 1 year from date of purchase. On the remote possibility that you discover a defect in our disk, return it for a replacement at no charge. Understandably, we cannot warranty damages resulting from mishandling. Nor can we assume responsibility for consequential damages.

How to have our quality in quantity.

When you order bulk flexible disks or minifloppies from us, you're buying the same quality performers you read about two pages back (page 24). Each is guaranteed for a year. The only difference is, you get more of a good thing by ordering quantities of 100, 200 or more.

How buying in bulk will save you money.

If you're a large user of this medium, you probably go through several boxes of disks per week or month. But what happens to the boxes and paper envelopes your disks originally came in? If you're using them to prop up your plants or as makeshift bookends, you might consider our concept.

Need media fast?
East of the Mississippi
(201) 767-3601
West of the Mississippi
(408) 737-7777

We shrink-wrap our bulk flexible disks and minifloppies in their black vinyl jackets only. And you receive them in an ordinary, but sturdy, shipping carton. The amount of money you save is the cost of the cardboard file boxes and paper envelopes we *don't include* in the packaging.

It's like buying flexible disks with the quality left in and packaging-frills left off. It's the concept of less is more. You get less paper and envelopes. More high-quality disks.

And this bulk concept is ours alone.

After talking to larger users of flexible disks like you, we decided that offering our customers the option of buying in bulk was the right thing to do. It's gratifying



When you buy flexible disks in bulk quantities of 100, 200 or more, you don't get envelopes or file boxes. And that saves you up to \$400.

to know we've saved a customer up to \$400, depending on the quantity ordered.

Determine if our idea is right for you.

Anyone would likely consider an idea with a \$400 savings a bright idea. But buying disks in bulk isn't the right way to go for every minicomputer or word-processing station. Consider your own needs. Then decide for yourself if ordering flexible disks in bulk relates to your specific data demands.

Take a few minutes to calculate how many disks you'll need over the next 6 months. Or the next 12 months. If the total is high, buying in bulk could save you plenty.

Flexible disk paper envelopes. For all 8" flexible disks. Pkg. 50. Wt. 2 lbs.

No. 7920- G\$16.00/pkg.

Minifloppy paper envelopes. Pkg. 50. Wt. 2 lbs.

No. 7921- G\$9.00/pkg.

Flexible Disk Pricing

Description	Inmac order #	Bulk (units of 20)		
		20-40	60-180	200-380
Dual side, single density, IBM equivalent 2376700	7856-1- G	\$7.15	\$6.80	\$6.55
Single side, double density, soft sector	7857-1- G	5.25	4.65	4.35
Dual side, double density, IBM equivalent 1766872	7858-1- G	6.25	5.75	5.25
Dual side, double density, IBM equivalent 1669045	7859-1- G	7.15	6.80	6.55
Reversible, single density, IBM equivalent 2305830	7860-1- G	7.25	6.50	6.00
Single side, single density, IBM 3600 format	7861-1- G	4.95	4.50	4.25
Single side, single density, IBM equivalent 2305830	7870-1- G	4.50	3.95	3.60
Reversible, single density, hard sector	7880-1- G	7.40	6.70	6.25
Dual side, double density, hard sector	7881-1- G	7.15	6.80	6.55
Single side, single density, soft sector, Shugart approved	7886-1- G	5.80	5.10	4.65
Single side, double density, hard sector	7887-1- G	5.25	4.75	4.50
Single side, single density, hard sector, Shugart approved	7888-1- G	6.00	5.25	4.75
Single side, single density, IBM system/6 format	7889-1- G	5.60	4.85	4.35
Single side, single density, hard sector	7890-1- G	4.80	4.20	3.85
Reversible, single density, Memorex type	7900-1- G	8.00	7.50	7.00
Single side, single density, Memorex type	7910-1- G	5.25	4.75	4.25

Minifloppy Pricing

Description	Inmac order #	Bulk (units of 20)		
		20-40	60-180	200-380
Hard sector, 16 sectors	7897-1- G	\$4.15	\$3.55	\$3.15
Hard sector, 10 sectors	7898-1- G	4.15	3.55	3.15
Soft sector, index only	7899-1- G	4.15	3.55	3.15

With proven protection and economy, you can store flexible disks and minifloppies on a bookshelf.

Ideal for mini and micro users alike, flexible disk envelopes and binders give you quick access and organizational ease. Buy them separately, or save on sets.

What we found in our research.

There are specific reasons for proper filing of flexible disks and minifloppies: your master copy of development software must be stored...backup must be stored as work progresses...for control and efficiency to maintain your own program information...and to store erased flexible disks until they're recorded again.

Organization is a money-saving tool.

Because flexible disks are sensitive to dust, dirt, static electricity and moisture, they are easily destroyed. That's why it's important that they be filed in correct fashion.

Our envelopes and binders allow you to file floppies vertically...to prevent contamination and warping via correct support. This saves time, saves disks and saves your budget.

The 3-hole-punched envelopes protect.

Since they're tough 16 mil clear vinyl, our binder envelopes shed dust, coffee and ashes that often haunt your computer's environment. Inmac offers you 2 types...each virtually eliminating the chance of data destruction from static electricity.

One for standard (8" x 8") diskettes with a pocket for the floppy and a pocket with a file index card that has 10 ruled writing lines for location and identification. (When you use this index card, the risk of damage to the flexible disk by direct contact with pen or pencil is greatly diminished.) The other for two minifloppies (5¼" x 5¼") that also has 2 file index cards.

The 3-ring binders for a data library.

Designed to take advantage of your existing shelf space, our binders save you the cost

It's easy to protect, file and identify your flexible disk data. Just slide your floppy into the vinyl envelope that protects it from contaminants and static electricity. Then put it in the specially marked binder for easy identification and retrieval.

of buying another bookcase. Each volume can be categorized on the spine by putting a label in the label holder.

And you can buy just what you need.

Buy our 3-ring binders alone...or with the envelopes. If you have a supply of 3-ring binders on hand, you can easily convert them into flexible disk holders.

Flexible disk envelopes and 3-ring binder set. 3-ring binder and ten flexible disk envelopes per set. Dim. 12" h. x 9" w. x 1¼" d. Binder is black with white lettering. Wt. 2½ lbs.

No. 2456- G \$12.00 ea.
Buy 6 & SAVE \$6.00 \$11.00 ea.
Buy 12 & SAVE \$24.00 ... \$10.00 ea.

Minifloppy envelopes and flexible disk 3-ring binder set. 3-ring binder and ten envelopes per set. Envelopes hold two minifloppies each. Dim. 12" h. x 9" w. x 1¼" d. Binder is black with white lettering. Wt. 2½ lbs.

No. 2457- G \$12.00 ea.
Buy 6 & SAVE \$6.00 \$11.00 ea.
Buy 12 & SAVE \$24.00 ... \$10.00 ea.

3-ring binder. Black with white lettering. Includes label holder on spine. Dim. 12" h. x 9" w. x 1¼" d. Wt. 1¼ lbs.

No. 2455- G \$5.00 ea.
Buy 6 & SAVE \$1.50 \$4.75 ea.
Buy 12 & SAVE \$6.00 \$4.50 ea.

Vinyl flexible disk envelopes. Clear vinyl and 3-hole punched with index card for


insertion into binders. Sold in units of ten. Wt. 1¼ lbs.

No. 2451- G ... (10 env.) .. \$9.00/pk.
Buy 3 sets & SAVE \$1.50 .. \$8.50/pk.
Buy 5 sets & SAVE \$5.00 .. \$8.00/pk.

Vinyl minifloppy envelopes. Clear vinyl and 3-hole punched with index card for insertion into binders. Each holds two diskettes. Sold in units of 10. Wt. 1¼ lbs.

No. 2452- G ... (10 env.) .. \$9.00/pk.
Buy 3 sets & SAVE \$1.50 .. \$8.50/pk.
Buy 5 sets & SAVE \$5.00 .. \$8.00/pk.

Convert a standard 34" bookshelf into a complete data library with our binders. Then organize up to 170 floppies (or 340 minifloppies) on each shelf.






File index cards included help you quickly identify the data stored on your flexible disks.



Appearing on the front of the binder, this caution sign adds to the protection you'll be providing your flexible disks. Note: X-rays will not hurt your floppies but the powerful magnets inside the X-ray equipment can.

Our 3-hole-punched envelopes hold two minifloppies plus file index cards for your quick retrieval.





The Fortifier™ helps your disks live longer.

We decided to call our flexible disk reinforcing kit The Fortifier for a good reason. It can triple the life of your flexible disk or minifloppy. And for less than 20¢ apiece.

Made of 4-mil vinyl with self-adhesive backing, each ring is tough enough to take the kind of punishment your flexible disk drive can dish out.

Here's what to use your low-cost kit for:

- To make sure your drive's clamping hub doesn't tear the disk's inner hole.
- To prevent coating removal and dimpling when your disk hits the rotating spindle.
- To prevent data loss caused by improper rotation of a flexible disk or minifloppy.
- To assure that, if stationary, your disk is forced against the rotating spindle it won't scuff or dislodge coating particles.



1. Place ring, adhesive side up, on metal tool.
2. Place disk over ring and press applicator firmly.
3. Your disk can now live three times longer.

Here's how easy it is to use.

Put the metal tool on a flat, firm surface. Place the reinforcing ring, adhesive-side up, on the tool. Then place your disk over the ring. Press metal applicator firmly yet carefully to attach the ring to your disk. Use kit (or extra rings) for standard or minifloppies.

And here's how fast you can have it.

Call now and we'll ship your kit out by tomorrow. Since a disk with rings on both sides is more than 100 times stiffer than an unprotected disk, order extra.

Flexible disk reinforcing kit. With 20 adhesive-back vinyl rings and an applicator. For std. disks and minifloppies. Wt. ¼ lb.
No. 7955- G \$25.00 ea.

Flexible disk reinforcing rings. Pkg. of 20.
No. 7950- G \$4.00/pkg.

New. How to stop your flexible disks from flopping in the mail.

We think our engineers came up with a winner this time. But order our new mailer and you can be the judge of that.


Made to stop 1 to 5 disks from bending.

Just put the disks on top of each other, fold the box and you're ready. There's just the right pressure inside . . . not enough to bend your disks, but enough to prevent cupping, curling and wrinkling.

Save time, mail flexible disks yourself.

Finally, you don't have to rely on the mail room for proper packaging. Just buy now and

It's as easy as 1,2,3 for you to mail up to 5 flexible disks in one box. Our new mailer stops disks from bending.




keep several boxes on hand . . . so you'll mail your disks with complete confidence.

Flexible disk mail box. Holds up to 5 flexible disks. Inside dim: 8" x 8" x 1¼". Wt. 1 lb.

No. 2604- G .. (set of 10).. \$10.00/set

Buy 3 & SAVE \$4.50 \$ 8.50/set

This cross-section of our new mail box shows the engineering that keeps flexible disks flat.



4 ways our folders store and pamper your flexible disks.

We'll ship these folders from our distribution centers on both coasts. Just give us a call and tell us how many you need.

1. They stop warping and bending. With the rigid construction of a quality file folder, our disk folders stop bends that cause drop-outs and permanent damage. Each folder has one pocket for your flexible disk (or two pockets for your minifloppies).

2. They protect from contamination. Our folders are vinyl. So they're strong enough to protect from extreme temperatures, dust, dirt and harmful static.

3. They offer time-saving fast access. Third-cut tabs add convenience. And a choice of 5 colors helps you use standard indexing systems to best advantage.

4. They have labels for quick update. With these labels, you can group, regroup and reclassify your data . . . fast.

Flexible disk file folders. Twelve 9" x 11¼" style in a choice of yellow, green, white, blue or red. One color per set; please specify when you order. With file index cards, pressure-sensitive tabs. Wt. 2½ lbs.
No. 4460- G (pk. 12 folders) \$13.00/pkg.
Buy 4 pkgs. & SAVE \$4.00 \$12.00/pkg.

Minifloppy file folders. Twelve 9" x 11¼" style in white only. Each folder has pockets for two minifloppies. With file index cards, pressure-sensitive tabs. Wt. 2½ lbs.

No. 4465- G (pk. 12 folders) \$14.00/pkg.

Buy 4 pkgs. & SAVE \$4.00 \$13.00/pkg.



The folders file vertically, so they guard against warping, bending and environmental contaminants.

An economical way to store and protect flexible disks that's easy as putting books on your shelf.

The price on our library cases is almost too small in comparison to the valuable data you can store in them. But it's probably a novelty for you to buy a product with such a low cost for such high efficiency.

Why your disks need this protection.

We've been in minicomputer and word-processing installations where flexible disks and minifloppies were vulnerable to every contaminant under the sun. Like dirt. Dust. Hot coffee. Cold water. Heavy paper weights. Paper clips. Magnetized paper clip holders. You name it, we've seen it. But every disk needs proper care. And all it takes to protect them is a case that costs less than tickets to a movie.

How our cases provide archival storage.

Keep these cases on your bookshelf or desk to help eliminate harmful condensation and moisture absorption. Each case helps prevent 10 flexible disks or 10 minifloppies from cupping and curling. Now, instead of storing your disks in an ordinary cardboard box, buy

Now, storing 10 of your flexible disks or 10 minifloppies is easy as putting books on a bookshelf. Each of our practical library cases prevents your disks from harmful contamination, cupping and curling. For high efficiency at low cost, buy now.

a case custom made for the job. We'll ship the cases you need by tomorrow.

Why they offer you convenient flexibility.

The high-impact polystyrene insets and fan tabs give you the access you want. A pop-up feature puts all your disks in full view. And ID labels on the spine tell you what's where at a glance. So order today. It's a small price to pay for good looks, transportability and disk protection.

Flexible disk library case. Polystyrene. For 10 flexible disks. Dim: 9½" h. x 9" w. x 1¾" d. Wt. 17 ozs. Beige.

Qty. 1-9 Qty. 10+

No. 2459- G . . . \$5.75 ea. \$4.75 ea.

Minifloppy disk library case. Polystyrene. For 10 minifloppies. Dim: 6¾" h. x 6½" w. x 1⅞" d. Wt. 9 ozs. Beige.

Qty. 1-9 Qty. 10+

No. 2460- G . . . \$5.75 ea. \$4.75 ea.



On the move, you'll carry fifty flexible disks with confidence.

You're cautious enough to protect your flexible disks in your computer room environment with our library cases, binders, envelopes and such . . . but what about when you're on the move from department to department or client to client?

Our Porta Floppy case takes up about as much room on your desk as a piece of typing paper. And gives your disks the protection necessary whether you plan to take it across town or across the country.

It gives you protection and security.

Because you can lock it, our case protects your disks, prevents unauthorized access and keeps file integrity. And since our Porta Floppy case won't conduct heat or electricity, every bit of your recorded data stays intact.

Since the lid is hinged and latched, you cannot remove or replace it. And that increases your disk protection even more.

It lets you access your disks with ease.

We've designed the sides of our case to be low enough to allow you fast access and replacement of your disks, and to increase speed and accuracy of organization. Partitions are included to help separate your disks into logical, convenient categories.

Don't let looks fool you . . . it's strong.

Made of ABS polymer (the same material used in NFL helmets) our case won't dent, chip or peel. The walnut color won't scratch off. And it's handsome enough to take anywhere. So order now. With our guarantee, you can try our cases free for 45 days.

Porta Floppy case. For use with 50 disks/envelopes. Dim. 10" w. x 10" h. x 10½" d. Walnut brown. Wt. 3 lbs.

Qty. 1-2 Qty. 3+

No. 2705- G . . \$50.00 ea. \$47.00 ea.



Now, you can buy a stand already custom-designed for your CRT that's half the cost of one that's not.

You could put your valuable CRTs on standard desks, on regular typing tables, on cabinets or on a counter. But if you do, none of them are ideally designed to meet the specific needs of your operators. Our CRT stands can fill that need.

What our custom design means to you.

Before IBM introduced the first 2260 terminal in 1965, the CRT was little more than a curiosity. Today, it's the primary input-output device for a minicomputer system. The CRT has come a long way over the years. But the proper stand for the CRT has always been a problem. Until now. Because Inmac has solved the problem with a custom design.

Four reasons to buy our stands.

1. They cost less than you expect. A table or desk from an office-supply source could cost up to \$500.00. Our stands cost a fraction of that. Besides the high cost of these other tables or desks, they can't give dimensions and design necessary for improved convenience and efficiency. We guarantee that our CRT stands do.

Our stand-up model is ideal for the quick-inquiry station, production area or busy system console.



2. They help increase operator efficiency. For volume-keying operation, you'll find our CRT stands ideal. Three of them can fit along a 12-foot wall, each surface independent of the other. If someone bumps one stand, that bump won't affect the efficiency of a neighboring operator. This eliminates distractions which are a problem when a series of CRT's are placed side-by-side on one long table.

3. They help to eliminate costly errors. Both our stand-up and sit-down models can help reduce keying errors because they're designed to the proper height for correct keying.

4. They help cut high cost by a unique custom design. These Inmac CRT stands are all competitively priced. And it's not because we've cut corners on quality. Our guarantee clearly states that. We've incorporated a straight-forward design that uses standard parts. This keeps our costs down. It's the principle of form following function. And as a result, we pass our savings along to you.

Sit-down or stand-up convenience.

Our sit-down models are 26" high, designed for increased keying speed, better accuracy and added comfort. With the minimum of floor space, they provide space for the CRT and room for notes, programs and more.

If you prefer a stand-up model for quick-inquiry stations, production areas, system consoles or other high-activity locations, we have the style you need. The 37" height assures your operators won't have to crouch

With our sit-down model, each surface is independent of another, eliminating distractions down the line.



Guarantee of Satisfaction

You can try the CRT stand we've custom designed for 45 days at no risk whatsoever. If you aren't completely satisfied at the end of this period, just return the stand to us, freight prepaid. You can have a choice of either an immediate refund or an exchange. That's our guarantee.

over a table-high unit, or even necessitate seating to properly access the terminal.

We've added an optional storage shelf.

Because it's 31" wide and 9" deep, this shelf can store and protect the modem that connects your CRT with the phone lines. And there's still room left to accommodate manuals, paper and personal gear. We've designed this shelf for practicality that won't obstruct any ease of movement.

This shelf can easily store your modem...plus give plenty of room for manuals, paper and personal gear.





Three of our CRT stands can fit along a 12' wall. Since each surface is independent of the next, our stands help eliminate the kind of distractions that could happen if your CRT's were placed side-by-side on one long table. Whichever stands you order from us, don't forget their partners on the next page. Our chairs are all specially engineered to work efficiently with every CRT stand you buy. There's even a stool to properly access our stand-up model #4830.

Good looks aren't the whole story.

Made of laminated wood with a walnut-grain finish, the top is handsome yet strong. (It holds up to 400 lbs. and most CRTs weigh 50 lbs.) The unique U-shape formed by the base allows even a tall operator to maneuver and sit comfortably without annoying obstruction.

Exposed surfaces are smooth and rounded to help prevent snagging one's clothing. Legs have adjustable glides to compensate for any unevenness in your flooring.

Super sturdy, super strong.

We designed our stands after furniture used in schools across the country...and that means rugged. Our frames are 1" x 2" tubular steel. The crossbar and base are hand-welded, not riveted or screwed.

How to order today and receive your CRT stand next week.

We make sure both our east coast and our west coast distribution centers are constantly stocked with CRT stands and chairs (see next page). Our past experience shows that even if you're located at the farthest points from us (Duluth to the North, Miami to the South), you should receive your stand within seven work days.

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Here's how to order your CRT stands:

- All models include flat black modesty shield, walnut-grain top plus black frame and legs. The deluxe model is identical, but includes chrome frame and legs.

- Only one week for delivery (see box at below left for further information).

- All models are sent to you partially disassembled to save you added freight expenses. All it takes is 10 minutes with a Phillips screwdriver (follow the three assembly steps shown).

Deluxe chrome CRT stand. Dim: 24"d. x 36"w. x 26"h. Wt. 43lbs.

Price each: Qty 1-2 3-5 6+

No. 4805- G \$115 \$105 \$95

Regular size CRT stand. Dim: 24"d. x 36"w. x 26"h. Wt. 43lbs.

Price each: Qty 1-2 3-5 6+

No. 4806- G \$110 \$98 \$90

Medium size CRT stand. Dim: 30"d. x 36"w. x 26"h. Wt. 53 lbs.

Price each: Qty 1-2 3-5 6+

No. 4815- G \$125 \$112 \$105

Large size CRT stand. Dim: 30"d. x 42"w. x 26"h. Wt. 57 lbs.

Price each: Qty 1-2 3-5 6+

No. 4825- G \$145 \$130 \$120

Stand-up CRT stand. Dim: 30"d. x 36"w. x 38 3/4"h. Wt. 54 lbs.

Price each: Qty 1-2 3-5 6+

No. 4830- G \$155 \$140 \$128

Optional shelf. 31"w. x 15"h. x 9"d. For modem and data storage. In black (not for #4825). Wt. 17.5 lbs.

No. 4833- G \$35.00

Not included in our "free freight" offer.

New...add casters for more CRT stand mobility.



With 2 front casters that lock and 2 non-locking back casters, you can roll a CRT on its stand from one location to another. Then lock it to stay put. Of chrome-finished steel with rubber wheels that won't mar floors or track carpets. They support up to 300 lbs. To put casters on: remove leveling glides from hollow legs of stand. Insert socket adapters and pop casters into adapters.

Optional casters. Set of 4 (2 locking, 2 non-locking). Chromed steel. Fits all our stands. Wt. 3lbs.

No. 4835- G \$20.00

With a screwdriver and 10 minutes, you can assemble your new CRT stand by yourself.

1. Using the wide-head machine screws enclosed, attach the modesty panel to one pedestal leg with a Phillips screwdriver.



2. Attach the modesty panel to the other pedestal leg as in step #1. This completes the CRT stand's understructure. Turn the CRT stand over.



3. Then, with the top "bottom-side" up, attach understructure with narrow-head screws enclosed. Turn stand over, adjust glides.



Why it turns out that rotating a CRT from one operator to another can save you \$1,000 or more.

Our Turn 'n Key™ swivel can save you from buying another terminal. It lets 2 operators access one CRT. So you get double efficiency at half the expense.

Our Turn 'n Key puts the "lazy susan" principle to work for you in your word processing or minicomputer installation. With two people using the same CRT, you save the \$1,000 or more that it costs to buy an additional terminal. Just think of all the ways you could use it.

How our swivel makes operators efficient.

Since the swivel lets each operator place the CRT at various angles, versatility and maneuverability are achieved. So operator speed and accuracy increase as unnecessary keying efforts decrease. With a 180° turn in

each direction, our swivel offers the terminal from one operator to another.

Full-turn access by 2 or more operators.

In areas where 2 or more of your operators often need to use the same terminal, our swivel is the answer. Your operator can rotate it with ease. But it's stable enough to stay put when data's being keyed. We've heard from our customers how well the swivel performs. And since it's just 1 3/16" thick, it won't alter the proper keying height already established by our CRT stands on pages 30, 31.

A durable, good looking addition.

Functional yet fashionable for your system, the walnut-look swivel wipes clean with a cloth. With a smooth-rolling ball bearing assembly plus a neoprene cushion to quiet and protect, our swivel will give you years of economical service.

Survey your installation and order today. Try our Turn 'n Key free for 45 days.

Inmac's Turn 'n Key Swivel. Dim. 16" l. x 16" w. x 1 3/16" h. Holds 200 lbs. Wt. 9 lbs.
No. 4851- G \$45.00 ea.
Buy 3 & SAVE \$12.00 \$41.00 ea.


Inmac's Turn 'n Key Swivel. Dim. 20" l. x 20" w. x 1 3/16" h. Holds 200 lbs. Wt. 11 lbs.
No. 4852- G \$50.00 ea.
Buy 3 & SAVE \$12.00 \$46.00 ea.



While one operator is busy with the paperwork, the other can key in data on the terminal. With a full 180° rotation in either direction, our CRT swivel quickly and effortlessly alternates the process.



Just six of the many ways you'll use Turn 'n Key:



Clearly, our new way to bring your CRT operators to peak efficiency.

As far as we know, most CRT operators don't have room for in/out trays at their work stations. We'd like to know how you feel about our new tray, with regards to taking the place of the classic in/out system of organizing paperwork.

It holds the work that's been completed.

Consider this duo. Let your operator use one of our copyholders (p. 62) as the "work to

be done" station. And our new CRT tray as the "work completed" station. It sounds simple, but it can likely double the efficiency and accuracy of every CRT operator.

Accommodates up to 132 column printout.

Because our new tray measures 16" x 12", it can hold everything from an invoice to 132 column printout. And it's deep enough to hold all the work that needs to be completed.

It offers everyone an easy access.

Each tray is open in the front, with a handy thumb notch for access. If there's someone in your company designated to pick up work that's completed, he or she just has to walk by these trays and take the contents.

It stays put on top of your CRT.

For use with all CRT's but the Lear Siegler models, our clear acrylic tray with flame-polished edges makes an orderly and stable addition to installations like yours.

To judge how efficient your operators become with these trays, order now.

CRT tray. Clear acrylic. 16" w. x 12" l. x 2 1/2" d. Fits on top of all CRT's except Lear Siegler. Wt. 1 1/2 lbs.

No. 4855- G \$15.00 ea.
Buy 3 & SAVE \$3.00 \$14.00 ea.



Buy from us. You won't stand around waiting for quality chairs.

Tired of waiting months for chairs designed to increase the productivity of your operators and programmers? Give us a call. We ship our brown chairs by tomorrow. And 4 special-order colors within 2 weeks.

You might be asking yourself why a company like Inmac would devote seven pages of a catalog to furniture. But it's no mystery. We want you to feel confident that everything you need for your minicomputer or word-processing environment is right here. Including furniture for improved efficiency.

Why our chairs and stool suit your needs.

The first caveman to sit on a rock and use it as a "chair" wasn't a designer. But the first one to move that rock around to make it more comfortable was.

In your computer room environment, your operators and programmers often work seated for hours at a time. Since staying in an awkward position for too long can traumatize the circulatory system, their chairs must be specially designed for ease of movement.

That's why we insisted that our chairs and stool be designed for optimum CRT access. Because comfort increases productivity.

Why our chairs offer improved efficiency.

1. They measure 9½" from seat to back. Since the 5 lumbar vertebrae at the small of the back are the major problem in chronic back pain, this measurement is a critical one.

2. They let your operator tilt back according to individual preference. Our armless chair back has a flexible tilt. The chair with arms has a back and seat that tilt as a unit. And the stool back angles.

3. They have a 2¾" seat cushion of polyurethane foam, upholstered to resist uncomfortable sticking in hot weather. You can wipe the vinyl portion clean with a cloth.

Sturdy enough to give years of service.

With wood arms, a steel frame, hooded ball casters and a 360° swivel . . . our chairs give durability you can depend on.

Good looking enough for a complement.

Our in-stock brown chairs and stool suit your computer environment smartly. So do the gold and black available on special order. Because our customers have asked for even more variety, we've added two more special order colors . . . blue and coral. (Stool in brown only.)

And our stool's your low-cost alternative.

Order the stool with our 38¾" CRT stand, and you'll have comfort made easy. Our stool's priced almost 50% less than some others we've seen. And they weren't made specifically for the computer room.

The key to efficiency lies in fast shipment.


In just 6 months, the stool and chair you buy will pay for themselves by virtue of increased productivity. But the chairs aren't doing you any good in our warehouses. So call now. We'll ship you what you need, fast.

CRT chair. Brown in stock; gold, black, blue or coral, allow 2 wks. extra. Vinyl back, fabric seat. 360° swivel. Adjusts 16¼" to 19" h. Steel frame, wood arms. Wt. 32 lbs.

No. 4842- G \$130.00

Armless CRT chair. Brown in stock; gold, black, blue or coral, allow 2 weeks extra. Vinyl back, fabric seat. 360° swivel. Adjusts 16½" to 19" h. Steel frame, Wt. 28 lbs.

No. 4841- G \$95.00



CRT stool. Brown only. Seat adjusts from 25" h. to 30½" h. Vinyl seat back, upholstered seat. Swivels 360°. Sturdy steel frame. Wt. 40 lbs.

No. 4840- G \$100.00

Furniture is not included in our "free freight" offer.



Both our CRT chairs and stool are specially designed for your computer room or word-processing station, and built for efficiency and comfort. Order to see for yourself how they can improve your operator and programmer productivity.



By tomorrow, we'll ship a data storage cabinet you custom design for organization and security.

You can buy a cabinet to suit your data storage needs, and custom design it in just 15 minutes.

Because your requirements are changing constantly, it's tough to find a cabinet right for your installation. And usually impossible to find one that fits your individual specifications. Until now.

Eight ways our cabinet gives you quality that lasts and protection that matters.

1. It sensibly controls data.

Accurate data control is possible if you can tell, at a glance, what data is missing. This cabinet helps organize, with individual positions for different media.

2. It restricts unauthorized personnel.

Your facility may be used by researchers from outside your department. And, although this access is necessary, those people may not be familiar with the importance of protecting your system data.

With this cabinet, you can secure your data without interfering with the efficiency of your installation. Only designated personnel should hold the key that unlocks the entire storage cabinet.

3. It protects from fire and smoke.

A fire can destroy years of programming, and you can't insure yourself against that kind of loss. Our smoke-retardant cabinet has a tambour door that reduces the risk of data loss

from minor fires. As an added safeguard, you should store duplicates of your critical data in another data storage cabinet off site.

4. It saves space with high capacity.

Because computer space is so costly, your cabinet puts every square inch to practical use. Adjustable shelves ($\frac{1}{4}$ " increments) allow you to use only the space your media requires (a 15" diameter disk cartridge is stored in 16" of space).

The rollaway tambour door uses 1" of vertical space, which gives you up to 14" of additional storage multidoor cabinets waste on their doors alone.

Since the entire cabinet is 71 $\frac{3}{4}$ " high, even the top of our data storage cabinet is accessible enough to store media you use daily.

5. It appeals to the eye.

Have organization that's not only practical but fashionable as well. Our cabinet (in putty with red accent; blue accent available on special order) can be used as a room divider.

6. It saves data retrieval time.

Our cabinet allows visual access, while storing data in one place. A single Data Storage Cabinet can hold up to 33" of bound printout, 13 disk cartridges, 25 mag tapes, 27 paper tape trays, 16 boxes of punch cards and 33" of system manuals.

7. It gives durable service.

Even at twice our price, you couldn't find a cabinet stronger than this. Of all-welded steel construction plus a high-impact plastic tam-



So good looking, our off-white cabinet with red accent can double as a high-capacity room divider.

bour door, it's built strong enough to withstand even the most punishing computer-room use.

8. It meets your needs now and tomorrow.

Since all components either snap into place or are held by 2 screws, it's easy for you to keep the data current. Think of how easy it is to rearrange your bookshelf. That's just how simple it is to reconfigure your entire data storage cabinet if efficiency requires a change of place. But judge for yourself.

This sample configuration, only \$658.00.



Shelf 1: This is the documentation option. It includes 3 dividers and can store 33 $\frac{1}{2}$ " of documentation. Perfect for fast access and retrieval.

Shelf 2: This is the printout hanger bar option. It includes 10 printout hangers that, together, hold 33 $\frac{3}{4}$ " of printout. A real space saver that cuts hours off your data search time.

Shelf 3: This is the front-loading disk cartridge shelf. With it, you can store 14 cartridges 15" in diameter, and give your data the kind of protection that's necessary.

Shelf 4: This is the 2400' standard canister shelf to accommodate 20 mag tape reels 10 $\frac{1}{2}$ " in diameter, storage made simple.

Shelf 5: This is the 3336-type disk pack rollout shelf, with a capacity for 2-pack storage. It gives you the data you need at your fingertips.

In minutes, design a standard cabinet.

Here are some hints that may be helpful during design:

- Put the highest-use media at eye level...shelves 1, 2, 3.
- Use the bottom of your cabinet as a storage shelf.
- Begin your shelf design from the top...so the space remaining at the bottom will be large as possible.
- Review the sample form, it may be close to what you need.
- Select the shelf options you need, adding up the height required for each option as you go. Do not exceed the designated height... 65" for larger cabinet, 39 $\frac{1}{2}$ " for counter size.

Shelf	Order No.	Description	Height	Price
Cabinet				
1st (Top)				
2nd				
3rd				
4th				
5th				
6th				
Total		Standard cabinet Counter-high cabinet	65" max. 39 $\frac{1}{2}$ " max.	\$

Staple your configuration form to your order for the best service.

Shipped to you already assembled.

Since you'll receive your data storage cabinet with the options of your choice already in place, you're ready to organize your data. And you'll probably be glad you spent 15 minutes on a custom design that can increase efficiency every day.


How we can ship this data storage cabinet to you by tomorrow.

When you order a data storage cabinet from Inmac, you won't have to wait months to use it. Unlike other companies, we have the cabinet and the options in both our California and New Jersey distribution centers. So we're ready to ship when you're ready to buy.

Although the cabinet isn't included in our "free freight" offer (pg. 69), we hope you'll agree that the cost of freight and cabinet combined is worth the efficiency and flexibility it will give you for years to come.

Use the 14 options on this page to custom design the data storage cabinet to suit your specifications.

Inmac data storage cabinet. Steel cabinet includes high impact plastic tambour door with lock. Shipped assembled with shelf options you select in place. Dim: 71" h. x 36 1/8" w. x 18 3/8" d. Wt. 170 lbs. (plus shelf options selected). Allow 6 weeks for shipment on special-order blue accent.
No. 4000- G \$400.00



2400' Tape-in Seals Bar. Capacity: 35 reels 10 1/2" in diameter, 7/8" spacing. Wt. 7 lbs.
No. 4100- G...allow 12 3/4" ht.* . \$35.00

1200' Tape-in-Seals Bar. Capacity: 35 reels 8 1/2" in diameter, 7/8" spacing. Wt. 7 lbs.
No. 4105- G...allow 10 3/4" ht.* . \$35.00

2400' Thin Line Canister Shelf. Capacity: 25 reels 10 1/2" in diameter, 1 5/32" spacing.
No. 4110- G:
allow 13" ht. Wt. 7 lbs. \$35.00

1200' Thin Line Canister Shelf. Capacity: 25 reels 8 1/2" in diameter, 1 5/32" spacing.
No. 4115- G:
allow 11" ht. Wt. 7 lbs. \$35.00

2400' Standard Canister Shelf. Capacity: 20 reels 10 1/2" in diameter, 1 7/16" spacing.

No. 4120- G
allow 13" ht. Wt. 7 lbs. \$35.00

1200' Standard Canister Shelf. Capacity: 20 reels 8 1/2" in diameter, 1 7/16" spacing.

No. 4125- G
allow 11" ht. Wt. 7 lbs. \$35.00



Printout Hanger Bar. Capacity: 33 3/4" of printout. Includes 10 printout hangers.

No. 4200- G
allow 15 1/2" ht. Wt. 8 lbs. \$50.00


Additional Printout Hangers for use with shelf option 4200. Holds 14 7/8" x 11" printout. Wt. 1/2 lb. Set of 10.

No. 4010- G \$30.00



Roll-Out Utility Drawer for paper tape, punch cards, printout or miscellaneous. Capacity: 24 1/4" of 132 column printout (14 7/8" x 11") or 32 1/2" of 80 column printout (8 1/2" x 11"). Wt. 34 lbs.

No. 4230- G...allow 14 3/4" ht.** \$85.00



Documentation Shelf. Includes 3 dividers. Capacity: 33 1/2" of documentation. Wt. 15 lbs.

No. 4220- G...allow 13" ht. \$69.00

*add 1" if used in top location

**add 1/2" if used in bottom location



3336 Type Disk Pack Roll-Out Shelf. Capacity: 2 packs. Wt. 16 lbs.

No. 4175- G...allow 7 1/4" ht.** . \$69.00

2316 Type Disk Pack Roll-Out Shelf. Capacity: 2 packs (not shown). Wt. 16 lbs.

No. 4170- G...allow 6 1/4" ht.** . \$69.00



Flexible disk hanging frame with 3 V-trays. Capacity: 252 floppies in envelopes.

No. 4240- G:
allow 9 1/4" ht.* 24 lbs. \$160.00



Top Loading Disk Cartridge Shelf. Capacity: 13 cartridges 15" in diameter.

No. 4160- G:
allow 16 1/2" ht. Wt. 6 lbs. \$35.00



Front-Loading Disk Cartridge Shelf. Capacity: 14 cartridges 15" in diameter.

No. 4150- G:
allow 17" ht. Wt. 9 lbs. \$35.00

How to give every department more privacy, data storage and two room dividers in less floor space than a standard desk.

Our counter-high cabinet is the practical approach to letting all your programmers and project groups control their own data. And it's ready for next-day shipment.

Your programmers probably don't ask for much. Maybe some peace and quiet. Or the freedom to work at 4 AM. But consider how much more secure they'd feel knowing all programs-in-progress were properly stored and well protected.

With our cabinet, security is the key.

The need for media security isn't limited to programmers. Every department should be confident that people outside the project can't have access to it. With our cabinet, they cannot only organize data... but keep it under lock and key.

Flexibility is another reason to buy.

Give the person or group the configuration chart below. It helps them custom design a counter-high cabinet according to individual requirements. Refer to the 14 options on p. 35.

Since the shelves can be reconfigured other ways at a later date, this cabinet is flexible enough to accommodate new projects.

Large in capacity, small on floor space.

Two of these cabinets take less space than 6 disk packs side-by-side. And they could hold 66" of bound printout, 26 disk cartridges, 50 mag tapes and more if desired. The counter top offers another work station/storage area. And the room divider creates a feeling of privacy for two or more people working together in one room.

Handsome yet strong for years of service.

Of welded steel with high-impact tambour door, this cabinet can take the kind of daily use each department demands. So check your facility today. See who needs what kind of data storage and where. Then call us. We're ready to ship the counter-high cabinets to you, fully assembled with your choice of options in place, by tomorrow.

Inmac counter-high data storage cabinet.

Steel cabinet includes high impact plastic tambour door with lock. Shipped assembled with shelf options you select in place. Dim: 46" h. x 36 1/8" w. x 18 3/8" d. Wt. 125 lbs. (plus shelf options selected). Putty/red accent. (Putty/blue accent, allow two weeks extra for shipment.)

No. 4001- G\$300.00

Let your programmers or project leaders custom design a counter high cabinet that best suits their data storage needs. As a room divider and additional work station, each cabinet keeps media organized, stored and secure.



This sample configuration: only \$385.00

Shelf 1: Tape-in-seals bar holds thirty-five 2400' tapes, 10 1/2" in diameter. (You can also hang smaller reels on the same bar.)

Shelf 2: Printout hanger bar holds 33 3/4" of 132 column printout. Easy access that counts during your program documentation.



There is room for 3 shelves, but we choose to use two. Here, the bottom of the cabinet itself is used for additional printout and convenient manual storage.

Not included in our "free freight" offer.

Design your configuration here:

- Select the shelf options you need, adding up the height required for each option as you go. Do not exceed the designated height... 39 1/2" for counter size cabinet.
- Fill out your configuration form and staple it to your order. (Select from the 14 shelf options listed on p. 35)

Shelf	Inmac Order No.	Description	Height	Price
Cabinet				
1st (Top)				
2nd				
3rd				
Cabinet				
1st (Top)				
2nd				
3rd				
Total Counter-high cabinet			39 1/2" max.	\$

Staple your configuration form to your order for the best service.

How the fan and filter in our cabinet can create a "clean room" for up to 400 of your flexible disks.

If your flexible disks are stored in an environment that can't pass a "white glove test" with flying colors, you can lose valuable data. But in less than 6 square feet, your disks can have the protection they need.

Have you hired someone to police your computer room or word-processing station and make sure that not one smoke particle comes near your equipment or media? That not one drop of coffee escapes from a cup? That everyone wear white gloves and protective suiting when using a disk?

Probably not. But all these contaminants could ruin any of your error-free disks. Worse yet, ruin your data. That's why protection is

vital. The kind of protection you'll have with this cabinet.

Why have a fan and filter on a cabinet?

A cabinet's a cabinet until an engineer does something to make it different. And our engineers did. They put a fan inside and a filter on the back. And it's this dynamic duo that works in a partnership against the crime of contamination.

How the fan and filter work together.

When you open the drawer, dirty air wants to get inside. But the fan constantly blows filtered air through the cabinet, and prevents dirt from getting inside and settling down on your disks.

This clean air is drawn through a H.E.P.A. filter, with an 85% efficiency rating at 35 cubic feet per minute.

File and retrieve 400 disks, effortlessly.

With the durability of heavy-duty welded steel, this cabinet has 2 sliding drawers to lock with one key for control. Each drawer holds 200 disks, so you can have a complete library of 400. The motor's U.L. listed and guaranteed to run for 80,000 hours.

Order now for permanent effectiveness.

Remember. If your environment has a cigarette ash here and there, or someone likes to take an occasional coffee break around your disks, you need permanent protection. So try our cabinet for 45 days. If it doesn't meet your own expectations for efficient protection, you have the privilege to return it.

"Clean Room" flexible disk cabinet. Dim.

29" h. x 36" w. x 19" d. Black (for off-white or gray, allow 5 weeks for delivery).

No. 4501- G... (Wt. 138 lbs.) . \$300.00

Not included in our "free freight" offer.

Replacement filter for Model 4501.


No. 4506- G \$28.00

(Replace filter every 6 mos. to 1 yr.)

Buy our cabinet with fan and filter built in. It stores up to 400 of your flexible disks in clean-room conditions.



The fan and filter make the difference.



The fan blows filtered air throughout the cabinet. When you open the drawer, this air pressure prevents dirt from getting inside.

Finally. A low-cost, acoustical alternative to the skyrocketing cost of external sound proofing.

Do you hear noise from your teletype? Clatter from your card reader? Constant rat-tat-tat from your printers? All this noise can annoy anyone, even after a few minutes. And that annoyance can decrease your staff's high productivity level.

An economical way to cut down sound.

Think about how much it would cost if every piece of equipment had to be put in a room by itself. Then each room soundproofed to guard against the noise and harshness that plagues productivity. The total you'd pay would be astronomical. That's why our sound enclosure is inexpensive relative to the cost of other sound-proofing methods.

An enclosure designed for operator ease.

- Acrylic lid for improved visibility
- Foam interior to help suppress noise

Our new noise eliminator is an enclosure with acrylic lid to offer maximum visibility and minimum sound.

- Feed slot for continuous-form paper
- Heavy-duty base for dependable support
- Quality-built, attractive cabinetry

We offer sound enclosures for line printers, character printers, teletype machines and card readers from most every manufacturer. Give us a call for a quote on what you need to reduce the noise. We can ship it out in just 2 weeks.


And it comes completely assembled.

We made sure our sound enclosure didn't necessitate tools for assembly. See if you don't agree that our sound enclosure cuts noise and harshness effectively. And that your productivity increases.

Line printer sound enclosure. For use with

Centronics Series 100, 500, 588. With acrylic lid. 35½" w. x 24½" h. x 17½" h. Wt. 58 lbs. Not included in "free freight" offer.

No. 6650- G \$400.00



Now, you can see how efficient and rugged our racks are: try them for 45 days at no risk.

Why we'll give you more than a month.

Inmac storage racks were designed with one word in mind . . . rugged. As a result, we build our racks with the same chrome-finish steel as a supermarket shopping cart.

Since this steel resists buckling, breaking and bending, we're confident to give you a full 45-day trial period.

Inmac's Storage Racks Guarantee.

If you're not completely convinced that the Inmac storage racks save you valuable organization time, return your purchase, postage paid, within 45 days of invoice date for a full refund. To assure prompt adjustment, please notify us of the return by separate mail.

6 reasons why our rugged storage racks will meet the daily demands of your minicomputer facility:

1. The 3/16" steel rod is as sturdy as a shopping cart.

2. The handles let you carry data with ease.

3. The rubber feet will protect your furniture.



4. The nickel-plated chrome finish will stay good looking, even thru the trials of constant use.


5. The high-temperature spot welds at all joints insure you a lifetime of service. They're the same welds as on shopping carts.

6. The label holder can organize . . . and keep data identification current.

Problem with disorganized data? You can solve it in less desk space than your in-out tray takes.

When it comes to instant access, organization and superior efficiency, protection and daily system backup, our data storage racks do it all. Order your desk racks now and try them for 45 days, FREE.

We have the rack you need for organization, fast access and guaranteed durability. Just match the key letter on the photo with the matching letter in the copy to order the disk and magnetic tape racks suited to your needs.



Use them on your desk for hands-on availability. Near the computer. On the top of a cabinet. Anywhere. Up to a week of backup data can be stored in one storage rack, clearly labeled for each day.

Pick a rack to transform your desk into a data library.

Whether you use mag tape in canisters, tape-in-seals, front-loading cartridges or top loaders, Inmac has a rack that's been specially designed to suit your active or archival storage needs.

Think about it, all the data you need at your fingertips. Housed in a rack that practically defies buckles and bends that are common to racks you can buy from other sources. And at the rate your data keeps growing, you'll want to order several extra.

How proper storage saves money and saves data.

Because your media is so susceptible to the elements, it's a necessity that tapes and disk cartridges are properly stored to avoid physical damage. Magnetic media is, unfortunately, easy to damage. We're constantly hearing stories of mag tapes and cartridges being damaged or destroyed by falling off desks or the like. Don't let it happen to you . . . order our racks and organize.

- A. Desktop canister tape rack.** For use with standard (17/16") canisters. 9-reel capacity (not recommended for use with 600' tapes). Dim: 15 5/16" w. x 9 1/2" d. x 6 1/4" h. Wt. 4 1/2 lbs. Label included. No. 3001- G.. \$15.00 ea... Buy 3 & SAVE \$6.00.. \$13.00 ea.
- B. Desktop tape-in-seal rack.** For use with tape-in-seals (7/8"). 15/16" spacing. 15 reel capacity; 600', 1200', or 2400' tapes. Dim: 17 3/8" w. x 8" d. x 5" h. Wt. 4 lbs. Label included. No. 3011- G.. \$15.00 ea... Buy 3 & SAVE \$6.00.. \$13.00 ea.
- C. Desktop front-loading disk rack.** For 9 front-loading cartridges. Dim: 15 1/2" w. x 9 3/4" d. x 6 1/4" h. Wt. 4 1/2 lbs. Label included. No. 3301- G.. \$15.00 ea... Buy 3 & SAVE \$6.00.. \$13.00 ea.
- D. Desktop top-loading disk rack.** For 6 top-loading cartridges. Dim: 15 3/4" w. x 9 1/2" d. x 7 1/4" h. Wt. 5 lbs. Label included. No. 3311- G.. \$14.00 ea... Buy 3 & SAVE \$6.00.. \$12.00 ea.
- E. Desktop RK06 rack.** For use with 5 DEC RK06 top-loading disk cartridges. Dim: 18 1/2" w. x 10" d. x 7 1/4" h. Wt. 4 lbs. Label included. No. 3312- G.. \$18.00 ea... Buy 3 & SAVE \$6.00.. \$16.00 ea.

How you can create an efficient active or archival data library with our shelf storage racks, without the high cost of custom shelving.

In one convenient location, our sturdy shelf racks can organize your library of magnetic tapes and disks. The economical, efficient and fully-guaranteed alternative to media protection and storage.

To fit in or on top of a 36" bookcase or storage cabinet, these racks provide dense storage for far less than you'd pay for customized shelving.

For easy data retrieval, they're accurately labeled.

The convenient label holders included on all our racks help you identify and retrieve data at a glance. Each storage location can be re-labeled again and again, according to your changing needs.




Once, an archival data library was possible only with expensive custom shelving. Now, order our shelf storage racks as an economical alternative.

For daily storage, they're built tough.

Geared for durability, you won't have to replace our racks. All are made of strong steel with chrome finish, plus they have rubber feet to help stop shelf-top scratches.

Today, the cost of custom shelving has shot sky high. But you still can have all the custom benefits when you order these shelf storage racks. The best reason to buy these racks from us is that you can test their utility in your own environment for 45 days at no risk.



As your business grows, programs or data often become obsolete. Our paper labels slip into the label holders to keep your filing system up-to-date.

Extra paper labels designed for all of our storage racks.

Because nothing is certain except change.

When you have new information to store and protect, identify it fast by slipping in a new label into the label holder.

They fit any of the racks we make.

You'll want to keep these convenient labels on hand. Order them today, so they'll be ready and available when you need them.

Inmac storage rack labels. Thirty 34-inch-long white paper strips.


No. 3115- G (box of 30) \$5.00

A. Tape-in-seal shelf rack. For magnetic tape-in-seals ($\frac{7}{8}$ "). Thirty 600', 1200' or 2400' reel capacity; $\frac{15}{16}$ " spacing. Dim: 34" w. x 8 $\frac{1}{2}$ " d. x 6" h. Wt. 8 lbs. Label included.

No. 3111- G.. \$20.00 ea... Buy 3 & SAVE \$6.00.. \$18.00 ea.

B. Canister tape shelf rack. For use with magnetic tape in standard ($\frac{17}{16}$ ") or thin-line ($\frac{15}{32}$ ") canisters. Twenty 1200' or 2400' reel capacity; $1\frac{1}{2}$ " spacing (not for use with 600' tapes). Dim: 34" w. x 9 $\frac{1}{2}$ " d. x 6 $\frac{1}{4}$ " h. Wt. 8 lbs. Label included.

No. 3101- G.. \$20.00 ea... Buy 3 & SAVE \$6.00.. \$18.00 ea.



To turn a standard bookshelf into a data library, these sturdy racks of chromed-steel provide storage, protection and ease of access. Just match the key letter on the photo with the matching letter in the copy to order the rack you need.

C. Front-loading disk cartridge shelf rack. For use with 20 front-loading disk cartridges. Dim: 33 $\frac{15}{16}$ " w. x 9" d. x 6 $\frac{9}{16}$ " h. Wt. 8 lbs. Label included.

No. 3401- G.. \$20.00 ea... Buy 3 & SAVE \$6.00.. \$18.00 ea.

D. Top-loading disk cartridge shelf rack. For use with up to 13 top-loading disk cartridges. Dim: 34" w. x 9 $\frac{3}{8}$ " d. x 6 $\frac{3}{4}$ " h. Wt. 6 lbs. Label included.

No. 3411- G.. \$20.00 ea... Buy 3 & SAVE \$6.00.. \$18.00 ea.

E. RK06 shelf rack. For use with up to 9 DEC RK06 top-loading disk cartridges. Dim: 32 $\frac{1}{2}$ " w. x 10" d. x 7 $\frac{1}{4}$ " h. Wt. 8 lbs. Label included.

No. 3412- G.. \$20.00 ea... Buy 3 & SAVE \$6.00.. \$18.00 ea.

Finding 160 new products in the next 15 pages is just one reason to buy your cables and connectors from us.

Since most add-on peripherals come with mating connectors only, the cable responsibility usually falls in your lap. All the research. The design. And the hours it takes to build. But now, you can have a fast cure to the headaches. You can buy the cable you need from the Inmac cable experts.

In our brand-new facility, we build cables (so you don't have to).

Because our cables have proved themselves in installations like your own, the demand for them has skyrocketed. And so has the size of our Cable Division. We had to add another building just to house our growing staff of professionals and all the latest equipment to produce cables of the best quality. All

this so you can be confident that the cables you buy will perform well.

Distribution centers on both coasts, so you can get cables when you need cables.

We specialize in pre-assembled cable/connector systems that conform to exact minicomputer specifications. And since we maintain an off-the-shelf stocking system, we can ship your cables and connectors from our distribution centers in Norwood, N. J., and in Sunnyvale, Ca.

Because we realize that your entire system could go down for lack of a cable or connector, we're ready to ship out no later than the day after you order. Call now. . . and let us show you how fast we really are.

Inmac Standard Cable Guarantee

All Inmac standard cables are guaranteed to meet the highest standards of workmanship and quality. And to perform in accordance with the specifications presented in our catalog.

If for any reason you're not completely satisfied, simply return the cable to us postage paid within 45 days for a full refund or replacement. The choice is yours.

We cannot accept any systems integration responsibility, contingent liability nor consequential damages. Our liability is limited to the purchase price of the cable.

Why Inmac twisted pair shielded cable is better.


Seven tinned copper strands in each conductor.

Each wire is tinned to give you a good solder joint without using flux.

Each wire is color-coded for fast identification.

Inside mylar aluminum shield protects from signal interference.

Has resistance of 23.3 Ohms per one thousand feet.



Shield drain wire is in constant contact for 100% ground coverage.

Super tough blue PVC insulation rated to 80°C, 300 volts.

Outer PVC cover keeps the cable clean and also provides added durability.

U.L. listed cable for the minicomputer industry.

This cable is Underwriters Laboratory's style 2464 for internal or external wiring of electronic equipment. And, it's built to exceed the demanding standards of the minicomputer industry.

Order with confidence.

Our cable has a resistance of 23.3 Ohms per 1000 feet. Each wire is tinned for a good solder joint each time.

Conductors are jacketed with tough, blue P.V.C. insulation. While standard cables have a temperature rating of 60°C., ours are rated to 80°C, 300 volts for added assurance.

The pre-tinned wires are easy to solder with either the new low-temperature or old high-temperature solder guns. Each wire is color coded for easy identification.

Standard Cable.

Order No.	# of Conductors	10'-24'	25'-99'	100'-499'	500'
1804- G	4	\$0.25	\$0.24	\$0.20	\$0.17
1807- G	7	.35	.33	.27	.23
1810- G	10	.50	.47	.39	.34
1815- G	15	.75	.71	.59	.50
1825- G	25	1.50	1.41	1.17	1.00
1850- G	50	2.60	2.44	2.03	1.75

Twisted Pair Shielded Cable. Each shielded cable is wrapped in a tough mylar aluminum foil. It overlaps 34-40% to assure 100% shielding from propagation of R.F. signals.

Order No.	# of Conductors	1'-9'	10'-99'	100'-499'	500'
1751- G	3 pairs*	\$0.55	\$0.52	\$0.43	\$0.37
1752- G	12 pairs	1.25	1.18	.98	.85
1756- G	20 pairs	1.85	1.75	1.45	1.25
1762- G	50 pairs	5.75	5.40	4.50	3.85

*3 pairs with mylar aluminum around each pair.

White Kynar Wire. 26 gauge, used for wire wrapping. Recommended for DGC backplane pins.

Order No.	Single Conductor	50'-99'	100'-499'	500'-999'	1000'
1800- G		\$0.10	\$0.09	\$0.07	\$0.06

We'll ship bulk cable in the length you need today.




Every flat ribbon cable, connector and accessory you need to keep your system up is on this page.

Seems like every time a customer calls, he needs a flat ribbon cable or connector. That's why we decided to devote a full page to exactly that. Everything you order here is ready for us to ship by tomorrow.

Bulk flat-ribbon cable.

Our new low-profile cable is flexible and foldable. It's also "zip-able," which means you can separate the cable lengthwise and tailor it to your needs. Has stranded conductors on .050" centers and U.L. listed PVC jacket.

Order No.		# of Conductors	Price per Foot			
			1'-9"	10'-49"	50'-99"	100'+
1600-	G	10	\$0.40	\$0.35	\$0.32	\$0.30
1601-	G	20	.75	.65	.60	.55
1602-	G	26	1.00	.90	.80	.75
1603-	G	34	1.25	1.10	1.00	.95
1604-	G	40	1.50	1.30	1.20	1.10
1605-	G	50	1.75	1.55	1.40	1.30
1606-	G	60	2.25	2.00	1.80	1.70
40-conductor shielded type						
1607-	G	40	5.00	4.40	4.00	3.75



Dual in-line plug.

Dual in-line plugs.

You can use our new "DIP" plugs to connect your bulk cable to your dual in-line sockets. Call in your order today.


No. 1610-	G...	(14 pin)	\$2.50
No. 1611-	G...	(16 pin)	\$2.75
No. 1612-	G...	(24 pin)	\$4.50

D-subminiature connectors.

For all your standard I/O connections, RS232C and some parallel applications, these new connectors do the job right.

No. 1615-	G...	(25-pin male)	\$12.00
No. 1616-	G...	(37-pin male)	\$17.00
No. 1620-	G...	(25-pin female)	\$12.00
No. 1621-	G...	(37-pin female)	\$17.00

D-subminiature connector.



Female PCB connector.

Female PCB connectors.


Brand new cable-mounted connectors make it easy for you to interface with the I/O card-edge male connector.

No. 1625-	G...	(20-pin)	\$6.00
No. 1626-	G...	(26-pin)	\$6.50
No. 1627-	G...	(34-pin)	\$8.00

Male header assemblies.

Right angle male headers for solder termination to boards will provide you with high-density I/O capability.

No. 1630-	G...	(10-pin)	\$2.50
No. 1631-	G...	(20-pin)	\$3.00
No. 1632-	G...	(26-pin)	\$3.75
No. 1633-	G...	(34-pin)	\$4.75
No. 1634-	G...	(40-pin)	\$5.25
No. 1635-	G...	(50-pin)	\$6.50
No. 1636-	G...	(60-pin)	\$8.00



Female cable receptacle.

Female cable receptacle.

New cable mounted connector to mate with the male header assembly above.

No. 1650-	G...	(10-pin)	\$ 3.00
No. 1651-	G...	(20-pin)	\$ 4.50
No. 1652-	G...	(26-pin)	\$ 5.75
No. 1653-	G...	(34-pin)	\$ 7.50
No. 1654-	G...	(40-pin)	\$ 8.75
No. 1655-	G...	(50-pin)	\$11.00
No. 1656-	G...	(60-pin)	\$13.75

Crossover headers.

Permits cable-to-cable mating without any other circuit adaptation. Order now and you can plug back-to-back automatically for direct continuity.

No. 1660-	G...	(20-pin)	\$15.75
No. 1661-	G...	(26-pin)	\$16.00
No. 1662-	G...	(34-pin)	\$17.00
No. 1663-	G...	(40-pin)	\$18.00
No. 1664-	G...	(50-pin)	\$20.00

Dual purpose T-connector.

Insert between plug and header for probing external pin contacts, individually or connected to another cable assembly. Also used to facilitate daisy chaining from a single connector cable end.


No. 1670-	G...	(20-pin)	\$ 9.00
No. 1671-	G...	(26-pin)	\$10.35
No. 1672-	G...	(34-pin)	\$12.25
No. 1673-	G...	(40-pin)	\$13.50
No. 1674-	G...	(50-pin)	\$15.75

Select-A-Line™ switch.

Order this switch now. It lets you keep individual circuits open or closed, and provides for instant diagnostic or QA testing via line-by-line switching. Complete with recessed buttons to help you eliminate accidental switching.

No. 1680-	G...	(20-pin)	\$18.00
No. 1681-	G...	(26-pin)	\$21.00
No. 1682-	G...	(34-pin)	\$24.00
No. 1683-	G...	(40-pin)	\$27.00
No. 1684-	G...	(50-pin)	\$32.00

Crossover header, dual purpose T-connector, Select-A-Line switch. (Counterclockwise, from bottom.)



Right here, you can locate the most often-used connectors and cables in the minicomputer industry.

New ways to test and troubleshoot.

Test jumpers.

If you've ever tried to get a large test clip on a small component or backplane, you know what a hassle it can be. That's why our new mini test jumpers make it simple. They're small enough to get into tight places with ease. Order now in packages of 10 assorted, standard colors.



No. 1940- G . . . 6" \$25.00
No. 1941- G . . . 12" \$30.00

Test adapters.

These new test-probe adapters make it convenient for you to troubleshoot on your .025" square backplane terminals. Ready for next-day shipment, these guaranteed performers help you to quickly customize your probe to suit your varied needs. See for yourself how much time they'll save.

No. 1950- G \$1.00

Test jumpers, Inmac nos. 1940 & 1941. Test adapter no. 1950.



I/O connectors.

These 12 connectors are Cannon D-Subminiature type and DGC Type A. Each ready for next-day shipment, packaged with appropriate number of crimp-type pins.

No. 800- G . . . 9-Pin Female . . . \$ 8.00
No. 860- G . . . 15-Pin Female . . . \$ 9.50
No. 810- G . . . 25-Pin Female . . . \$10.00
No. 820- G . . . 50-Pin Female . . . \$16.00
Extra Pins (10/pkg.)
No. 801- G \$ 3.00

No. 805- G . . 9-Pin Male . . . \$ 7.00
No. 865- G . . 15-Pin Male . . . \$ 8.50
No. 815- G . . 25-Pin Male . . . \$ 9.00
No. 825- G . . 50-Pin Male . . . \$16.00
Extra Pins (10/pkg.)
No. 806- G \$ 2.50

No. 840- G . . 19-Pin Female . . . \$ 9.00
No. 830- G . . 52-Pin Female . . . \$18.00
Extra Pins (10/pkg.)
No. 831- G \$ 3.00

No. 845- G . . 19-Pin Male . . . \$10.00
No. 835- G . . 52-Pin Male . . . \$25.00
Extra Pins (10/pkg.)
No. 836- G \$ 2.50

Unterminated cables.

These eight cables eliminate the need for special crimping tools and hours of tedious labor, because they have the appropriate cable-mounted connector on one end . . . while the other end is unterminated and numbered for your convenience. Buy now and avoid the hassle of poor contacts that result from do-it-yourself connections.

No. 1005- G 10 ft. (9-Pin Male) . . \$30.00
No. 1007- G 25 ft. (9-Pin Male) . . \$38.00
No. 1045- G 10 ft. (19-Pin Male) . . \$40.00
No. 1047- G 25 ft. (19-Pin Male) . . \$55.00
No. 1015- G 10 ft. (25-Pin Male) . . \$45.00
No. 1017- G 25 ft. (25-Pin Male) . . \$60.00
No. 1025- G 10 ft. (50-Pin Male) . . \$60.00
No. 1027- G 25 ft. (50-Pin Male) . . \$98.00

EIA connectors.

Female EIA RS 232-C 25-pin connector.

Commonly used with modems, CRT's and other terminal devices. Includes 25 solder or crimp-type pins, connector and hood.

Price each	Qty. 1-9	10-24	25-49	50+
No. 850- G (solder)	\$ 8.00	\$7.75	\$7.10	\$6.65
No. 810- G (crimp)	\$10.00	\$9.75	\$9.35	\$9.00

Solder connector only

No. 851- G \$ 5.50 \$5.00 \$4.75 \$4.50

Male EIA RS 232-C 25-pin connector.

Commonly used with modems, CRT's and other terminal devices. Includes 25 solder or crimp-type pins, connector and hood.

Price each	Qty. 1-9	10-24	25-49	50+
No. 855- G (solder)	\$7.00	\$6.75	\$6.00	\$5.50
No. 815- G (crimp)	\$9.00	\$8.75	\$8.40	\$8.00

Solder connector only

No. 856- G \$5.00 \$4.25 \$3.75 \$3.50

No. 852- G (hood only) \$1.50


Female mounting screws (pkg. 2)

No. 853- G \$1.25

Male mounting screws (pkg. 2)

No. 857- G \$1.00

Model 850 connector.




Our IEEE Interface Bus cable helps reduce static electricity.

Because of its extra outer shield, our improved cable reduces static to cut your crosstalk to a minimum. Not only compatible with previous types of IEEE bus cables, but flexible enough to accommodate future products. Improving on outdated connector housing, our bus cable has zinc-plated metal housing.

Currently used as HP IB cable and by DEC and Tektronix as an improved version of the IEEE. Similar to DEC BNO1A.


IEEE Interface Bus Cable. With a dual connector on both ends. Used for connecting two IEEE Interface Bus compatible devices together.

	Length	HP equivalent	DEC equivalent	Price ea.
No. 1380- G . . . 3 ft.	10631A	BN01A-1	...\$100.00	
No. 1381- G . . . 6 ft.	10631B	BN01A-2	...\$110.00	
No. 1382- G . . . 12 ft.	10631C	BN01A-4	...\$120.00	




Now moving your CRT's and terminals is just as easy as moving a lamp with an extension cord.

It's as easy as 1...2...3.




1. Just disconnect the EIA connector.



2. Connect the mating Inmac extension cable in the length you need.

3. Connect the other end of the Inmac extension cable to the terminal.



EIA cables.

Data-only extension type.

This cable extends lines 1,2,3 and 7 with jumpers for the handshaking signals. Used with most local terminals.

Price each	Qty.	1-2	3-5	6-11
No. 259-1*- G	10'	\$18.00	\$17.00	\$14.00
No. 261-1- G	25'	\$25.00	\$23.00	\$19.00
No. 260-1- G	50'	\$35.00	\$33.00	\$27.00
No. 265-1- G	100'	\$45.00	\$42.00	\$35.00

Nine-line extension type.

This cable extends lines 1-8 and 20.

Price each	Qty.	1-2	3-5	6-11
No. 300-1*- G	10'	\$23.00	\$22.00	\$18.50
No. 302-1- G	25'	\$30.00	\$28.00	\$24.00
No. 304-1- G	50'	\$40.00	\$38.00	\$32.00
No. 306-1- G	100'	\$60.00	\$57.00	\$48.00

Fifteen-line extension type.

This cable extends lines 2-6,8,12, 14,15,16,17,20,22,24. Used with most of your synchronous modems.

Price each	Qty.	1-2	3-5	6-11
No. 311-1*- G	10'	\$30.00	\$28.00	\$24.00
No. 313-1- G	25'	\$38.00	\$36.00	\$31.00
No. 315-1- G	50'	\$50.00	\$48.00	\$41.00
No. 317-1- G	100'	\$80.00	\$72.00	\$65.00

Twenty-five-line extension cable.

This cable extends lines 1-25. Equivalent

to the DEC BC05D and the TI part number 993211-0001 cable.

Price each	Qty.	1-2	3-5	6-11
No. 310-1*- G	10'	\$35.00	\$33.00	\$28.00
No. 325-1- G	25'	\$45.00	\$43.00	\$36.00
No. 350-1- G	50'	\$65.00	\$62.00	\$55.00
No. 355-1- G	100'	\$95.00	\$92.00	\$84.00

With our EIA cables, moving your CRT's from desk to desk is easy as moving a lamp with an extension cord.



*Please note. All EIA cables listed above are supplied in 3 standard connector configurations. Please specify either of these 3: -1 is male to female; -2 is male to male; and -3 is female to female. This will help assure prompt shipment of the cable you need.

New. Gender changers.

With this new product, it's easy to hook two cables together... even though the genders conflict. Just hook our gender changers to complete your connection. And consider ordering several, so you'll have them handy when re-configuring terminals or modems. Two RS-232C connectors, all 25 pins connected, mounted on a 6" cable does the job.

No. 330- G (female-to-female)		\$35.00
No. 331- G (male-to-male)		\$35.00

New. EIA wall plate.

Good looking in brushed stainless steel, this plate complements your computer-room environment. We provide 2 screws that let you mount this plate on a standard wall outlet box without using adapters. Already cut out for 25-pin EIA connector (not included).

No. 390- G		\$5.00
------------	-------	--------



New. Change 24 EIA signals with the flip of a switch.

This little desk-top "miracle box" literally lets you make thousands of changes between your CPU, terminals, modems, flexible disk drives and more.

For example, the T-switch:

- lets two terminals share one modem
- lets one terminal talk to two modems
- lets one terminal talk to a CPU or modem
- lets one CPU talk to two modems

How our new T-Switch™ works for you.


Each T-Switch you buy has three female 25-pin connectors on the back. Pin 1 is not switched but is common to all connectors as system ground. The other 24 pins let you transfer all 24 digital data lines between your equipment... all at the flip of a switch. And you can tell which circuit you're on by the position of the T-Switch.

Now, you can make the switch to quality.

Our T-Switch uses patented gold-plated bifurcated contacts for longevity. And there aren't any active parts to interfere with communications effectiveness.

T-Switch. 6" w. x 7" d. x 3" h. Used for transferring 24 digital data lines. Wt. 1 3/4 lbs.

No. 375- G		\$150.00
------------	-------	----------



Model 375, T-switch.

Null Modems.

Two female 25-pin connectors wired together to form a 12 inch cable, which eliminates the need for two modems when connecting a terminal device directly to your computer. Equivalent to DEC part #312A, or HP part #13232 U. 12" cable.


No. 270- G (For DEC/DGC use)		\$30.00
No. 275- G (For HP use)		\$30.00
No. 276- G (shunt modem)		\$30.00



Look at all these Hewlett-Packard compatible cables, ready for shipment to you by tomorrow.


After careful research into Hewlett-Packard compatibility specifications, we now can offer you the most commonly used cables for HP installations.

Our HP extension cables are a fast, simple way of giving you the flexibility of locating your terminals where you want them.




HP equivalent part #30062-60006.

No. 1342-	G . . . 25 ft.	\$ 75.00
No. 1343-	G . . . 50 ft.	\$ 95.00
No. 1344-	G . . . 100 ft.	\$130.00




Inmac Product Number 1342.




HP equivalent part #30062-60004.

No. 1345-	G . . . 25 ft.	\$ 55.00
No. 1346-	G . . . 50 ft.	\$ 75.00
No. 1347-	G . . . 100 ft.	\$105.00





HP equivalent part #13232B (02640-60058).

No. 1395-	G . . . 25 ft.	\$ 70.00
No. 1396-	G . . . 50 ft.	\$ 90.00
No. 1397-	G . . . 100 ft.	\$110.00



From the HP 21MX Series computer with 12845B interface to HP-supplied line printers. Equivalent HP cable part #12845-60006.

No. 1500-	G . . . 10 ft.	\$145.00
No. 1501-	G . . . 25 ft.	\$175.00
No. 1502-	G . . . 50 ft.	\$225.00



Inmac Product No. 1510.

Inmac Product No. 1505.

From HP 21MX Series computer to Data Products line printers.

No. 1505-	G . . . 10 ft.	\$130.00
No. 1506-	G . . . 25 ft.	\$160.00
No. 1507-	G . . . 50 ft.	\$210.00


From the HP 3000 Series computer with 30051-60001 interface to HP-supplied line printers. Equivalent HP cable part #30209-60004.

No. 1510-	G . . . 10 ft.	\$145.00
No. 1511-	G . . . 25 ft.	\$185.00
No. 1512-	G . . . 50 ft.	\$260.00

From HP 3000 Series computer to Data Products line printers.


No. 1552-	G . . . 10 ft.	\$145.00
No. 1561-	G . . . 25 ft.	\$185.00
No. 1562-	G . . . 50 ft.	\$260.00

Please call for quotations on cables to other line printers.




HP equivalent part #13232A (02640-60043).

No. 1390-	G . . . 15 ft.	\$ 45.00
No. 1391-	G . . . 25 ft.	\$ 55.00
No. 1392-	G . . . 50 ft.	\$ 70.00
No. 1393-	G . . . 100 ft.	\$100.00




No. 1535-	G . . . 10 ft.	\$ 80.00
No. 1536-	G . . . 25 ft.	\$110.00
No. 1537-	G . . . 50 ft.	\$160.00




No. 1320-	G . . . 10 ft.	\$ 80.00
No. 1321-	G . . . 25 ft.	\$100.00
No. 1322-	G . . . 50 ft.	\$160.00

Three new products aren't the only reason to buy HP compatible cables and connectors from Inmac.




Inmac Product No. 1350.




From the HP 2621 terminal to modems and the HP 3000 Series. HP equivalent part #13222N or #13222-60001.

No. 1350- G... 10 ft.	\$ 55.00
No. 1351- G... 25 ft.	\$ 75.00
No. 1352- G... 50 ft.	\$100.00



From the HP 3000 Series to hardcopy terminal.

No. 1590- G. . .10 ft.	\$50.00
No. 1591- G. . .25 ft.	\$65.00
No. 1592- G. . .50 ft.	\$90.00



From HP 21MX Series with 12984A interface to HP 2767A printer.

No. 1593- G... 10 ft.	\$140.00
No. 1594- G... 25 ft.	\$170.00
No. 1595- G... 50 ft.	\$210.00

We have HP connectors that let you connect everything from teleprinters to disk drives.

Hewlett-Packard has a straight-forward I/O connection scheme, and we have the connectors to complement it. Ready for immediate shipment, we have a connector for the 21MX series, another for the 3000 series and one for the 2640 CRT series.

21MX series I/O connector. Includes 48-pin female connector, solder pins and plastic hood.

	Qty. 1-9	10+
No. 1300- G	\$15.00 ea.	\$13.00 ea.

3000 series I/O connector. Includes 50-pin female connector, solder pins and plastic hood. Up to 3 used on some HP 3000 interfaces.

	Qty. 1-9	10+
No. 1330- G	\$13.00 ea.	\$12.00 ea.

2640 CRT connector. Includes 30-pin female connector, solder pins and plastic hood.

	Qty. 1-9	10+
No. 1305- G	\$11.00 ea.	\$10.00 ea.

Inmac Cables and Connectors Guarantee

Our cables and connectors meet or exceed the minicomputer manufacturer's specifications. In fact, many minicomputer manufacturers ship the same cable or connector under their own label.

If any connector or cable you receive does not meet your specifications return it to us postage paid within 45 days and we'll replace the item, credit your account or refund your money. The choice is yours.



Inmac Product Nos. 500 and 504.

Standard connectors for the four most common line printers.

50 pin MRAC Type connectors. Male and female available. Can be used with Data Products, Tally, Printronix and others. Included, 30 ea. contacts that can be either soldered or crimped.



No. 500- G Male (for cable mount)	\$39.00
No. 501- G Extra pins (pkg. of 10)	\$ 5.00
No. 502- G Female (panel mount)	\$37.00
No. 503- G Extra pins (pkg. of 10)	\$10.00

Dual 18 pin connector male and female available. Can be used with Centronics and Printronix. Solder type.

No. 504- G Male (cable mount)	\$16.00
No. 505- G Female (panel mount)	\$14.00

Attention DGC users: Move your terminals, modems and CRT's to where they'll be the most productive.

Asynchronous Cables.



Our Junction Panel enables you to connect up to 16 EIA terminals directly to your DGC computer.

Our rack mountable Junction Panel connects up to sixteen terminals via the standard 25-pin EIA RS-232C connector. Practically all keyboard CRT's and terminals use this 25-pin connection scheme.

Screwdriver installation in less than 10 minutes.

It's designed for front or rear mounting on the DGC 1012 Series (or standard 19" electronic rack).


To install, secure the panel to the rack with the four bolts supplied. Then plug the ALM connectors onto the backplane of the communication chassis. Now you're ready to connect up to 16 terminals. It's that simple.

See page 43 for EIA extension cables to connect terminals to the junction panel.

Inmac Product Number 1242.




Inmac Product Number 1210



Equivalent to DGC cable part #1018G.


No. 1215-	G . . .	10 ft.	\$60.00
No. 1216-	G . . .	25 ft.	\$75.00
No. 1218-	G . . .	50 ft.	\$95.00



Synchronous Cable.

Equivalent to DGC cable part #1084G.

No. 1250-	G . . .	10 ft.	\$60.00
No. 1252-	G . . .	25 ft.	\$75.00
No. 1254-	G . . .	50 ft.	\$95.00



Junction panel only. For EIA connectors.

No. 1242-	G . . .	(mounting hardware but no cables)	\$70.00
-----------	---------	-----------------------------------	---------

Junction panel cable. For use with local terminals and DGC 4257, 4258 ALM-16 interfaces. No modem control.

No. 1230-	G . . .	2 ft.	\$30.00 ea.	\$25.00 ea.
-----------	---------	---------------	-------------	-------------

Junction panel cable. For use with local terminals and DGC 4255, 4256 ALM-8 interfaces.

No. 1231-	G . . .	2 ft.	\$30.00 ea.	\$25.00 ea.
-----------	---------	---------------	-------------	-------------

Junction panel cable. For use with modems, and 4255, 4256, ALM-8 interfaces. Equivalent DGC cable part #1018G.

No. 1241-	G . . .	2 ft.	\$40.00 ea.	\$35.00 ea.
-----------	---------	---------------	-------------	-------------

Junction panel cable. For use with synchronous modems. Equivalent DGC part #1084G.


No. 1251-	G . . .	2 ft.	\$40.00 ea.	\$35.00 ea.
-----------	---------	---------------	-------------	-------------

Extra length cables \$1.00/ft./cable

Order your ready-to-use line printer cables now.


For connecting the Eclipse (S/100, S/130, S/200, S/230, C/300, C/330) and later Nova Series (Nova 2, Nova 3, 820, 1210) to: Data Products 2230, 2260, 2290, 2420. DGC equivalent cable part #EC4034G,H.

No. 1118- G . . . 10 ft.	\$110.00
No. 1140- G . . . 25 ft.	\$125.00
No. 1142- G . . . 50 ft.	\$150.00
Centronics 101 Series. DGC equivalent cable part #EC4034C,D.	
No. 1117- G . . . 10 ft.	\$110.00
No. 1146- G . . . 25 ft.	\$125.00
No. 1148- G . . . 50 ft.	\$150.00



For connecting the CS system computers to line printers. Data Products 2230, 2260, 2290. DGC equivalent cable part #005-009061.

No. 1260- G . . . 10 ft.	\$ 75.00
No. 1261- G . . . 25 ft.	\$ 95.00
No. 1262- G . . . 50 ft.	\$120.00
Centronics 101 Series. DGC equivalent cable part #005-009060.	
No. 1265- G . . . 10 ft.	\$ 50.00
No. 1266- G . . . 25 ft.	\$ 75.00
No. 1267- G . . . 50 ft.	\$100.00



Inmac backplane connector no. 922.

DGC backplane connectors.

INMAC offers you this DGC compatible connector that mounts directly onto the computer's backplane (motherboard).

It's a female backplane connector. Some interfaces may need two connectors per CPU card slot. 26 gold plated pins included.


	Qty. 1-5	Qty. 6+
No. 922- G	\$20.00	\$16.50
No. 923- G . . (Extra Pins—26/pkg)	\$ 7.50	\$ 6.20

Inmac Product No. 1265.




Buy now and we'll ship your Dasher cables by tomorrow.

Move your terminals, modems and CRT's to where they'll do the most good.



For use on either EIA or 20mA current loop versions of the ALM-16. DGC equivalent cable part #1141.


No. 1203- G . . . 10 ft.	\$50.00
No. 1205- G . . . 25 ft.	\$60.00
No. 1207- G . . . 50 ft.	\$75.00




For EIA compatible interfaces: 4255, 4256 ALM-8; 4010, 4077; 4060 Series.

No. 1214- G . . . 10 ft.	\$50.00
No. 1213- G . . . 25 ft.	\$60.00
No. 1217- G . . . 50 ft.	\$75.00

Inmac Product No. 1213.



No. 1221- G . . . 10 ft.	\$60.00
No. 1223- G . . . 25 ft.	\$80.00



No. 1226- G . . . 10 ft.	\$ 60.00
No. 1227- G . . . 25 ft.	\$ 80.00
No. 1228- G . . . 50 ft.	\$100.00

DGC connectors.

Dasher TP1 and CRT.

6-pin plastic female connector and crimp-type pins mate at the EIA or 20 mA position on the rear of DGC 6040, 6042 Dasher terminal (TP1) or DGC 6052, 6053 Dasher CRT.



Inmac Product No. 933.

No. 933- G	\$ 5.50
No. 934- G . . . (Extra pins—10/pkg.)	\$ 2.50
Dasher LP2 (6050 Series). 36-pin male Dasher LP2-type connector.	
No. 504- G	\$16.00
CS system line-printer connector. 20-pin	
No. 940- G	\$ 1.75
Extra pins No. 941- G . . . (5/pkg.)	\$ 0.50

External cables.

All cable mounted connectors can be purchased as external cables, which eliminates the need for special purpose crimping tools and hours of labor. You also avoid the hassle of poor contacts resulting from do-it-yourself connections. These cables consist of the cable-mounted connector on one end with the other end numbered and unterminated.


Give us a call if you require cables in lengths not listed.

Type A cables.

Refer to page 42 for specific listing.

Type B cables.


No. 1130-	G 10 ft. (6-Pin Female)	\$30.00
No. 1132-	G 25 ft. (6-Pin Female)	\$40.00
No. 1100-	G 10 ft. (12-Pin Female)	\$35.00
No. 1102-	G 25 ft. (12-Pin Female)	\$45.00
No. 1106-	G 10 ft. (13-Pin Female)	\$35.00
No. 1108-	G 25 ft. (13-Pin Female)	\$45.00



Inmac Product No. 1130.

Type C cables.

(Dual 10-Pin Female)		
No. 1110-	G..10 ft.	\$ 35.00
No. 1112-	G..25 ft.	\$ 50.00
(Dual 50-Pin Female)		
No. 1120-	G..10 ft.	\$ 75.00
No. 1127-	G..25 ft.	\$115.00
(Dual 50-Pin Female, 50 Twisted Pair)		
No. 1121-	G..10 ft.	\$120.00
No. 1123-	G..25 ft.	\$165.00





Inmac Product No. 1121.

Type A internal cables.

Type A 26" internal cables are complete with Type A connector on one end and stripped, numbered 26-gauge conductor on the other. Saves you crimping tools and time.

No. 1000-	G (9-Pin Female)	\$45.00
No. 1040-	G (19-Pin Female)	\$60.00
No. 1010-	G (25-Pin Female)	\$65.00
No. 1020-	G (50-Pin Female)	\$75.00
No. 1030-	G (52-Pin Female)	\$95.00

Inmac Product No. 1010.



Inmac Product No. 1125 Type D Internal Cable comes to you ready for installation.

Three Type D internal cables.

This 26" internal cable consists of a paddleboard connector (Inmac Product No. 925) on one end and stripped, numbered 26-gauge conductor on the other end.

No. 1125-	G	\$130.00
-----------	---------	----------


This 26" internal cable is a new product. It's equivalent to DGC #005-003453. Used for connecting your additional teletypes, paper tape readers and punches.

No. 926-	G	\$100.00
----------	---------	----------

This internal cable is wired per the DGC 4192 general purpose I/O wiring scheme. It can be used with DGC disks, diskettes, magnetic tape units, card readers, line printers, and other parallel devices.

The secret of this cable is the use of backplane connectors in the place of wirewrapping. You merely slip the connectors directly onto the DGC computer backplane and secure the paddleboard. You save 3-4 hours of tedious, costly wirewrapping time.

No. 1126-	G	\$180.00
-----------	---------	----------



Mounting plates for Type A connectors.

Mounting plates for Type A connectors.

Single cutout, 9 or 19-pin connector mounting plate for Type A connectors.

No. 960-	G	\$3.00
----------	---------	--------

Quad cutout 9 or 19-pin connector mounting plate for Type A connectors.

No. 961-	G	\$5.00
----------	---------	--------

Single cutout, 25 or 52-pin mounting plate for Type A connectors.

No. 962-	G	\$3.00
----------	---------	--------

Type A connectors.


Note: Your DGC Type A connectors are CPU mounted, using the plates shown on this page. Each connector is shipped to you with all the mounting hardware (excluding the mounting plate) and pins necessary for proper cable assembly.

Refer to page 42 for specific listing.

Type B connectors.

Type B connectors are shipped with the connector shell, the appropriate number of pins and plastic key. No male counterpart is available since these connectors plug directly onto backplane pins.

No. 930-	G 6-Pin Female	\$5.00
No. 900-	G 12-pin Female	\$7.00
No. 902-	G 13-Pin Female	\$8.00
No. 901-	G Extra pins (pkg. of 10) ..	\$4.00



Type B connectors plug onto the CPU backplane or Communications Chassis.



Type C connectors plug directly onto the PC card connectors (paddleboards) of the Data General CPU's.

Type C connectors.

Type C connectors are shipped with the connector shell, appropriate number of pins, and nylon key. (Note: #920 with connector shell, nylon key and 50 pins.) These connectors mate with the computer's backplane directly or with the Type D paddleboard (Inmac Product No. 925) connector.

No. 910-	G Dual 10-Pin Female ...	\$ 7.00
No. 920-	G Dual 50-Pin Female ...	\$20.00
No. 911-	G Extra pins (pkg. of 10) ..	\$ 4.00

Pico fuse.

This new product replaces the fuse on Type D connectors.

No. 970-	G	\$1.25
----------	---------	--------

Type D connectors.

This Type D connector, a dual 50-pin P.C. Card Edge Paddleboard, mates with Inmac Product No. 920. It includes 50 signal pins, 50 ground pins, 3/4 A fuse (Inmac #970) and keyslot.


No. 925-	G	\$50.00
----------	---------	---------

Type D connectors mate with Inmac #920.




IBM Compatible Cables.

The following six cables are in stock and ready for immediate shipment. Call us for quotations on others you may need.




Directly connect any standard CRT's, such as Lear-Siegler, Hazeltine, Data Medium, etc. Or Keyboard/printers such as Decwriters, Dashers, Qume, Diablo, Anderson-Jacobsen, Silentwriter, etc. Equivalent to IBM cable part #2056.

No. 1400- G . . . 10 ft.	\$35.00
No. 1402- G . . . 25 ft.	\$45.00
No. 1404- G . . . 50 ft.	\$60.00




*Feature Nos. 1610, 2091, 2092, 2093, 2094, 2074, 4700, 4701. Enables you to connect SDLC or BSL interfaces to data sets. Equivalent to IBM cable #2057.

No. 1411- G . . . 10 ft.	\$ 45.00
No. 1413- G . . . 25 ft.	\$ 75.00
No. 1415- G . . . 50 ft.	\$125.00



No. 1421- G . . . 10 ft.	\$ 45.00
No. 1423- G . . . 25 ft.	\$ 75.00
No. 1425- G . . . 50 ft.	\$125.00




Equivalent to IBM cable #2055.

No. 1431- G . . . 10 ft.	\$35.00
No. 1433- G . . . 25 ft.	\$50.00
No. 1435- G . . . 50 ft.	\$75.00

A new way to connect EIA compatible devices to your Series 1 computer.

Introducing Inmac's Customer EIA Access Panel. It provides convenient connection of any EIA standard devices to your Series 1 computer.



Easily installs in minutes with only a screwdriver.

It's designed for rear mounting onto the Series 1. To install, secure the panel to the back of the rack with the four bolts supplied. Then plug the Access Panel cables into the computer interface. Now you're ready to connect up to 16 terminals to the Access




Inmac Product No. 1440




Inmac Product No. 1400



Inmac Product No. 1431



No. 1440- G . . . 10 ft.	\$35.00
No. 1442- G . . . 25 ft.	\$45.00
No. 1444- G . . . 50 ft.	\$60.00



A fast, simple way that allows you to locate terminals where they'll do you the most good. See EIA Extension Cable listings on page 43.

IBM Compatible Connectors

Dual 8-pin female Series 1 connector.

For connecting serial devices such as terminals, teleprinters and modems to Series 1 interface cards. Mates with Series 1 synchronous and asynchronous interface connectors. Equivalent IBM part numbers: connector — #2731844, pins — #2637682.

No. 1445- G Includes 16 crimp-type pins	\$7.50
No. 1446- G (Extra pins—10/pk.)	\$3.00

Dual 20-pin female Series 1 connector.

For connecting parallel devices such as integrated DI/DO and PPC adapter. Mates with Series 1 interface connectors. Equivalent IBM part numbers: connector — #2731848, pins — #2637682.

No. 1447- G Includes 40 crimp-type pins	\$10.00
No. 1448- G (Extra pins—10/pk.)	\$ 3.00

Panel. See page 43 for EIA extension cables to connect terminals to Access Panel.

Inmac EIA access panel.

No. 1242- G . . . (mounting hardware; no cables)	\$70.00
--	---------

Cables from Series 1 interface to access panel (dual 8-pin female Berg-type connector to 25-pin female EIA-type connector):

For local terminals; no modem control. Qty. 1-7	8+
No. 1451- G . . . 6 ft.	\$32.00 ea. \$27.00 ea.
For use with local terminals; modem control.	
No. 1452- G . . . 6 ft.	\$32.00 ea. \$27.00 ea.
For use with modems.	
No. 1453- G . . . 6 ft.	\$42.00 ea. \$37.00 ea.


Inmac Product Number 1242.



Texas Instruments Compatible Cables.


990 Computer Cables.

TI designed their Model 990/10 Minicomputer so that by utilizing standard hardware options, you can configure hundreds of different DS 990 systems. The following nine cables enable you to reconfigure TI systems yourself. All are available for next-day shipment.




TI equivalent part numbers: #993239-1.

No. 600- G...	(10 ft.)	\$35.00
No. 602- G...	(25 ft.)	\$45.00
No. 604- G...	(50 ft.)	\$60.00



For connecting non-TI manufactured terminals. (Inmac No. 600 above.)



1. ASR Data Terminal 733.

TI equivalent part numbers: Model 733-#959372-1. 300 Baud.

No. 610- G...	(10 ft.)	\$25.00
No. 612- G...	(25 ft.)	\$35.00
No. 614- G...	(50 ft.)	\$50.00

TI equivalent part numbers: Model 733-#959372-2. 1200 Baud.

No. 616- G...	(10 ft.)	\$25.00
No. 618- G...	(25 ft.)	\$35.00
No. 619- G...	(50 ft.)	\$50.00

TI equivalent part numbers: Model 742-#969626-1.

No. 611- G...	(10 ft.)	\$25.00
No. 613- G...	(25 ft.)	\$35.00
No. 615- G...	(50 ft.)	\$50.00


2. Models 743, 745, 810 to 103A modem.

TI equivalent part numbers: Model 743-#983848-1.

No. 620- G...	(10 ft.)	\$25.00
No. 622- G...	(25 ft.)	\$35.00
No. 624- G...	(50 ft.)	\$50.00

For use with TI terminals.
Inmac Product No. 610

For use with the 911 Video Display Terminal.
Inmac Product No. 630




TI equivalent part #946093.

No. 630- G...	(10 ft.)	\$30.00
No. 632- G...	(25 ft.)	\$45.00
No. 634- G...	(50 ft.)	\$60.00
No. 636- G...	(100 ft.)	\$100.00
No. 638- G...	(150 ft.)	\$150.00

Bulk cable for TI 911 VDT.


	Qty. 1-9'	Qty. 10-99'	Qty. 100'-499'	Qty. 500'+
No. 1770- G (per foot)	\$1.25	\$0.95	\$0.85	\$0.75




To connect the Data Products 2230 and 2260 line printers (TI Models 2230, 2260 & 2290) or the Printronix 300 line printer (with Data Products optional interface). TI equivalent part #937490-1.

No. 640- G...	(10 ft.)	\$120.00
No. 642- G...	(25 ft.)	\$145.00
No. 644- G...	(50 ft.)	\$175.00

For connecting TI line printers.
(Inmac Product No. 640-FG above.)



For connecting modems.
(Inmac Product No. 650-FG below.)



For the 990 to the 103A or 113A modem. TI equiv. part #993204-1.

No. 650- G...	(10 ft.)	\$25.00
No. 652- G...	(25 ft.)	\$35.00
No. 654- G...	(50 ft.)	\$50.00

For the 990 to the 202 or 212 modem. TI equivalent part #993205-1.

No. 656- G...	(10 ft.)	\$25.00
No. 658- G...	(25 ft.)	\$35.00
No. 659- G...	(50 ft.)	\$50.00

Cables and Connectors Guarantee

Our cables and connectors meet or exceed the minicomputer manufacturer's specifications. In fact, many minicomputer manufacturers ship the same cable or connector under their own label.

If any connector or cable you receive does not meet your specifications return it to us postage paid within 45 days and we'll replace the item, credit your account or refund your money. The choice is yours.



TI Terminals

Modems

For other cables not listed call for quotation (408) 737-8700. This cable is used for connecting TI terminals (733 and 742) and CRT's to modems. (Inmac No. 660-DE.)

TI Terminal Cables.



For the 733 terminal to a 113A modem. TI equiv. number #971558.
No. 660- G...(10 ft.) **\$30.00**
No. 662- G...(25 ft.) **\$40.00**
No. 664- G...(50 ft.) **\$55.00**

From the 770, 774 terminals to EIA modems. TI equiv. #993210-1.
No. 606- G...(10 ft.) **\$35.00**
No. 608- G...(25 ft.) **\$40.00**
No. 609- G...(50 ft.) **\$60.00**

From the 770, 774 terminals to 201 and 801 modems. TI equivalent part #993206-1.
No. 665- G...(10 ft.) **\$35.00**
No. 667- G...(25 ft.) **\$45.00**
No. 669- G...(50 ft.) **\$60.00**

From the 763, 756 terminals to 103, 202 and 212 modems. TI equivalent part #220051-1.
No. 686- G...(10 ft.) **\$35.00**
No. 688- G...(25 ft.) **\$45.00**
No. 689- G...(50 ft.) **\$60.00**

From 763, 765 terminals to 113A modem. TI equiv. part #220055-1.
No. 681- G...(10 ft.) **\$35.00**
No. 683- G...(25 ft.) **\$45.00**
No. 685- G...(50 ft.) **\$60.00**

To place your order:

East of the Mississippi (201) 767-3601

West of the Mississippi (408) 737-7777

TI Compatible Connectors.


2 x 10 hooded female card edge connector.

For connecting TI terminals to computers and modems. Mates with the rear PC card connector for TI Model 732, 733 and 742 terminals. TI equivalent part numbers: housing-#232118-75, pins-#231553-10 and shell-#960914-1.

No. 760- G **\$10.00**
No. 761- G..Extra pins (pkg. of 10) \$ **3.00**

For TI connectors not listed here, see pg. 42.

Inmac Product No. 760.



Inmac Product Number 671.

Three new terminal products.

1. Current loop cable for TI 765 terminal. TI part #220053-1.
No. 671- G...(10 ft.) **\$20.00**
No. 673- G...(25 ft.) **\$25.00**
No. 675- G...(50 ft.) **\$35.00**

2. TI 810 line-printer extension cable. TI part #975056.
No. 680- G... (10 ft.) **\$35.00**
No. 682- G... (25 ft.) **\$50.00**
No. 684- G...(100 ft.) **\$80.00**

3. Two-part kit eliminates the need to internally reconfigure your terminal. Includes one "Y" cable (TI part #983847). Plus one jumper plug (TI part #983846). TI calls this their EIA Interface Kit for the 745 terminal (TI part #983856).

No. 690- G...("Y" cable only, 6½ ft.) **\$40.00**
No. 691- G...(jumper plug only) **\$15.00**
No. 692- G...(complete two-part kit) **\$50.00**

Note: For your TI compatible EIA cables and connectors, see pg. 43.

Inmac Product No. 690.



Extra TI power cords.


Standard three wire molded primary power cable for use on Models 743, 763, 765, 771 and 810. Consists of a male three prong standard electrical plug on one end and a three

Inmac No. 770.

prong female socket on the other. TI equivalent part numbers:

Model 743-#972674-1, Model 763-#996289-2, Models 771-#996289-1.

No. 770- G...(8 ft.) **\$5.00**




Digital Equipment Corp. Compatible Cables.

In addition to the DEC equivalent cables listed below we offer unterminated cables (next page, bottom left.) This cable consists of the appropriate cable-mounted connector on one end . . . with the other end numbered

and unterminated. All you have to do is wire the unterminated end to the device that you wish to interface. External cables can eliminate your need for special-purpose crimping tools and their expense.

Line printer cables.

Because these DEC cables are ready-to-use, you can hook up your printer to your DEC minicomputer without hours of wiring or use of crimping tools. All you have to do is plug them in.



DEC M7258 to Data Products.

No. 421- G . . . 10 ft.	\$120.00
No. 423- G . . . 25 ft.	\$145.00
No. 425- G . . . 50 ft.	\$170.00

DEC M7258 to Centronics.

No. 450- G . . . 10 ft.	\$ 90.00
No. 452- G . . . 25 ft.	\$125.00
No. 454- G . . . 50 ft.	\$160.00

DEC M7930 to Data Products.

No. 435- G . . . 10 ft.	\$120.00
No. 436- G . . . 25 ft.	\$145.00
No. 437- G . . . 50 ft.	\$170.00

DEC M7930 to Centronics.

No. 460- G . . . 10 ft.	\$ 95.00
No. 462- G . . . 25 ft.	\$125.00
No. 464- G . . . 50 ft.	\$160.00

BC11A equivalent cable.

On one end, this PDP-11 unibus cable has a bus connector functionally equivalent to the DEC #M929B connector. On the other end, it has a bus connector equivalent to the DEC #M919B.

No. 271- G . . . 2 ft.	\$100.00
No. 278- G . . . 10 ft.	\$132.00
No. 279- G . . . 25 ft.	\$192.00

Extra length over 25 ft. \$4.00 per foot

Every DEC cable you find here is ready for next-day shipment. Just call us today with your order, and you'll quickly have the cable you need to keep your system up and running.

The BC11A equivalent cable (Inmac Product #271)



The BC08R equivalent cable Inmac Product Number 187.

Three shielded flat ribbon cables:

These internal/external multi-use cables are terminated with 40-pin female connectors (DEC part #H856.) Mate with the standard I/O connectors (DEC part #H854).

BC04Z equivalent cable.

One end unterminated.

No. 180- G . . . 10 ft.	\$ 50.00
No. 181- G . . . 25 ft.	\$ 90.00
No. 182- G . . . 50 ft.	\$160.00

BC06R equivalent cable.

Both ends terminated.

No. 170- G . . . 1 ft.	\$ 45.00
No. 171- G . . . 10 ft.	\$ 65.00
No. 172- G . . . 25 ft.	\$110.00

BC08R equivalent cable.

Both ends terminated.


No. 185- G . . . 1 ft.	\$ 45.00
No. 186- G . . . 10 ft.	\$ 65.00
No. 187- G . . . 25 ft.	\$110.00
No. 188- G . . . 50 ft.	\$170.00

BC05C equivalent cable.

This cable includes a 44-pin female connector (Inmac Product #145) on one end; a 25-pin male EIA connector on the other.

No. 241- G	w/male EIA 10 ft. .	\$ 80.00
No. 246- G	w/male EIA 25 ft. .	\$ 95.00
No. 243- G	w/male EIA 50 ft. .	\$120.00
No. 241-1- G	w/female EIA 10 ft. .	\$ 80.00
No. 246-1- G	w/female EIA 25 ft. .	\$ 95.00
No. 243-1- G	w/female EIA 50 ft. .	\$120.00

The BC05C equivalent cable (Inmac Product #246-1)



BC05M equivalent cable.

This cable includes Inmac Product #145 female connector to Inmac Product #120 male connector.

No. 235- G . . . 2.2 ft.	\$36.00
No. 237- G . . . 10 ft.	\$50.00
No. 239- G . . . 25 ft.	\$75.00

BC03M equivalent cable.

A long null modem cable for use connecting local terminals and CRTs to DEC computers.

25-pin female EIA connector on one end. 25-pin female EIA connector on other.

No. 272-3- G . . . 25 ft.	\$ 55.00
No. 273-3- G . . . 50 ft.	\$ 75.00
No. 274-3- G . . . 100 ft.	\$105.00

How to connect current-loop DEC terminals to DEC CPU's:

BC05F equivalent cable.

Male to male Mate-N-Lok connectors.

No. 205-2- G . . . 10 ft.	\$12.00
No. 206-2- G . . . 25 ft.	\$19.00
No. 207-2- G . . . 50 ft.	\$30.00

BC05X equivalent cable.

Male to female Mate-N-Lok connectors.

No. 205-1- G . . . 10 ft.	\$12.00
No. 206-1- G . . . 25 ft.	\$19.00
No. 207-1- G . . . 50 ft.	\$30.00

How to connect EIA terminals to DLV11-J interfaces:

BC20N equivalent cable.

With female EIA connector.


No. 210-1- G . . . 10 ft.	\$35.00
No. 211-1- G . . . 25 ft.	\$50.00
No. 212-1- G . . . 50 ft.	\$75.00

BC21B equivalent cable.

With male EIA connector.

No. 210- G . . . 10 ft.	\$35.00
No. 211- G . . . 25 ft.	\$50.00
No. 212- G . . . 50 ft.	\$75.00

Inmac Product No. 210.



BC03P equivalent cable.

Long null modem cable	
No. 215- G . . . 10 ft.	\$25.00
No. 216- G . . . 25 ft.	\$40.00
No. 217- G . . . 50 ft.	\$60.00

Attention, DEC users. See page 42 for your DEC BN01A equivalent cable . . . it's the IEEE bus cable.

BC11S equivalent cable.

A twisted-pair, mylar-aluminum shielded general purpose cable. It has female dual 22-pin connectors on both ends. For connecting DRV11 or DR11 to DEC LA180-PD.

No. 231- G . . . 25 ft.	\$ 90.00
No. 233- G . . . 50 ft.	\$130.00
No. 234- G . . . 100 ft.	\$200.00



The BC11S equivalent cable (Inmac Product #231)

Unterminated external cable for your DEC system.

A round cable, with Inmac product #145 female connector on one end, unterminated on the other end. Mates with standard DEC I/O connector (DEC #H854).

No. 245- G . . . 10 ft.	\$ 60.00
No. 255- G . . . 25 ft.	\$ 88.00
No. 257- G . . . 50 ft.	\$120.00

An unterminated cable with an 8-pin male connector (Inmac Product No. 120; DEC #12-09340-01) on one end. It mates with a DEC #12-0934-00 connector. BC04R-type.

No. 220- G . . . 10 ft.	\$15.00
No. 222- G . . . 25 ft.	\$20.00
No. 224- G . . . 50 ft.	\$30.00

New this catalog.

Save 50%, buy one cable instead of the usual two.

Our cable designers have found a way to give you two for the price of one. Usually, you'd have to connect one BC05C with another BC03M when connecting EIA terminals directly to your CPU. With our new cable, you can do the same thing at half the cost. See for yourself, order today. Dual 22-pin connector to male 25-pin EIA connector.

No. 200- G . . . 10 ft.	\$ 50.00
No. 201- G . . . 25 ft.	\$ 75.00
No. 202- G . . . 50 ft.	\$100.00

BC01V equivalent cable.

To connect DEC CPU's to synchronous modems.


No. 160- G . . . 10 ft.	\$ 45.00
No. 161- G . . . 25 ft.	\$ 65.00
No. 162- G . . . 50 ft.	\$100.00

Standard Cables and Connectors Guarantee


All Inmac standard cables are guaranteed to meet the highest standards of workmanship and quality. And to perform in accordance with the specifications presented in our catalog.

If for any reason you're not completely satisfied, simply return the cable to us postage paid within 45 days for a full refund or replacement. The choice is yours.

We cannot accept any systems integration responsibility, contingent liability nor consequential damages. Our liability is limited to the purchase price of the cable.



Inmac Product #220



Inmac Product No. 100

DEC I/O connectors.

All DEC computers use 1 of 2 connectors to connect to external devices such as teleprinters by using Inmac Product Nos. 100 and 120 Mate-N-Lok™ connectors.

Mate-N-Lok connectors.

For use with serial devices including DEC-writer, Terminals & CRT's.

8-pin female Mate-N-Lok connector. DEC part #12-09340-00. Commonly used for DEC teleprinters and other serial devices. P.C. card mounted. Mates with Inmac Product #120 male connector. Has 8 pins.

	Qty. 1-9	10-24
No. 100- G	\$2.00 ea.	\$1.80 ea.

Extra female pins Qty. 1-9 10+
No. 101- G (8/pk.) \$1.30 ea. \$1.20 ea.

8-pin male Mate-N-Lok connector. DEC part #12-09340-01. Cable mounted. Mates with Inmac Product #100 female connector above. Includes 8 pins. For cable mounted see below.

	Qty. 1-9	10-24
No. 120- G	\$2.00 ea.	\$1.80 ea.

Extra male pins Qty. 1-9 10+
No. 121- G (8/pk.) \$1.30 ea. \$1.20 ea.

Improved dual in-line connectors.

Dual 22-pin I/O.

Improved with strain relief, this connector is equivalent to DEC part #H856. It requires special assembly tools. Includes 40 crimp-type pins.

No. 145- G	\$15.00
----------------------	---------

Extra pins
No. 146-FG (10/pkg.) \$ 3.00

Dual 5-pin I/O.

Our new connector is for use with DEC DLV11-J, a quad multiplexer interface. Includes 10 crimp-type female pins.

No. 190- G	\$ 5.00
----------------------	---------

Extra pins
No. 191- G (10/pkg.) \$ 3.50

For your DEC flat ribbon connectors, please see page 41.

Inmac Product No. 145



New. Cut and strip your wire in seconds.

With our wire wrapping tool, this dispenser makes fast work of a slow job.

Determine proper length and pull it from dispenser. Hold wire taut. Press button. Then pull through strip slot. Insert other end. Now both ends are stripped, automatically.

Wire dispenser. Choice of red, white, blue or yellow. 30', 30 gauge wire. Wt. 1 lb.

No. 1801- G \$5.50

1 Pull the length needed from dispenser.
2 Pull wire taut into stripper slot.
3 Press cutter button. Pull through.



Your new dispenser always strips the proper length of wire for wrap on a standard pin.

Organized cables help prevent hazards.


Our installation kit includes all this: 25 each 3½", 4" tie wraps. 10 screwdown tie wraps. 5 each 2", 3" flat cable clamps. 3 each cable clamps of ⅛", ¼", ½" sizes. 5 each ¼", ½", ¾" C clamps. The clamps and clips have pressure-sensitive backing.

No. 1900- G.. Installation kit \$10.00

No. 1905- G.. 40 flat 3" clamps .. \$10.00

No. 1910- G.. 100 C-clamps (½") \$20.00

Our kit helps stop accidents, crosstalk, tears and snags.



\$7.00 lets you add memory like a pro.

Order our wire-wrapping tool and you can repair broken wire on your backplane. Even implement special hardware and designs for modification.


Buy now. Cut the cost of service calls.

Why pay someone to add a paddleboard, insert a memory select line or do other modifications when you can do it yourself. Tool works on DGC backplane to strip, wrap and unwrap 30 gauge wire on .025" square posts.

Wire wrapping tool. Instructions included.

Wt. 1 lb.

No. 1930- G \$7.00



One end of this tool wraps, the other unwraps. And the center blade will strip insulation.

meets OSHA requirements...

How to have low-cost protection that turns your unsightly tangle of cables into one neat look.

Not only is it vital to protect your cables from employees, but to protect your employees from cables. Our cable bridges do both, and deter the high cost of technical problems.

They cut computer-room expenses.

For a minicomputer like yours, cables are a fact of life. Without them, you might as well shut down your system. Well, our own cable bridges make your cables easier to live with. And they save you from the cost of the alternative... raising the floors, which could total many thousands of dollars.

You can install them fast.

In minutes, the bridges can be installed; in fact, they're about as easy to deal with as

putting down a welcome mat. Our cable-bridge system includes: double channel runs or single channel runs with right-angle turns, T-junctions and straight joints. They're made of black molded rubber that's attractive and durable enough for heavy traffic.

And they protect your personnel.

The ribbed bottom resists slippage on any surface; and the low profile prevents stumbles and snags. And since our cable bridge meets OSHA requirements and is UL listed, you can confidently use it with electrical power cords, CRT, line printer and other peripheral cables.

If our cable bridge can't meet your own high standards, we guarantee you the option of returning it in 45 days.

Double channel cable bridge. 5 ft. length.

Capacity: ¾" x 1" (ea. channel). Wt. 9½ lbs.

No. 6810- G... (5 ft.) \$40.00

Single channel cable bridge. 5 ft. length.

Capacity: ¾" x ½". Wt. 4 lbs.

No. 6800- G... (5 ft.) \$17.00


T-junction. For use with single channel (Inmac #6800). Allows right or left turns or splices two straight runs. Wt. 10 oz.

No. 6820- G \$ 5.00

Cement. 1 pint can for installing turns, junctions and joints. Wt. 17 oz.

No. 6827- G... (1 can) \$ 4.00

Buy your cable bridge now for low-cost protection. It meets OSHA requirements and it's been UL listed. Before the cable bridge, an unsightly tangle that could endanger both your personnel and the cables. After the cable bridge, you'll have the practical, alternative that can be installed in just minutes.



Double channel holds twice as many cables.

SINGLE CHANNEL
½" x ¾" ¾"

DOUBLE CHANNEL

1 ⅞" ¾" 6 ¾"

Cable is mounted through the slit(s) in the bottom of the bridge so it is not necessary to take the connectors off the cable.

T-joint allows left or right turns, or splices two bridges together.

Learn how to decrease your debugging time plus establish program maintenance and documentation.

Our new flow chart is designed to save hours during the debugging phase of your program development cycle...and to improve the design before coding begins.

Symbols help formalize the structure.

The first steps in the flow of your program are the decision points that incorporate the 3

During the critical phase of your program development cycle, our new flow chart enables the programmer to spot software bugs before coding.

most common programmer's symbols: the rectangle to indicate your process control or annotation. The circle to connect the symbols. And the diamond as the decision node.

Alignment without a drafting board.

Each of the 44 configurations include the 3 symbols lightly outlined in photo blue. When a decision is made, you indicate the desired symbol by outlining it heavily. The result is a perfectly-aligned flow chart without any time spent on the drafting board.

Organization sets the standard.

Pre-printed at the top of our flow chart are spaces for your system, date, particular program, programmer and page number. At the bottom, find a place for company name and address.

Easy to make clean copies.

Since the symbols are in photo blue, only the ones you outline will reproduce. That way, you can use the chart as final documentation.

Reduces re-programming time.

Because our chart gives you neat, easy-to-read final documentation, it's simple to make future changes.

Since re-programming time is costly even for a minor change, our chart will prove invaluable to you.

Easy to keep on file.

Our new flow chart comes with 50 sheets per pad, 10 pads per pkg. Each pad is 3-hole punched and fold-marked for 8½" x 11" so it fits right into your binder or file.

Always ready for next-day shipment.

Consider how many hours of debugging time and how much money a flow chart like this one could save you. Call now, and give us the opportunity to ship whatever you need no later than tomorrow.

Flow chart form. 11" w. x 16" l. Space for 44 operations. 50 sheets/pad, 10 pads/ pkg. 3 hole punched. Wt. 10 lbs.

No. 5910- G\$30.00/pkg.

Each of the 44 spaces include the 3 common symbols. You indicate the desired symbol by outlining.



Why our CRT display design form saves hours.

Inmac created this form with a look-before-you-leap philosophy in mind. These external specifications let you design exactly what you want on your CRT screen before involved coding even begins. This reduces time normally spent adjusting the CRT format after the program has been written.

Make communication easy...and agreement fast.

This form, unique to Inmac, helps focus agreement as to what information will ultimately be included, and how this information will be laid out before coding. It's so logical to use these forms, you might consider letting the department that will use the formats be the department that initially lays them out.

Consider these features, then call us for same-day shipment:

- 80 character by 24 line grid, the standard for most CRTs.
- Blue/white pattern eliminates line shifting.
- Every character location identified by both row and column to facilitate cursor positioning without tedious and error-prone counting.

The only way for you to tally how many hours can be saved by using this form is to try it yourself. Call now, and start increasing efficiency.

Inmac CRT display design form. Dim: 8½" x 11". Wt. 5 lbs. Includes approximately 50 three-hole punched sheets per pad.

No. 5921- G...(10 pads/package)\$19.00/pkg.

Programmer's Aids Center.

Attention,
programmers

Forms design ruler.

Increased professionalism for the forms designer, programmer and system analyst.

Inmac forms design ruler. All steel with measurements engraved. Dim: 15" l. x 1 1/2" w. x 1/6" d. Wt. 8 oz.

No. 5950- G \$7.50

Buy 3 & SAVE \$1.50 \$7.00

Data HiLite™ ruler.

Easily helps you read across 132 columns.

Inmac Data HiLite ruler. 15" x 1 1/2". Clear plastic, yellow "line window". Wt. 1 oz.

No. 5955- G \$2.00 ea.

Buy 5 & SAVE \$.50 \$1.90 ea.




Programmer's template.

Includes all ANSI flowchart symbols.

Inmac programmer's template. Green plastic.

No. 4505- G \$5.00

This forms design ruler is the secret to useful computer reports. Features include: Scales reading left to right. No "switch ending". Lines down page. Measures characters across page. Punched card volume scale, quantity index from 1 to 560. Indicates sprocket-hole location, applies to all std. line-printer spacing. Snap-apart forms std. depth indicators, indexed from 5 1/2" to 14 3/4". Continuous forms std. width indicators 4 3/4" to 17-25/32", high dots on 1" scale. Plus other features explained on instruction sheet.



Our programmer's template has the ANSI flowchart symbols.

Three ways to give you accurate coding:

Buy now and cut your debugging time.

Fortran Form. Includes label, continuation statement and sequence field. Full 80 column compatible with CRTs, punch cards and 80 column printers. Dim: 8 1/2" x 11". 50 3-hole punched sheets/pad. Wt. 6 lbs.

No. 5905- G (10 pads/pkg.)...\$25.00/pkg.

Basic Form. Includes statement number, statement field and comment field. 72 column width to be compatible with teleprinters, CRTs, punched cards and 80 column printers. Dim: 8 1/2" x 11". 50 3-hole punched sheets/pad. Wt. 6 lbs.

No. 5975- G (10 pads/pkg.)...\$25.00/pkg.

Printout design form.

This unique form lets you lay out reports just the way you want them to look. And planning ahead saves you hours, dollars and big headaches. Buy this form and you can even create your own carriage control tapes.

Ideal for 72 column, 80 column or 132 column reports, this form features:

- Spaces set for 6 lines/inch vertically and 10 characters/inch horizontally
- Full sheet of 14 7/8" x 11" information
- 3-hole punched for convenient location
- Bold dividing line and blue/white pattern at ea. 10 char. mark for location ease

Order now and use it with Data Products, Centronics, TI and most other line printers.

Inmac printout design form. Dim: 11" x 16", 50 3-hole punched sheets/pad.

No. 5920- G (10 pads/pkg.)...\$28.00/pkg.

RPG coding forms.

C Format. RPG II Calculation Specifications. Dim: 8 1/2" x 11". Pad contains 50 three-hole punched sheets. Wt. 2 1/2 lbs.

No. 5927- G (5 pads/pkg.)...\$10.00/pkg.

I Format. RPG II Input Specifications. Dim: 8 1/2" x 11". Pad contains 50 three-hole punched sheets. Wt. 2 1/2 lbs.

No. 5926- G (5 pads/pkg.)...\$10.00/pkg.

O Format. RPG II Output—Format Specifications. Dim: 8 1/2" x 11". Pad contains 50 three-hole punched sheets. Wt. 2 1/2 lbs.

No. 5925- G (5 pads/pkg.)...\$10.00/pkg.

H, F Formats. RPG II Control Card and File Description Specifications. Dim: 8 1/2" x 11". Pad contains 50 three-hole punched sheets. Wt. 2 1/2 lbs.

No. 5928- G (5 pads/pkg.)...\$10.00/pkg.

No. 5929- G All 4 pads as listed above at \$8.75/pkg, a \$5.00 savings (1 ea.)...\$35.00

Order our RPG forms (left) and our coding forms (right) to reduce your program errors, cut debugging time, improve accuracy and have proven convenience. For anyone involved in software design, these pads are a real money saver.

Cobol Form. Includes page sequence, pre-numbered serial sequence, Cobol statement and identification fields. Each page has program, programmer and system identification headings. Dim: 8 1/2" x 11". 50 3-hole punched sheets/pad. Wt. 6 lbs.

No. 5900- G (10 pads/pkg.)...\$25.00/pkg.

New. Assembly language form.

Our new form has statement number, plus statement field and comment field. Alternating blue and white horizontal lines help

you eliminate keying errors caused by line jumping. 8 1/2" x 11", ideal for binding.

No. 5902- G (10 pads/pkg.)...\$25.00/pkg.

80-column tab cards.

Fortran format 80 col. tab cards. 2,000/box

Price per box: Qty 1-2 3-5 6+

No. 5456- G .. \$13.50 \$12.25 \$11.50

Standard format 80 col. tab cards. 2,000/box

No. 5461- G .. \$13.50 \$12.25 \$11.50

Cobol format 80 col. tab cards. 2,000/box

No. 5451- G .. \$13.50 \$12.25 \$11.50

Order our D-ring binders and you'll learn how easy it is to hold 450 sheets of printout for random updating.

Holds twice as much as round ring binders.

Our D-design makes this binder unique...and we're proud to say it's one of the most functional products we offer.

Rings snap open for easy insertion of updated material, snap closed for smooth, positive page turning without curling or creeping. They stand 1 3/8" high to hold their full height in burst 132 or 80 column computer printout; 450 sheets in all, nearly twice the height of a same-size round ring.

Really built to last.

For rugged shop or field use, our waterproof, scuff-resistant covers of 34 point polyvinyl are tough enough to take it.

Guaranteed quality.

Put our binders to work, and see how tough they really are. If you're not satisfied, return them to us postage prepaid within 45 days for a full refund.


132-column D-ring binder for use with 11" x 14 7/8" burst printout. Dim: 11 5/8" x 16 1/4" x 1 3/4". Royal Blue.

No. 2152- G\$6.50 ea.

Buy 4 & SAVE \$3.00\$5.75 ea.

Buy 12 & SAVE \$14.40\$5.30 ea.

The D-rings hold 450 sheets, nearly twice as much as a round-ring style.




80-column D-ring binder. Use with 11" x 9 7/8" burst printout. Dim: 11 1/2" x 12 1/4" x 1 3/4". Royal Blue.

No. 2154- G\$7.50 ea.

Buy 4 & SAVE \$3.00\$6.75 ea.

Buy 12 & SAVE \$19.20\$5.90 ea.

Whether you're using 132 column or 80 column burst printout, our binders are the functional, fast alternative for random updating of your reports.



Why you can buy our versatile, durable, colorful binders for a price much less than you'd expect.

There's no mystery why the prices on our binders are lower than some others you can buy. We buy high-quality binders in bulk...and our shelves are well stocked in both California and New Jersey. It's this large volume that gives us a lower cost. So we can pass the savings on to you.

The two most-popular covers in the field.

1. **Pressboard covers** are heavyweight type #1, 20-gauge construction that give your reports a professional look.

2. **Vinyl covers** are made to our strict specs. They help you prevent rips, frays, cracks and scuffs. Just wipe them clean.

Steel posts give our binders strength.

With nylon-coated-steel sidelocks that

won't bow or bend, the binders you order can handle heavy printout loads. They lie smooth without channel bumps.

Load from both top and bottom.

Without having to buy a conversion kit, you can load from either end of the binder. This really speeds your update time.

For extra access, slide-up hooks let you hang the binders in your printout racks. (Not with #2000 or #2103)

Your choice of 6 colors: red, gray, black, light blue, dark blue or green.

Order now, they're each guaranteed.

Use the binders for 45 days. If they can't meet your standards you can return them.

Hints on binder selection:

Burst binders bind on the side (with holes) edge. They're designed to hold separated (burst) pages of continuous forms. That makes them ideal for reports which are updated often by a few pages.

Unburst binders bind on the top (perforated) edge and can be used with both burst and unburst reports. Generally, long reports are left unburst as a matter of convenience.

Each box of 10 must be the same color.

Inmac pressboard binders. Use with 132 column unburst printout. Red, gray, black, lt. blue, dark blue or green. Wt. 7 1/4 lbs.

Price per box:	Qty	1-2 boxes	3-5 boxes	6+ boxes
No. 2102- G		\$24.00	\$23.00	\$22.00

Inmac pressboard binders. Use with 132 column burst printout. Red, gray, black, lt. blue, dark blue or green. Wt. 7 1/4 lbs.

Price per box:	Qty	1-2 boxes	3-5 boxes	6+ boxes
No. 2103- G		\$23.00	\$22.00	\$21.00

Inmac pressboard binders. Use with 80 column unburst printout. In gray. Wt. 5 lbs.

Price per box:	Qty	1-2 boxes	3-5 boxes	6+ boxes
No. 2000- G		\$23.00	\$22.00	\$21.00

Inmac vinyl binders. Use with 132 column unburst printout. Red, black, dark blue or green. Wt. 6 lbs.

Price per box:	Qty	1-2 boxes	3-5 boxes	6+ boxes
No. 2151- G		\$27.00	\$25.00	\$24.00



A durable way to keep your program documentation all in one place.

Want to have quick access to all your source listings, operation procedures, error codes and other program documentation? You've got it with our programmer's documentation binder.

It gives field-proven organization.

With all your program documentation in one specific place, operators can answer most questions themselves. And not have to rely on the original programmer. That's a real time saver.

Durability is another reason to buy.

In this unique binder, we've combined the standard nylon post data binder with a metal prong 8½" x 11" binder. And put them both in one tough vinyl cover. It's like getting two binders in one. And it's sturdy enough to take the kind of repetitive field usages your programmers are known to dish out.

Every programmer could use a few.

Considering the low cost of this binder and the organization it can give each of your programmers, you might buy the binders in larger quantities. And save money.

And ease of use is still another.

The nylon post binder loads top and bottom for up to 6" of unburst 14⅞" x 11" printout paper... with the bottom cover folding out to form a binder for 3-hole punched sheets. Steel prong fasteners secure up to 3" of paper.

We make sure all binders include program identification label plus five 8½ x 11" tab indexes... all at no extra charge. At a glance, you'll see which program's which.



Inmac Programmer's Documentation Binder.


For use with 14⅞" x 11" unburst printout and 8½" x 11" three-hole punched sheets. Wt. 5.6 lbs. per box. Available in gray or black. Sold in boxes of 5.
No. 2401- G \$35.00/box
 Buy 3 & SAVE \$3.00 \$34.00/box
 Buy 5 & SAVE \$10.00 \$33.00/box

How to make printout storage a breeze.

Economy binding posts for short-life data.

They're flexible and easy to use.

Now binding up to 2½" of computer reports is simple as one, two, three. Thread poly posts through forms. Lock on buttons. Clip off the excess and you're done! For low usage or disposable data, they're the right answer at a low cost. Use our posts, and you'll wonder how you organized short-life data without them!




Plus archival storage versatility.

You'll save substantially if these posts are incorporated into your usual methods of archival storage.

They're also perfect for mailing all sorts of data, especially if you're distributing those reports on a continuing basis.

No. 2309- G... (50 posts, 50 buttons with clippers) \$5.00



These posts can bind up to 2½" of low usage or disposable computer reports quickly and easily...at a low cost.

Printout index tab sheets.

Categorize at a glance.

Fill in the blank tabs with appropriate information; later, you'll find it at a glance with our index sheets in white and colors. We've included preprinted month tabs as a bonus!

Sheets have 6 positions across. The tabs are 1½" x ⅜" with beaded edges permit easy title changes. The sheets are so sturdy, they'll likely outlast the data you plan to index.

All available for same-day shipment.

Survey your printout binding and filing needs, then call us to order. We ship out the products you need the day you call, so you won't wait weeks for what you need now.


132 Column Tab Index. For use with 14⅞" x 11" burst or unburst sheets. Wt. 3.3 lbs.

No. 2340- G... (10 sets of 6) \$24.00

80 Column Tab Index. For use with 9⅞" x 11" unburst sheets. Wt. 2.3 lbs.

No. 2300- G... (10 sets of 6) \$24.00

Our index sheets have blank tabs with beaded edges that allow you to make title changes with ease.



Two ways to organize 132 column printout.

1. The Data Pocket is large enough to keep all your notes and program listings in one place. A must during software development.

Inmac Data Pocket. Wt. ½ lb.

No. 2420- G... (set of 10) \$10.00

2. File folders keep your printout neat and flat without the cost of binding them.

132 Column Printout File Folders. 15" x 12" manila. Includes 3rd-cut tabs. Sold in units of 50. Wt. 12 lbs.


No. 4415- G... (50 folders) \$25.00

Buy 3 units & SAVE \$1.50 \$24.50

Buy 6 units & SAVE \$6.00 \$24.00



Tape-reinforced accordian sides expand to hold 350 sheets of 132 column printout...and keeps them flat!
Our manila folders expand for up to 2" of printout.




Choose the best way to send your data quickly, easily and securely.

When you send data yourself, it can save time and effort. And, with our proven methods of sending data...the choice is one of both efficiency and added security.

How to send your mag tapes or flexible disks.

Our mailers are tough, so you can use them over and over. And since they are lighter than metal or fiberglass, you pay much less for mailing costs.



For sending and returning mag tapes and floppies.

Mail software locally or nationally.

Of 200 lb.-tested corrugated cardboard, our mail boxes meet postal and UPS requirements. Order now for ease.

2400' tape-in-seal mail box. Holds 1 2400' mag tape in seal. Inside dim: 11" x 11" x 1 1/4". Wt. 3 1/2 lbs.

No. 2601- G (10 boxes/pk.)...\$13.00/pk.
Buy 5 pks. & SAVE \$5.00 ...\$12.00/pk.

1200' Tape-in-seal mail box. Holds one 1200' magnetic tape. Inside dim: 9" x 9" x 1 1/4". Wt. 3 lbs.

No. 2602- G (10 boxes/pk.)...\$13.00/pk.
Buy 5 pks. & SAVE \$5.00 ...\$12.00/pk.

Floppy disk mail box. Holds up to 10 floppy disks. Inside dim. 8 1/4" x 8 1/4" x 1". Wt. 1 1/4 lbs.

No. 2603- G (10 boxes/pk.)...\$11.50/pk.

Pack and ship your tapes yourself.

Get your data on its way in just half a minute... 14 seconds to load the box and 16 seconds to hand-address the label.

Have total confidence of safe arrival.

Your tapes are held securely in these boxes so they can take hard knocks in transit. The secret to the strength of our mail boxes is their 1" thickness which reduces potential bends and warps.

Regular tape mailer. For 600' tape-in-seal or canister. Dim: 9" x 9" x 1 1/4". Light blue.

No. 2610- G... (Wt. 1 lb.)\$7.50 ea.
Buy 5 & SAVE \$3.75\$6.75 ea.

Large tape mailer. For 1200' tape in canister or seal and 2400' tape-in-seal only. Dim: 11 3/8" x 11 3/8" x 1 1/4". Light blue.

No. 2620- G... (Wt. 1 1/4 lbs.) \$13.50 ea.
Buy 5 & SAVE \$5.00\$12.50 ea.



Std. & Mini-Floppy disk mailer. Adjusts for 1 to 10 disks. Dim. 13 1/4" x 13 1/4" x 1 1/4".

No. 2621- G... (Wt. 2 lbs.) ..\$13.00 ea.
Buy 5 & SAVE \$7.00\$11.60 ea.

Additional address cards. Includes 100 address cards to insert into mailer label holder. Use with Nos. 2610, 2620 & 2621.

No. 2630- G... (100 cards)\$4.25

With our mail boxes, you can mail media yourself. Sturdy enough to go nationwide, our mail boxes for mag tape or floppies meet postal and UPS requirements.



For your interdepartmental mailings, our bags make it easy to route 80 or 132 column printout.

Use interoffice envelope over and over again.

Reuse with to-from lines, string, button.

80 column interoffice envelope. For 80 column printout. Dim: 12" x 9" x 2". Wt. 23 lbs.

No. 2651- G (25 envel./pk.)...\$15.00/pk.
Buy 4 pks. & SAVE \$2.00 ...\$14.50/pk.

132 column interoffice envelope. For 132 column printout. Dim: 15" x 12" x 2". Wt. 4.4 lbs.

No. 2661- G (25 envel./pk.)...\$20.00/pk.
Buy 4 pks & SAVE \$4.00 ...\$19.00/pk.

How to send 80 or 132 column printout, flat.



80 column mailing envelope. For shipping 80 col. printout. Dim: 12" x 9" x 2". Wt. 3.4 lbs.

No. 2650- G (25 envel./pk.)...\$11.00/pk.
Buy 4 pks. & SAVE \$1.20 ...\$10.70/pk.

132 column mailing envelope. For shipping 132 col. printout. Dim: 15" x 12" x 2". Wt. 4.4 lbs.

No. 2660- G (25 envel./pk.)...\$13.50/pk.
Buy 4 pks. & SAVE \$1.40 ...\$13.15/pk.

Our bags keep 80 or 132 column printout flat, so they'll arrive in the same condition you sent them.



Call us for in-depth content information.

Must reading for all programmers.

The Art of Computer Programming. Donald E. Knuth, Stanford University. The Copyrights: 1968, 1969 and 1973.

Fundamental Algorithms.

No. 2800- G... (634 pgs.) ...\$27.00 ea.

Semi-Numerical Algorithms.

No. 2801- G... (624 pgs.) ...\$27.00 ea.

Sorting and Searching.

No. 2802- G... (723 pgs.) ...\$27.00 ea.

All three Knuth volumes at \$25.00 each, a \$6.00 savings.

No. 2805- G \$75.00/set

The System Programming Series.

The Program Development Process. J.D. Aron, 1974.

No. 2810- G... (264 pgs.) ...\$18.00 ea.

The Structure & Design of Programming Languages. J.E. Nicholls, 1975.

No. 2811- G... (572 pgs.)\$23.00

An Introduction to Database Systems. C.J. Date, 1975.

No. 2812- G... (366 pgs.) ...\$23.00 ea.

Sorting and Sort Systems. H. Lorin, 1975.

No. 2813- G... (452 pgs.) ...\$23.00 ea.

Compiler Design Theory. P.M. Lewis II, D.J. Rosenkrantz, R.E. Stearns, 1976.

No. 2814- G... (647 pgs.) ...\$26.00 ea.

Recursive Programming Techniques. W.H. Burge, 1975.

No. 2815- G... (277 pgs.) ...\$21.00 ea.

The System Programming Series. All six volumes for \$124.00, a \$10.00 savings.

No. 2817- G \$124.00/set

Why just a few minutes of preventative maintenance can keep your system from going down for hours.

You probably have a service that vacuums your computer room. But do they clean the nooks and crannies of your peripherals? If not, the contaminants left can get to your computer. And shut it down.

The debris that can harm your data and equipment is more than immediately meets the eye. Just take 5 minutes for this experiment. Look closely at your printer. If you see

Included with your portable vacuum are:

- full-length 6' x 1 1/4" hose
- shoulder strap for easy carry
- crevice tool
- round brush
- extension wand
- 1 paper filter bag
- 2 1/2" to 1 1/4" adapter

These accessories help you do the job right. And good maintenance eliminates downtime or erroneous data from being recorded.



specks of dust and bits of paper inside or outside the clear cover, you need some help from our computer vac.

Make fast work of required cleaning.

Because it's so lightweight and easy to carry, our portable vacuum makes fast work of getting into hard-to-reach nooks and crannies where debris can hide. Like your printer. Your card punch. Your teletype. And your copiers. And all the attachments included with this computer vac are designed with additional ease in mind.



With our computer-vac, you can clean up paper chips, dust and debris from even the tightest places.

With filtration to increase effectiveness.

We've made sure this computer vac was engineered with a unique dual filtration system. This allows the passage of only the cleanest-possible air, plus provides air movement past the motor for cooling. You can also use the vacuum as a blower by connecting appropriate accessories to the exhaust outlet.

You be the judge of our computer vac.

The only way for you to experience how easy and efficient our computer vac can be is to use it yourself. We think you'll agree it's a small price to pay for preventative maintenance that helps keep your entire system up and running right.

Fully assembled, ready to perform.

With a permanently lubricated motor sealed for long life, our vacuum has quick-action locks that make it easy for you to open and close. Of high-impact plastic and metal. UL and CSA listed. 120 V, 60Hz, 102 CFM.

For all you field engineers, the computer vac helps to make your job complete.



Lightweight and powerful, this new vacuum makes cleaning hardware and peripherals an effortless task.

Portable computer vacuum cleaner. With 6' x 1 1/4" hose, shoulder strap, crevice tool, round brush, extension wand, 2 1/2" to 1 1/4" adapter and 1 paper filter bag. Wt. 16 lbs.
No. 6580- G \$100.00
Filter bags. 5 per pkg. Wt. 1 lb.
No. 6581- G \$6.50/pkg.

Inmac Computer Vacuum 1-year Guarantee

Our portable vacuum is guaranteed for 1 year from your invoice date. If it does not meet your expectations, simply return it to us postage paid, for exchange or a full refund. This guarantee does not cover the accessories included.

To save \$200, clean type faces yourself.

Why call a professional to clean your printers' type faces? They can charge you \$200 or more for the same results you can get by using our type face cleaner.

In less than 10 minutes, the job's done.

The continuous form feeds right into your printer from the box. Just run a test-cleaning pattern. When the characters come out sharp and clean, the job's all done. And every time you clean the type face, you give longer life to your printheads.

Anyone can cut the sheets to fit.

Whatever your printer size, you can cut these sheets to fit accurately. Even use them

on typewriters. Each sheet has a chemically-treated surface that lifts dirt from your type face and leaves no loose particles or liquid to clog sensitive machinery.

Keep several boxes on hand.

Because sharper characters are necessary for professional-looking reports, you'll want to use this type face cleaner often. Order now.

Type cleaner. 20 continuous fan-folded sheets/box, 11" x 14 7/8". Wt. 3 lbs.

No. 6090- G \$35.00/box
Buy 3 & SAVE \$12.00 ... \$31.00/box

The continuous form feeds right into your printer from the box. In less than 10 minutes, have sharper characters.



With up-to-the-minute dependability, increase your computer room efficiency 24 hours a day.

Computer time and pertinent data are keyed in on a 24-hour basis. So with a clock like ours, you'll always have the hour and minute available, at a glance.

You can count on its accuracy.

We made sure our clock had a sophisticated electronic movement for the accurate service you can trust. In fact, we guarantee its accuracy. You can test our clock in your own environment. If it doesn't live up to your expectations, you have the option to return it within 45 days.

You can admire its good looks.

Handsome with glass front, brown molded case and brown numbers, our 24-hour clock not only gives you time you can trust, but a good-looking complement to your environment as well. Order now and we'll ship your clock to you fast...just time us.

24-hour wall clock. 13 $\frac{3}{8}$ " diameter, 12" dial.
Brown case, brown numbers, white face, glass front. 120V. Wt. 5 lbs.
No. 6570- G \$35.00



Two field-proven ways to make faster, easier and more accurate keying a reality.

It doesn't take an efficiency expert to observe that your CRT operators and secretaries are more productive if they can comfortably see what they're working on.

That's why our copyholders help increase productivity. They not only increase the keying or typing speed, but reduce costly errors due to eyestrain and disorganization. Look around your installation today, and then order the ones right for you.

Handy C-clamp mounts to surfaces up to 1 $\frac{1}{4}$ ".



Think of a copyholder as an "in" tray.

More often than not, your CRT operator's work station isn't large enough for an inbox or work-to-be-completed pile. So our copyholders play a dual role. They organize the work flow and hold standard-size paper, books or manuals open...so both hands are free. Teamed with our new CRT trays on page 32 that serves as a work-completed file, our copyholders give you the ideal partnership for improved productivity.

Suspension copyholder.

It meets your operators' specific needs.

By mounting on a wall or clamping on a table with the hardware included, this model easily locates behind your CRT. For added operator convenience, our copy holder swivels 360° in all directions...twisting, turning, extending up and down to meet individual requirements. Dual tempered steel springs keep it stable, enamel finished steel for durability.

Inmac's suspension copyholder. Dim: 10" x 13" x 1' extension. In black. Wt. 3 $\frac{3}{4}$ lbs.
No. 4901- G \$50.00
Buy 3 & SAVE \$15.00 \$45.00

Table top copyholder.

A transparent line guide insures easy reading.

This line guide highlights the line being keyed, while the lines above and below are in a separate, blue-tinted area. The reader


guide adapts to pica or elite type and handwritten copy. The magnet keeps paper put. Of heavy steel with rubber feet for protection.

Inmac's table-top copyholder. Size 9" x 14".

Color: Gray. Wt. 2 $\frac{1}{2}$ lbs.

No. 4902- G \$17.00

Buy 3 & SAVE \$3.00 \$16.00



The transparent line-guide highlights the line being keyed; while the lines above and below that line are shown in a blue-tinted area for contrast.





Our new spray helps you stop static shocks.

Spray away static.

Here's a brand new way to stop static. A spray that's helpful during the summer when air conditioning dries out your environment. And in winter when the heating system does the same thing, but worse.

Now everyone can personally fight static.

Because this spray can be stored in a drawer, everyone who works with you can have his or her own static guard to stop those uncomfortable shocks.

And it helps protect your valuable data.

Although everyone doesn't come in close contact with your computer or data entry equipment, they can carry static electricity. Just by walking past the equipment, this static can cause dropouts and damage. So be prepared. Order our new spray today.

Anti-static spray. Aerosol can. Wt. 15 ozs.

No. 6625- G\$6.00 ea.

Buy 6 & SAVE \$6.00\$5.00 ea.

Help stop surges.

Our new surge protector may be small. But it does a big job in eliminating component damage and logic disruption.

Suppresses short-term line-voltage spikes.

Everything from air conditioners to fluorescent lights can cause a power surge that plagues you with the glitches. But buy our surge protector, plug it into an outlet and it acts like a sponge...absorbing the transient power peaks that disturb data and damage equipment. 115 VAC only.

Surge protector.

No. 6640- G\$80.00

Our new surge protector suppresses high voltage spikes.



How checking this meter prevents the problems of short circuits and thermal runaway.

Two silent and invisible dangers lurk in your computer room. Improper levels of temperature and humidity. But buy our meter, have someone check it, and you can catch the culprits.

If the temperature in your home went up a couple of degrees, probably the most hardship it could cause you is watering the plants more often. But in your computer room, it's another story.

Watch the meter to monitor temperature... this guards against system overheat.

Just by staying up and running, your computer builds up heat from the amount of energy it releases. If any amount of external heat is added to your computer room environment, the delicate balance could be dangerously thrown out of whack.

Only a few more degrees could cause your chips to flake. Even to melt. And your entire system could go down for who knows how many hours (or days) at a time.

How to read your temperature/humidity meter:

<i>When checking for proper temperature levels, make sure your meter monitors from 63° to 70° F.</i>	74 -	
	73 -	
	72 -	
	71 -	
	70 -	
<i>When checking for proper humidity levels, make sure your meter monitors from 40 to 60.</i>	69 -	
	68 -	
	67 -	
	66 -	
	65 -	
<i>If you get a reading of anything different, don't hesitate to take action. It could save your data and prevent downtime.</i>	64 -	
	63 -	
	62 -	
	61 -	
	60 -	

But if you check this meter to insure that your room registers between 63° and 70°... you can prevent the chance of thermal runaway. If you do experience a temperature increase, manually shut your computer down until a proper level can be reached.

Watch the meter to monitor humidity... this guards against static and moisture.

We've found that computer rooms like yours sometimes have a thermometer, but usually not a humidity gauge. Humidity can be equally or far more hazardous to your computer's health than heat. If your room is too dry, static electricity can build up. And with advancements like CMOS technology, any tiny bit of static can really do damage. Cause dropouts, dropouts. Destroy circuitry.

If you check your meter and see the humidity level fall below 40, drop everything and get a humidifier. It could save you plenty.



By checking your temperature/humidity meter every day, you can help prevent thermal runaway caused by high temperatures...and short circuits caused by too much humidity.

Conversely, if humidity is above the 60 mark, condensation can cause costly short circuits.

Good looking, certified accurate.

Each of our temperature/humidity meters has been thoroughly tested at three different dial positions (from 32 to 180) for proper calibration and certification.

With solid brass case, it's as good looking as it is a dependable defense against temperature and humidity damage. Decide for yourself how much downtime it could save.

Temperature/humidity meter. Solid brass case is pre-drilled for wall mounting. 6" diameter. Black face, white numbers. 3 lbs.

No. 6575- G\$85.00

Inmac Temperature/Humidity Meter 1-year Guarantee

All Inmac temperature/humidity meters are guaranteed to give you accurate readings for the period of 1 year from your date of purchase.

If, during this time, it cannot perform as specified, you may return it for a refund or exchange it. Understandably, we cannot warranty damages resulting from mishandling, nor assume responsibility for consequential damages.

Across town or around the world, our En Route™ cases help protect your media along the way.

You can learn about the five good reasons why our designers decided to improve these three cases. Increased protection for your valuable media is just one of them.

You already know that contaminants and hard knocks can cause data dropouts on tapes, disk packs and cartridges. That's why you go to great lengths to insure all media is properly stored at your installation. But is media as well protected when you pack it up to travel with you?

1. The outer shell makes it strong.

Of rugged high-impact plastic, all our En Route cases are ribbed on top for rigidity and strength. And this ribbing makes it easy to identify your case at a glance. The heavier grain resists mars and scuffs, while improving your professional image.

2. The inside foam resists impact.

A urethane foam lining guards against sudden impact that could permanently

Whether you buy the En Route case for magnetic tape, disk packs or cartridges, you'll be confident in the kind of protection it gives your media. Across the country or around the world, they're designed to increase your professional image.

damage your data. And the removable foam partitions have a 3-layer construction for even more protection against bumps and bruises.

3. The sleek look gives more security.

The aluminum valance and tongue-in-groove interlocking system prevent moisture and contaminants from getting inside. But don't let its sleek good looks fool you. There's still a lock for security and a metal handle that's riveted right on to stay put.

4. The compact size offers carrying ease.

Pared down for a sleek look, our cases still give you the media storage capacity you need. Yet each is compact enough to carry on a plane and store under the seat.

5. Priced the same as last year's models.

With all these improvements, you probably wouldn't object to paying a few dollars more. But the prices on our En Route cases stay the same as last year. We sell so many of these cases that we can pass our good fortune on to you with a very low price.

Everyone on your staff who travels with media needs a case like the En Route. Remember all of them when you order.

En Route disk case is designed to carry up to five front-loading disk cartridges or three top-loading cartridges; or a single multiple-platter pack. Dim: 9-5/16" h. x 17-1/16" w. x 17-1/16" d. Wt. 9 lbs. Black. No. 2721- G\$67.00 ea.
Buy 3 & SAVE \$12.00\$63.00 ea.

Thin Line En Route case is designed to carry up to two cartridges (except RK06 & RK 07) or one five platter pack. Dim: 5 1/2" h. x 17 1/4" w. x 16 3/4" d. Wt. 5 1/2 lbs. Black.

No. 2722- G\$52.00 ea.
Buy 3 & SAVE \$9.00\$49.00 ea.

En Route Tape Case is designed to carry up to 9 tapes. Dim: 14 1/4" h. x 9 1/2" w. x 14 1/2" d. Wt. 6 lbs. Black. Includes protective poly dividers.

No. 2711- G\$52.00 ea.
Buy 3 & SAVE \$9.00\$49.00 ea.



Taking your En Route case on a commercial airline? Stay away from the X-Ray.

X-rays themselves can't harm your data, but the magnetic fields created by the X-Ray equipment can. If you're travelling on a commercial airline, inform security that you have valuable data in your En Route case that can't be X-rayed. Hand carry it through security for examination away from the X-Ray equipment.



How to order for fast, dependable service.

Now you can order from Norwood, New Jersey or Sunnyvale, California — which-ever is closest to your facility.

For fast, dependable response to your needs, Inmac now has two full-service distribution centers.

If your facility is located east of the Mississippi River, you'll save time and reduce shipping costs by ordering through our branch in Norwood, New Jersey. If you're located west of the Mississippi, you'll find our branch in Sunnyvale, California eager to serve you.

Phone, TWX, or write. But, please don't forget your customer identification code.

Hassle-free ordering has long been a hallmark of Inmac service. You can place your order by mail, TWX, or phone — we'll gladly accept verbal company purchase orders.



A little number that means a lot. You really can help us serve you better by referencing your "customer identification code" in every order. Please ask your Purchasing Agent to include it on your P.O.'s.

Whatever method you choose, please be sure to give us all the information requested in the order form below — **plus your customer identification code.**

You'll find your code on the back cover of this catalog, above your name on the address label. By referencing this code each time you order, you'll be sure to get:

- the fastest possible service.

- future editions of this catalog.
- any additional information we publish about the products you have ordered.

A choice of special service to make our fast delivery even faster.

All orders are normally shipped within 36 hours via surface transportation. Freight charges are prepaid and added to your invoice. If you require faster delivery, we also offer these special services.



For fastest service, place your order by phone. Our friendly order-processing staff is waiting to serve you.

1. With express mail, the post office guarantees next-day delivery to many U.S. destinations for packages weighing up to 70 lbs. Just call us by 2:00 p.m. (our time) and we'll make the arrangements.

2. With air freight, you can choose the speed you need. "Priority" shipments are normally delivered within 24 hours, regular air-freight shipments take 48 hours. Be sure to tell us which type of service you wish and make sure we have your order by 1:30 p.m. (our time).

3. With emergency courier service, we'll special-deliver your order to the nearest post office or airport. The cost is only \$30 plus freight charges.

Send check with order, get no-charge freight.

When you send a check with your order, we'll pay surface freight within the con-

tinental U.S. for all products **except furniture and other unusually heavy or bulky items** (see product pages for details).

If it's inconvenient for you to include payment with your order, please be sure to give us a company purchase order number or to request C.O.D. shipment.

With Inmac, there's never a minimum order charge.

However, if your needs are substantial, we suggest you enter into an **annual purchase agreement** with us. Depending on your volume, you can earn a substantial discount off the prices listed in this catalog.

Our Sales Department will gladly supply detailed information. Just give them a call at (408) 737-8700 in California or (201) 767-3601 in New Jersey.

The Inmac Guarantee of Satisfaction.

Every product you purchase from Inmac must live up to your expectations, not ours. If it doesn't, just give us a quick call for a return authorization number. And then return the product post-paid within 45 days. We'll either replace the item, credit your account or refund your money.

Many of our products have guarantees for even longer periods of time (as stated on the specific page the item is offered).

Understandably, we cannot warrant damage resulting from misuse. Nor can we assume responsibility for consequential damage.



East of the Mississippi:

Department G
49 Walnut Street, P.O. Box B
Norwood, NJ 07648
Phone: (201) 767-3601 TWX: 910 339-9286

West of the Mississippi:

Department G
130 S. Wolfe Road, P.O. Box 404
Sunnyvale, CA 94086
Phone: (408) 737-7777 TWX: 910 339-9286

Payment:

- ☐ Check enclosed. (We pay surface freight within continental U.S.A. except for furniture and other heavy/bulky items. See product pages for exclusions.)
- ☐ C.O.D. (include your phone number).
- ☐ Bill my company

P.O. # _____
Terms: Net 20, FOB Sunnyvale, CA or Norwood, NJ

Shipment:

- ☐ Best way
- ☐ UPS Surface
- ☐ UPS Blue
- ☐ Air Parcel Post
- ☐ Express Mail
- ☐ Air Freight, Standard
- ☐ Air Freight, Priority

If ordering by phone, TWX, letter, or company P.O., please reference your "customer identification code." It appears above your name on the address label on the back cover of this catalog. Prices herein are effective August 15, 1979 and are guaranteed until October 15, 1979.

BILL TO:

Name _____
Firm _____
Address _____
City _____
State _____ Zip _____
Requester's name _____

SHIP TO (if different):

Name _____
Firm _____
Address _____
City _____
State _____ Zip _____
Ph _____ Ext. _____

Qty.	Inmac Order No.	Product Description	Color	Unit Price	Net Extension

Authorized Signature _____

Title _____

Subtotal _____

In CA, VA, NJ,
add sales tax*

**Total
order** _____

*In CA: 6½% in BART district, Santa Clara and Santa Cruz counties; 6% elsewhere. In VA: 4%. In NJ: 5%.

What you'll find in this new issue:

Media

Precision performance is a necessity. That's why our tapes, flexible disks, disk cartridges, packs, cassettes and data cartridges have been field-proven on drives just like yours. In a bind and need your media now? Call us. We have special services that help get you any quantity you need by tomorrow.



Supplies

Take a look inside. You can find everything from printwheels and ribbons to line-printer paper by the carton or carload. Each product is guaranteed, so you can try supplies in your own environment risk-free for at least 45 days.



Cables, Connectors

Your entire system could be down for lack of one connector. That's why we have what you need to help support your DEC, HP, DGC, IBM or TI equipment. Can't find what you need on the 16 pages of standard cables and connectors? We'll design and custom build it for you, quickly.



Furniture

Why buy furniture from a catalog like this? Simple. It's geared toward computer-room efficiency. With extras like good looks. Durability. Low cost. And, in most cases, next-day shipment.



How our Paper Taxi™ can save you time and money with ease on wheels.

No matter who has to haul paper to and from your printer, it's a hassle. Want to solve the problem fast? Hail our all-new Paper Taxi in two different models.

Hail a Paper Taxi to make it easy.

If 50 lbs. of paper doesn't sound like much, try lifting it up and down a few times daily. Ouch. But put 80 or 132 column printout, invoices and multi-part forms on their own Paper Taxi's. Then grab the handle and your printer paper becomes as manageable as a 5-lb. box of stationary.

Hail a Paper Taxi to save time.

If someone on your staff runs an 80 column report on 132-column multi-part printout, you waste paper. And money. But Paper Taxi cuts your cost, because it makes fast work out of changing printer paper.

With the Paper Taxi and basket to catch and store paper, you can wheel finished reports away quickly. To another room, another floor, even another building. And the guardrail helps keep your paper put in transit.

Hail a Paper Taxi for durable service.

Each 16" square Paper Taxi's been tested to hold over 400 pounds, with a bumper that goes around for increased protection. Use a Paper Taxi free for 45 days in your own environment to see how tough it is.

Hail a Paper Taxi "fleet" and save money.

How many different kinds of paper do you use regularly? We suggest you order a "fleet" ... one for each kind.

Paper Taxi. 16" square, 3" high black-and-white. With handle. On wheels. Wt. 6 lbs. 8 oz.

Price each	Qty 1	3-5	6+
No. 4881- G	\$39.00	\$36.00	\$35.00

Paper Taxi with basket. As above, but with basket. 12 1/4" x 16" x 18". Wt. 13 lbs. 9 oz.

Price each	Qty 1	3-5	6+
No. 4880- G	\$75.00	\$70.00	\$68.00

Special fleet. Five Paper Taxis, two with baskets. Wt. 48 lbs. 2 oz.

No. 4883- G (save \$20.00)...\$228.00/fleet

Our new Paper Taxi makes hauling paper to and from your printer easy as carrying a 5-lb. box of stationary. So consider all the types of paper you use. Then order the Paper Taxi in larger quantities for lower "fleet" prices.



Corporate Address:
2465 Augustine Drive
Santa Clara, Calif. 95051

Bulk Rate
U.S. Postage
PAID
Inmac
Corp.

T NELSON, CONSULTANT
TED NELSON
PO BOX 3
SCHOOLEYS MTN

F20

NJ 07870

If the above person is no longer appropriate, please pass this catalog on to the right person in your organization.

Want to save dialing time?
Here's which number to call
at Inmac* and why:

To place a phone order:

(East of the Mississippi) **201-767-3601**

(West of the Mississippi) **408-737-7777**

To get technical assistance:

(East of the Mississippi) **201-767-9398 (ext. 100)**

(West of the Mississippi) **408-737-8700 (ext. 100)**

To discuss annual purchase contracts:

(East of the Mississippi) **201-767-9398 (ext. 170)**

(West of the Mississippi) **408-737-8700 (ext. 150)**

To order custom cables:

(East of the Mississippi) **201-767-9398 (ext. 107)**

(West of the Mississippi) **408-737-8700 (ext. 105)**

TWX number: **910-339-9286**

Want to mail your order?

That's easy, too. Just use the order form on
the back page of this catalog (page 65).
Drop it in the mail to:

(West of the Mississippi)

Inmac
130 S. Wolfe Rd., P.O. Box 404
Sunnyvale, CA 94086

(East of the Mississippi)

Inmac
49 Walnut St., P.O. Box B
Norwood, NJ 07648

*Formerly Minicomputer Accessories Corporation

For 2 minutes of your time, you can get a 2 year subscription to our catalog.

We update our catalog regularly, adding new products to
increase the productivity of your minicomputer facility. Fill
out this card (all questions) to receive future editions.

NAME _____
1st/2nd Initial _____ Last _____
TITLE _____
COMPANY _____
Do not abbreviate
STREET ADDRESS _____
CITY _____ ST _____ ZIP _____
PHONE () _____

PLEASE CHECK ALL APPROPRIATE BOXES MAIN BUSINESS YOUR FIRM IS IN

- | | |
|--|--|
| ☐ Manufacturing Computer, Data
Processing & Peripheral Equipment | ☐ Government |
| ☐ Manufacturing (Other) | ☐ Education |
| ☐ Transportation, Utilities | ☐ Communications |
| ☐ Wholesale Trade | ☐ Insurance |
| ☐ Retail Trade | ☐ Construction |
| ☐ Finance, Real Estate | ☐ Oil/Gas Extraction |
| ☐ Medical, Health | ☐ Business Services |
| ☐ Legal Services | ☐ (inc. EDP Services) |
| | ☐ Other _____ |

EMPLOYEES (At your location)

- ☐ 1-25 ☐ 25-49 ☐ 50-99 ☐ 100-499 ☐ 500 up

COMPUTERS

We have the following minicomputers and peripherals on-
site at this location.

MANUFACTURER	MODEL	QTY

Our location plans on purchasing a minicomputer
in the next 6 months. ☐ Yes ☐ No

SUPPLIES EXPENDITURES


Over the last 12 months approximately how much was
spent at your facility on minicomputer supplies, accessories,
cables and computer room furniture? (Products like those
offered in this catalog.)

- ☐ Less than \$500 ☐ \$500-\$999 ☐ \$1,000-\$1,999
☐ \$2,000-\$4,999 ☐ \$5,000-\$9,999 ☐ More than \$10,000

DUPLICATE COPIES OR INCORRECT ADDRESS?

If you receive extra copies of this catalog, please send us
the address labels from those copies and we will delete them
from our mailing lists. Also, if your address is incorrect, send
us the address label along with your correct name and address
(including ZIP code) and we will make the necessary changes.

How to find us for will call:




AFFIX
POSTAGE
STAMP
HERE

TO: Inmac

130 South Wolfe Road
P.O. Box 404
Sunnyvale, Calif. 94086

ATTN: Customer Service Dept.

**Inmac
49 Walnut St.**



For a FREE 2-year subscription
to the Inmac catalog,
just turn this card over.